ISSUE: 0123

forest
Making British gardens great


CLASSIC FLAT TOP ARCH
INSTRUCTIONS

We recommend using the following tools (not supplied):



Tape Measure | Pozidrive Screwdriver | Drill & 2-3mm Drill Bits | Ladder | Rubber Mallet

FIXING PACK CONTAINS:
FIXING PACK CODE: *CLAFTAFP*




PLEASE KEEP PLASTIC BAGS AND SMALL PARTS AWAY FROM CHILDREN


CHECK AND TIGHTEN ALL THE FIXINGS APPLIED TO THIS PRODUCT ON A REGULAR BASIS.

PREPARATION

We **strongly advise** that you **anchor** your arch down with either option shown below to **enhance stability. You will need to purchase these separately.** Apply the fixture to each leg before fully constructing your arch.



POSTCRETE (HARD SURFACES)
Anchor the posts 250 - 300mm into the ground for patio and decking areas.



FOR GRASS/SOIL (SOFT SURFACES)
Easy-Fit Fencefast (FEF4545)

Ensure that the spike can be inserted into the ground by 450mm.

IMPORTANT
Assembly requires 2+ adults.

REMINDER
Always pre-drill before screwing.


It's vital that you build your new arch on a **level ground in your desired location.**

Missing something or need more information?
Call our aftersales team on
0333 321 3142

Visit our website for spare instructions and more information
www.forestgarden.co.uk


Forest Garden, Oak Drive, Hartlebury Trading Estate, Hartlebury, Worcestershire, DY10 4JB
EU Authorised Representative: Authorised Representative Service, 77 Camden Street Lower Dublin, D02 XE80, Ireland

1




Position a Post on top of a Trellis, using the measurements provided. **Screw from the outside into the top and bottom of the Trellis** as shown above.

2




Position and secure another Post to the other side of the Trellis. Ensure the notched ends on the Posts are as shown above. Repeat the process for the other side.

3




Position and secure the Long Rafters to the Posts. Ensure the Long Rafters are flush to the top of the Posts. Space out the arch to your desired width.

4




Position and secure the Braces to the Long Rafters and Posts, as shown above. Repeat on the other side.

5



Position and secure 2 x Notched Rafters to the ends of the arch as shown above. **Secure 1 x Notched Rafter in the centre of the Long Rafter.** Ensure to space the Notched Rafters evenly.

6



Position and secure the remaining Notched Rafters to the Long Rafters.

CHECK YOU HAVE ALL YOUR PARTS PRIOR TO ASSEMBLY.


(The parts do not have codes on them. They are listed below should you need to order one.)

Timber is a natural material of which will shrink and swell as a result of varying moisture content.
Assembly of damaged parts may be deemed to be acceptance and this may affect the remedies you are entitled to. If the product is not constructed in accordance with the instructions, or is altered in anyway (e.g. painted), the manufacturer cannot be held liable for any resulting damage.

The components provided may be heavy. Please lift with caution and with a minimum of 2 people.

Classic Flat Top Arch (CLAFTA)			
Label	***Part Code***	**Description**	**No.**
A	*CLATREL*	Trellis 350x33x1400mm	2
B	*60452100PPT*	Post 60x45x2100mm	4
C	*60302100AII30PPT*	Long Rafter 60x30x2100mm	2
D	*60300350AII45PPT*	Brace 60x30x350mm	4
E	*60300720AII30PPT*	Notched Rafter 60x30x720mm	5

Use the labelled components to help identify the part code and description.



HEALTH & SAFETY

THE ROOF OF THIS ARCH IS NOT A LOAD BEARING STRUCTURE
DO NOT CLIMB ON THIS PRODUCT

We strongly recommend that PPE (Personal Protective Equipment) is used throughout your build to ensure you are protected from any potential health and safety risks. **Do not exempt yourself from wearing PPE.**



TREATED TIMBER CONTAINING A BIOCIDAL PRODUCT
CONTROL OF WOOD DESTROYING ORGANISMS

Active Ingredients - Propiconazole, Tebuconazole, IPBC, Permethrine, Benzyl-C12-16-Alkyldimethyl Chlorides. (Dip Treated)
Basic Copper Carbonate, DDA Carbonate, DDA Chloride. (Pressure Treated)

Wear gloves when handling. Avoid inhalation of sawdust. Do not use in contact with drinking water or food. Do not use for animal bedding or in fish ponds. Dispose of treated wood responsibly.