设 计 DESIGN	林芳芳 2018.04.14	图纸名称 PART NAME			图号/物料编码	PART NO.	
校 对 CO.BY	周军	BUSH MSBSNFWTDW, MSBSNFWTDSS, MSBSNFWTDB (CE-BCD530WE-SQ)			16131000A3	30061	
标准化 STANDARD		通用说明	通用说明书 -			材料 MATERIA	\L
业务	李士梅	图样标记	版本号	重量 (g)	比例	80g双月	交纸
seller 批准 AUTHORI ZE		REL	REV. NO.	WEIGHT	scale 1:1	美的冰箱 I	
		共 TOTAL	页 SHEETS	第 页 NO. OF SH		MIDEA REFRIGERATION DIVISION	
技术要	求						
2.印 3.制	件必须符合		则) 产品说明书; 美的冰箱最新;			术规范 ;	
标记 MARKER		变更内容 修改日期 签名				签名	
1	自订单	MO-XXX	xxx开始更	更新整体版	面		



Instruction Manual

MSBSNFWTDW MSBSNFWTDSS MSBSNFWTDB



You'll soon be enjoying your new refrigerator.

It all begins here, with your instructions.Don't worry, there's nothing too technical coming up.Just simple, step-by-step guidance to get you up and running quickly.Sound good?Then let's get started

Help and Guidance

We're here to help you get the most from your refrigerator. Should you require any guidance, a simple solution can often be found online at.

www.bush-support.com

If you still require further assistance, call one of our experts on 0345 257 7271.

Contents

1Safety information

Safety information

2Getting to know

your refrigerator Ready?Let's begin...

11 12

6

3Installing your

Parts

refrigerator

Transportation	21
Installation	22
Electrical Connection	23

5 Care and Maintenance

General	31
Powerfailure	31
Moving your appliance	31
Disassembly / assembly the door	32
TechnicalSpecifications	33
Disposalinformation	33


6 Product support

TroubleShooting	36
Help and assistance	37
Guarantee	38

4Using your

refrigerator

Before first use	26
Using your appliance	27
Useful information	28



Important-Please read these instructions fully

before installing or operating

Before use

The installation of this appliance is best carried out by 2 people.

- Dispose of all packaging carefully and responsibly.
- The appliance is designed for <u>indoor</u> <u>use only</u> and must be protected from rain, moisture and extreme temperature variations.
- This appliance is designed for house hold use. **Do not** use the appliance for industrial and commercial use, or any other purpose.
- The appliance MUST be positioned on a firm level base.
- Do not splash water on the appliance. It may cause electrical parts to fail and result in an electric shock.
- Leave the appliance in

its intended place of installation and in its correct orientation for at least 4 hours before switching on to allow the cooling system to settle before first use or after any transportation.

 Your appliance is an environmental friendly product and it contains non CFC/HFC gas substances in the cooling system (Called R600a) and in the insulation (Called cyclopentane) which potentially are flammable if exposed to fire. Therefore, take care not to damage, the cooling circuit/pipes of the appliance in transportation and in use. In case of damage do not expose the appliance to fire,

Important-Please read these instructions fully before installing or operating

potential ignition source and immediately ventilate the room where the appliance is situated.

- Do not sit, stand or place any other heavy objects on top of the appliance. This could result in injury or damage to the appliance.
- Do not allow children to play with the appliance to avoid the risk of entrapment and suffocation.
- Keep ventilation opening, in the appliance enclosure or in the built-in structure, clear of obstruction. During use
- This appliance is not intended for use by persons (including

children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance. This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance safely. Young children should be supervised to ensure that they do not play with the appliance.

• Do not use mechanical,

7


Important-Please read these instructions fully before installing or operating

electrical or chemical way to speed up the defrost process not recommended by the manufacturer.

- Do not use or place other electrical products inside the appliance not recommended by the manufacturer.
- Do not store liquids in glass containers in the freezer compartment as these may shatter.
- Do not store flammable materials such as alcohol, gasoline, LP gas or glue etc in the appliance.
- In case there is an inflammable gas leaking, open the window for air circulation and do not pull out the plug or

turn the temperature knob. **Do not** touch the appliance until the valve of gas is turned off. Otherwise, sparks may happen.

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- **Do not** attempt to repair the appliance yourself. Contact the Customer Helpline:0345 257 7271.



You'll be up and running in no time


Ready?Let's begin...


Please read these instructions carefully. They contain important information which will help you get the best from your refrigerator and ensure safe and correct installation and operation

If you require any further assistance, our technical experts are happy to help. For full details, refer to the product support section at the end of these instructions.

You'll be up and running in no time

Parts







Instructions x 1

Ice-cube tray x 2




Wrench x 1


Water Dispenser

Cleaning & Assembly

Before using the water dispenser clean all parts of the water tank and the dispenser with hot soapy water. To clean the water tank you will need to remove it, to do this hold both sides of the water tank tightly and lift it carefully away from the door at a 45° angle.




Remove the seal ring from the water tank by gently pulling it from the bottom of the water tank.



Water Dispenser

Cleaning & Assembly

Using a flat headed screwdriver, gently insert it between the raised edge(s) of the water valve and dispenser moulding. Then slowly and carefully raise the edges with screwdriver on either side of the water valve, the water valve should lift and be removed by hand at a 45° angle.



Clean all parts (water tank and cover, seal ring and water valve with hot soapy water, then rinse thoroughly and dry.

The water dispenser can be cleaned by dispensing hot soapy water through it, however you must ensure to flush the hot soapy water away by dispensing at least 6 large cups of clean water through the dispenser.


It is recommended to clean the water tank, seal ring, water valve and the dispenser in this way at least once a month.

Note: The tank must be cleaned and dried regularly in order to avoid the overflow water spilling on to the appliance or the floor. Any spillages on the appliance or on the floor must be cleaned up immediately.


Water Dispenser

Re-attaching the water valve, seal ring and water tank

To re-install the water valve, ensure that nozzle of the water valve is pointing downwards and that the groove on the body of the water valve is aligned with the groove on the hole of the dispenser molding. Once this is done you can insert the water valve into place by pushing it downwards at a 45° angle until it clicks into place.




Refit the seal ring to the bottom of the water tank, ensuring there are no creases or wrinkles.



Water Dispenser


Re-attaching the water valve, seal ring and water tank

Refit the water tank back into the door. When fitting the water tank, ensure the seal ring is inserted into the water valve first, then hold both sides of the water tank tightly, align the slots on the water tank with those in the door and fit it on to the door at a 45° angle.



Water valve assemble

Should the water valve become dissembled then it must be assembled in the below method. You must ensure all grooves are at the top of the water valve body and nozzle.



Water Dispenser

Filling with water

Note:


• The maximum capacity of the water tank is 3 litres, do not exceed this maximum limit.

• Do not touch other parts when filling water, which can cause water leakage.


• Water must be left in the water tank with the appliance door closed for at least 4 hours to enable it to cool down.

You can either fill the water tank when it is in the appliance or has been removed from the appliance in 2 ways:

1. Remove the water tank cap on the large water tank cover and fill water into the tank through the opening.



2. Remove the large cover, then fill the water directly.




Water Dispenser

Note:


Note: Water must be left in the water tank with the appliance door closed for at least 4 hours to enable it to cool down.Note: When the water tank/dispenser is empty, do not push the dispenser lever stronglyas this can damage the mechanism.Note: Do not touch the dispenser lever without a cup underneath the dispenser.

Before dispensing the water you must ensure all parts are correctly fitted and that the door of the appliance is closed.

Place an appropriately sized container or cup into the dispenser and push the dispenser lever, once a sufficient amount of water has been dispensed remove the container or cup away from the dispenser lever.door of the appliance is closed.



Installing your refrigerator





Installing your refrigerator Bringing it all together

Transportation

Caution: 2 people are required to unpack and handle the appliance, it is recommended that gloves are worn.

- •The appliance should be transported only in an upright position. Do not tilt the appliance greater than 45 degrees. The packaging as supplied must be intact during transportation.
- •After transporting the appliance, leave it for at least 4 hours before switching on to allow the cooling system to settle. Failure to comply could result in damage to the appliance.
- Do not move the appliance by pulling the door or handle as it may damage your flooring and wall coverings etc.
- . Empty any water in the drain tray before moving
- Make sure that the defrost water pipeat the back of the product is fixed to the plastic evaporating pan on the top of the compressor, to avoid defrost waterspillage on the floor.
- •Ensure the electrical cable is not caught under the appliance during and after moving
- Carefully removeall packaging materials including the foam base, dispose of correctly Installation
- •Ensure sufficient spacing is provided for the appliance to beinstalled. Leave space on both sides (50cm), back (100cm) and above the appliance (50cm) to ensure proper ventilation and door opening. See fig. 1&2
- •Do not place the appliance near a heat source or in direct sunlight
- Do not put any heavy objects on top of the appliance. It will damage the appliance.
- Do not install the appliance in a moist or wet place. It should be installed on a smooth surface to avoid excessive vibration and noise.
- Move the appliance to the desire location and adjust the two front levelling feet to fix the appliance.












Installing your refrigerator Bringing it all together

- •Try some operations, i.e. Open/close door to confirm the appliance will not move under normal usage/operation. If the appliance moves, adjust the leveling feet again until it is fixed and do not move (See fig.3).
- If you need to relocate the appliance, please ensure the leveling feet on the front side have been screwed upwards before you move the appliance.
- If the doors of the appliance are not aligned then the height of right door can be adjusted, please follow the below steps.
 Note: The maximum height adjustment is 5mm Rotate the locking nut clockwise (as shown in Fig.5) with a wrench for 2 full rotations to loose it. You can now rotate the adjusting nut(as shown in Fig.5) to adjust the height of the right door. Once the door is set to your desired position, then tighten the locking nut by rotating it anti-clockwise.



- •Each appliance has a climate class (shown on the rating plate) that indicates the operating temperature range of the appliance. The appliance may notwork properly if it is left for a long period at a temperature outside the specified range.
- Climate Class
 Amb.T.(°C)
 Amb.T.(°F)

 SN
 10~32°C
 50~90°F

 N
 16~32°C
 51~90°F

 ST
 16~38°C
 61~100°F

 T
 16~43°C
 61~110°F
- Refer to section "Care and Maintenance" to prepare your appliance for use.

Installing your refrigerator

Bringing it all together

Electrical connection



Warning: THIS APPLIANCEMUST BE

Before making any electrical connections, ensure that:

- •Electrical safety is only guaranteed when the earth system of your house is in accordance with the related local regulations.
- •Do not damage the refrigerant circuit.
- Do not bend, stretch or pull the supply cable to avoid electric shock.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- •Ensure the powersocket is suitable for the maximum power of the machine (fuses in the power circuit must be 13 amp).
- •The supply voltage should be the same as that indicated in the technical specifications and the appliance rating plate.
- •The appliance should be earthed and in compliance with the applicable law.
- •When installed, the power socket must be within easy reach.
- If the socket outlets inyour home arenot suitable for the plugsupplied with this unit check with a qualified electrician for replacement.
- •The use of adapters, multiple connectors or extension cables are not recommended.
- •The appliance must be connected to a 220-240 volt 50Hz ACsupply by means of a threepin socket, suitably earthed and protected by a 13 amp fuse.
- •Should the fuseneed to bereplaced, a 13 amp fuse approved to BS1362 mustbe used.
- •The plug containsa removable fuse cover that must be refitted when the fuse is replaced. If the fuse cover islost or damaged, the plug must not be used untila replacement cover has been fitted or the plug is replaced.
- •A damaged plugshould be cut off as close to the plug body as possible, the fuse should be removed and the plug disposed of safely.

Plug replacement (UK& Ireland only)

Should you need to replace the plug; the wires in the powercable are coloured in the following way:

Blue Neutral 'N'

, Brown Live 'L'

Green & Yellow Earth 'E'


As the colours of the wires in the power cable may not correspond with the coloured markings identifying the terminals in your plug, and proceed as follows:

The green & yellow wire must be connected to the terminal in the plug that is marked with the letter E or by the earth symbol.


The blue wire must be connected to the terminal that is marked with the letter N.

The brown wire must beconnected to the terminal that ismarked with theletter L.

If the powersupply cord isdamaged, it mustbe replaced by themanufacturer or its service agent or asimilar qualified personin order to avoida hazard.



Using your refrigerator 4



Using your refrigerator

Getting the most from your appliance

Before first use

Final checks before operating the appliance

- 1. Good air circulation around the appliance .
- 2. The feet have been adjusted for perfect levelling.
- 3. Clean the compartment per recommendation in section "Care and Maintenance".
- 4. Plug in the appliance and the interior light will come on when the door is open.



The compressor starts up and in operation may produce some background noise. It is normal, this is not a defect.

Using your appliance

1. Control panel

• The control panel allows you to start and use all the fountions of your refrigerator without opening the doors.



1.Vacation mode icon

- 2.Quick freeze mode icon
- 3.Quick cool mode icon
- 4.Lock/unlock icon
- 5. Lock/unlock/ confirm button
- 6. Fridge compartment temperature adjustment button
- 7.OFF mode icon
- 8. Fridge compartment temperature
- 9. Freezer compartment temperature
- 10. Freezer compartment temperature adjustment button

11. Mode function/setting button

Program mode	Display	Freezertemperature	Fridge temperature	Remarks
Normal	/	-18 C	5 °C	For normal use, both freeze & fridge temperature can be adjusted.
Vacation	VICATION	-18 C	OFF	For vacation use, both freeze & fridge temperature cannot be adjusted.
Quick freeze	Rest Freeze	-24 C	Unchanged	For quick freeze use, only fridge temperature can be adjusted.
Quick freeze + cool	\$\$ #E* 🖉 #E*	-24 C	2 °C	For quick freeze + cool use, both freeze & fridge temperature cannot be adjusted.
Quick cool	O QUICK	-18 C	2 °C	For quick cool use, only freezer temperature can be adjusted.

2.Lock / Unlock function

At lock state($\frac{1}{(2)}$), press and hold Lock/unlock/confirm button for 3 seconds, it will sound a beep and change to unlock state($\frac{1}{(2)}$).

It will change from unlock state to lock state if the appliance is idle for 60 seconds. Or you can press the Lock/unlock/confirm button for 3 seconds then it will change to lock state(f_{1}^{α}).

3.Function mode selection

To change the function mode, the appliance must be in unlock state($_{\bigcirc}$). Press the Lock/unlock/confirm button for 3 seconds to change to unlock state($_{\bigcirc}$).

Continue to press Mode button, it will switch the cunction from to other as cycle in the below.

Vacation→Quick-Freeze→Quick-cold and freeze→Quick-cold→Normal

Using your refrigerator Getting the most from your appliance

First Use

• Allow to stand for a minimum of 4 hours before plugging in to the mains

Setting the temperature

- The temperature of the refrigerator is controlled electronically by the control panel.
- It will default at -18°C (freeze) and 5°C (fridge) at 1st use.
- Setting the temperature of the fridge and the freezer can be done manually by pressing the fridge compartment temperature adjustment button(6) and the freezer compartment temperature adjustment buttons(10) until the required temperatures are shown on the display.
- To change the temperature of the fridge compartment, continue to press the fridge temperature button(6). Until the desired temperature is reached. Press Lock/unlock/confirm button to confirm. The temperature of the fridge can be set between 2°C and 8°C.
- To change the temperature of the freezer compartment, continue to press the freezer temperature buttons(10), Until the desired temperature is reached. Press Lock/unlock/confirm button to confirm. The temperature of the freezer compartment can be set between -16°C and -24°C.

Hints and Tips

Storage of Fresh food

•Food should always be covered tightly with foil, wrapped in film, placed in an airtight bag or container.

This will prevent it from dehydrating and prevent strong smells contaminationg other food.

- Do not allow raw meat to come into contact with cooked foods.
- Fruit and vegetables should be stored in the bottom box with the glass cover in place.
- •Space should be left between food items to allow free movement of cold air.
- Cool hot food down to room temperature before storing.

Storage of Frozen food

- Fresh foods such as fish and meat can be frozen to maintain freshness, and keep the nutrients in the food.
- •Wrap food to be frozen or place it in an airtight container.
- Do not allow already frozen food into direct contact with food to be frozen.
- •Ready frozen food should be placed it in freezer as soon as possible.
- Do not re-freeze food once it has thawed.

Quick Freeze

Quick Freeze the original freshness and nutrition constituent of foodstuffs can be retained. Fresh meat and fish to be stored for long time must be done by quick Freeze.(Quick freeze can continue operate for upto 26 hrs and then it will change back to normal mode.)

Using your refrigerator Getting the most from your appliance Useful information

The following guidelines and recommendations are suggested to obtain the best results and storage hygiene.

- Frequent door openings can cause internal temperature to rise so the door should be closed as soon as possible after use.
- •For hygiene reasons, it is always a good practise to pack, wrap and cover the food before storing.
- Use a polythene bagto storeraw meat and place on the lowest shelf. Avoid contact with cooked food to prevent contamination. For safety reasons, store raw meat for two to three days only.
- •Cooked dishes mustbe stored inairtight covered containers.
- •Food and beverages should coolto room temperature before storing.
- Most vegetables should be blanched and chilled before freezing.
- .Bottles can be placed in the door section.
- •Some fruits and vegetables like pineapples, melons, tomatoes, and cucumbers should be wrapped in polythene bags.
- Do not leavefrozen foodat room temperature to thaw. You could defrost the food by putting it in the fridge to thaw slowly. Make sure you avoid defrosting food dripping food juices onto other food.

<u>Energy saving t</u>ips

- Place your fridge away from direct sunlight, your oven orany other heatsources. Allow 20 cm clear spaceon both sides and above, and at least 5 cm behind.
- •Cover all foodstored, and arrange it so that cold air cancirculate freely.
- •Higher cold setting will use more energy. Do not set to maximum cold if it is not necessary.
- .Cool the hot/warmfood to room temperature before putting them into yourfridge.
- .Frequently opening and closing the door

- Close the door(s) properly, and make sure the seals and hinges are airtight. Check the seals by putting a sheet of paper between the door and the main body of the fridge. If the paper moves, your seals need replacing.
- Defrost regularly if your refrigerator is not a frost-free or cyclic defrost model. Accumulated ice layer should not be more than 5 mmthick.
- •The pre-set combination of drawers, baskets and shelves have already beenset in the most efficient way for use of this product.

Defrosting Fridge Compartment


- •The fridge compartment defrosts automatically. The defrosting water runs through the drain port to the drain tray at the back of the appliance.
- In the case, that some droplets may remain inside the compartmentand re-freeze, after the defrosting cycle, this is normal. Do not use pointed orsharp objects, i.e.knives or forks, to remove the droplets which have frozen.
- Check the collection channel to ensure that no food particles have blocked the drain channel.

Freezer Compartment

To help you make the most of the freezing process, here are some important hints:

- the maximum quantity of food which can be frozen in 24 hrs. is shown on the rating plate;
- the freezing process takes 24 hours. No further food, to be frozen should be added during this period;
- only freezetop quality, fresh and thoroughly cleaned, foodstuffs;
- prepare food in small portions to enable it to be rapidly and completely frozen and to make it possible to thaw only the quantity required;

Care and Maintenance 5



Care and maintenance

Looking after your appliance General

Important: Alwaysunplug the appliance from the powersocket during cleaning and maintenance.

- •Never use any sharp instrumentsor abrasive substances, soap, household cleaner, detergent or wax polish for cleaning.
- Use luke warm water to clean the cabinet of the appliance and wipe it dry.
- •Never clean the appliance with flammable fluids. It could cause damage and a fire hazard.
- •Clean the exterior of the appliance and door seal with a damp cloth and dry it through.
- •Avoid watergoing into the temperature control box.. Clean with a dry cloth only.
- •Clean the condenser (located at the back of the appliance) witha vacuum cleaner. It is suggested to remove the dustevery year.
- •Shelves are all removable for cleaning purpose.

Important: Care must be taken while cleaning/carrying the appliance not to touch the bottom of the condenser metal wires at the back of the appliance, as this could cause injury to fingers and hands.

Light bulb replacement

This appliance is equipped with an LED light . It can be used for a long time. If the LED light is blown, it must be replaced by a qualified person to avoid any hazard. Contact the service agent at 0345257 7271.

Power failure

In case there is a powerfailure, you should contact the electricity supply company and take the following actions:

If it is less than 24 hours, keep the doors closed. This will allow the stored food to stay cold as long as possible.

If it islasts more than 24 hours, it is advised to empty the freezer compartment and temporarily storethe food ina portable freezer or using artificialice packs. Try to use up the food which is more easily perishable.

Remarks: A fullappliance will stay cold longer than a partiallyfilled one. If ice crystals are still visible on the food, it may be frozen again, although flavour and aroma may be affected. If food is found to be in a poor condition, it is best to thro w it awa y.

Short vacation

There is noneed to disconnect the appliance from the mains if you will be away for two to three weeks. Use up the perishable food.

Long vacation

Remove all the food if youare away for three weeks or more. Unplug the appliance and leave the doors opento provide air circulation to prevent odour and mould.

Moving your appliance Moving

Refer to section "Transportation" under "Installation"

Error code

What to do in case of such failure is happened.

Error code	Possible issue	Solution
E1	Temperature detection circuit of cooler	Contact service provider
E2	Temperature detection circuit of freezer	Contact service provider
E5	Freezer defrosting temperature detection circuit	Contact service provider
E6	Communication fault	Contact service provider
E7	Ambient temperature detection circuit	Contact service provider

Care and maintenance Looking after your appliance

Disassembly / assembly the door

- In case, there is problem with a door, you can contact the service agent for a replacement or you can replace it by yourself.
- •The size of the doors are, Freezer 395mm(W)x1714mm (H) and Fridge 500mm(W)x1714mm(H).

. Warning: 2 peoplemay be required to re-align the door.

- .A Philips screwdriver will be required for this task.
- •Put a protective layer on the floor before taking off the door.
- To disassemble the door.
- 1. Unscrew thescrew fixing the top hinge cover (Fig.a).
- 2. Remove the top hinge cover (Fig.b).
- 3. Unscrew thescrew that secures the top hinge (Fig.c)
- 4. Press on the lock of the cable connector (Fig.d) and separate the lead wire (Fig.e).
- 5. One personshould hold the door.
- 6. Remove the top hinge (Fig.f) from the door. Take care of the lead wire to avoid any damage to the wire.
- 7. Move the door upward to release it from the bottom hinge (Fig.g&h).
- 8. Lay the door on the floor on a protective layer to avoid making scratching the surface.

To assemble the door

- 1. Carefully lift the door. Align the hole in the lower corner of the door over the lower hinge. Lower the door onto the lower hinge.
- 2. Insert the upper hinge into the hole on the upper edge of the door.
- 3. One personshould hold the door in place.
- 4. Make sure the hinge is level between the upper hinge hole and the hole on the top of the cabinet.
- 5. Reattach the hinge screws to secure the door.
- 6. Reconnect the lead wires and refit the tophinge cover. Reattach the hinge cover with the screw.







Fig.c








Fig.g

Fig.h

Care and maintenance Looking after your appliance

Technical Specifications


Model	MSBSNFWTDW/MSBSNFWTDSS/MSBSNFWTDB
Energy efficiency class	A+
Energy consumption KWh/year	408
Net storage volume fresh food (litres)	338
Net storage volume frozenfood (litres)	175
Total net storage (litres)	513
Frozen food compartment rating	4star ₩₩
Climate class	SN/N/ST
Operating noise level dB(A)	43
Minimum Operation Temperature	10 °C

Disposal information



The symbol on the product or its packaging indicates that this product may not be treated as household waste. Instead itshould be handed over to the applicable collection point for the recycling of electrical and electronic equipment, By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. For more detailed information about recycling this product, please contact your local council office, your household waste disposal service or the shop where the product was purchased.

Remember : Oldfridges must bedisposed of carefully- older models contain CFC gases that are harmful- if indoubt, contactyour local councilfor details onhow to dispose of an old fridge.



Help is always at hand

Troubleshooting

If you have a problem with your product, these questions may beable to assistyou?

Question- Appliance does not work.

Answer Appliance is notswitched on - Switch on the appliance. Mains plug is not plugged in or is loose.-Insert mains plug. Fuse has blown or is defective - Checkfuse, replace if necessary. Socket is defective - Mainsmalfunctions are to be corrected by an electrician.

Question - Appliance cools too much.

Answer Temperature is toocold - Change to a warmer setting in front control panel.

Question - The food is too warm.

Answer Temperature is notproperly adjusted - Change toa cooler setting. Door was openfor an extended period -Open the dooronly as long as necessary. A large quantity of warmfood was placed in the appliance - Change to a cooler setting. Cool warmfood before placing in the refrigerator. The appliance is near a heat source - Position the refrigerator away from a heat source.

Question- Interior light does not work.

Answer Light bulb is defective - Replace the LED light part by service agent.

Question-Heavy build up of frost, possibly also on the door seal.

Answer

Door seal isnot air tight- Carefully warmthe leaking sections of the doorseal with a hair dryer(not hotterthan approx 50degree). At the same timeshape the warmed door seal by hand such that it sits correctly.

Question - Water on thefloor or onstorage shelves.

Answer Water drainhole is blocked - Removefood residue or ice from the entrance of the drain hole.

Question - Appliance is making unusual noises

Answers

Appliance is notlevel - Readjust the frontlevelling feet.

Appliance is incontact with wall or other objects. - Push appliance awaya short distance A part at the back of the appliance ega tube, is in contact with another appliance part or wall - Gentlybend this part away carefully if necessary

Help is always at hand

Help and assistance

If you require any technical guidance or find that your refrigerator is not operating as intended a simple solution can often befound in the **Troubleshooting** section of these instruction or onlineat **www.bush-support.com**

If you still require further assistance, call one of our experts on **0345 257 7271.**To help give usgive you a fast and efficient service please have the following information ready.

Model Ref.	You can find these on the rating plate-a small
Serial number	information panel(usually a stickeror metal plate)on the rear ofyour appliance
Date of purchase	This will beshown on your receipt

Local call rates applies*

Line open 8am-7pm Monday to Saturday and 10am-4pm Sunday

*Calls to Bush enquiry lines may attract a charge and set up fee from residential lines depending on your call plan/tariff. Mobile and other providers costs may vary, see www.bt.com/pricing for details.

For security and training purpose, telephone calls to and from customerservice centres maybe recorded and monitored.Call from Republic of Ireland will attract international call charges.

C	ς.	This appliance complies with the following EEC directives: 2014/35/EEC Low voltage directive 2014/30/EMC directive
		2014/30/EMC directive

Help is always at hand

B<u>US</u>H

Call us now and activate your 12 month guarantee

Thank you for choosing Bush. Your new product is guaranteed against faults and breakdowns for 12 months.Don't forgetto registerit with us today so we can provide you with our best possible after-sale service and useful updates.

www.bushregistration.co.uk

FREEPHONE*

0800 597 8548

Lines are open8am-8pm,365 days ayear.*Callmay be recorded and monitored.

Your Bush Guarantee

This product isguaranteed fortwelve months from the dateof original purchase. Any defect that arises due to faulty materials or workmanship will be repaired free of charge (orif applicable the product will be replaced or the purchase price refunded) where possible during this period by the dealer from who your purchased unit.

The guarantee is subject to the following provisions:

- The guarantee does not cover accidental damage, misuse cabinet parts, knobs or consumable items.
- The product mustbe correctly installed and operated in accordance with the instructions contained in the manual
- It must be used solely for domestic purposes. The guarantee will be rendered invalid if the product is

re-sold or hasbeen damaged by inexpert repair.

- Specifications are subject to change without notice.
- Bush disclaim any liability for lossor damage arising from the breakdown of the product
- This guarantee is in addition to and does not diminish your statutory or legalrights

Important Date Protection Information

To find out how we and Domestic & Gene al Insurance Plc use your data please refer to the guarantee registration m terial or visit www.bushregistrations. o.uk.



