



### Instruction Manual

ME55152SW ME55152SB



You'll soon be enjoying your new refrigerator.

It all begins here, with your instructions. Don't worry, there's nothing too technical coming up. Just simple, step-by-step guidance to get you up and running quickly. Sound good? Then let's get started

#### Help and Guidance

We're here to help you get the most from your refrigerator. Should you require any guidance, a simple solution can often be found online at.

#### www.bush-support.com

If you still require further assistance, call one of our experts on 0345 257 7271. Issue 1, 02/04/2021

#### **Contents**

1 Safety information Safety information	6
2 Getting to know	
your refrigerator Ready?Let'sbegin Parts	13 14
3 Installing your	
refrigerator Transportation Installation Door Reverse Electrical Connection	17 17 18 19
4Using your	
refrigerator Beforefirst use Using your appliance Useful information	22 22 22
5 Care and Maintenar	nce

General

Power failure

Light bulb replacement

Moving your appliance

TechnicalSpecifications

26

26


26

26

27

6	Pro	duct	sur	port
		auct	Jul	port

Trouble Shooting	30
Help and assistance	31
Guarantee	32



**Important**-Please read these instructions fully before installing or operating

#### Before use

The installation of this appliance is best carried out by 2 people.

- Dispose of all packaging carefully and responsibly.
- The appliance is designed for indoor use only and must be protected from rain, moisture and extreme temperature variations.
- This appliance is designed for house hold use. Do not use the appliance for industrial and commercial use, or any other purpose.
- The appliance MUST be positioned on a firm level base.
- Do not splash water on the appliance. It may cause electrical parts to fail and result in an electric shock.
- Leave the appliance in

- its intended place of installation and in its correct orientation for at least 4 hours before switching on to allow the cooling system to settle before first use or after any transportation.
- Your appliance is an environmental friendly product and it contains non CFC/HFC gas substances in the cooling system (Called R600a) and in the insulation (Called cyclopentane) which potentially are flammable if exposed to fire. Therefore, take care not to damage, the cooling circuit/pipes of the appliance in transportation and in use. In case of damage do not expose the appliance to fire,

6



Important-Please read these instructions fully before installing or operating

potential ignition source and immediately ventilate the room where the appliance is situated.

- Do not sit, stand or place any other heavy objects on top of the appliance. This could result in injury or damage to the appliance.
- Do not allow children to play with the appliance to avoid the risk of entrapment and suffocation.
- Keep ventilation opening, in the appliance enclosure or in the built-in structure, clear of obstruction.
   During use
- This appliance is not intended for use by persons (including

- children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.
- This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance safely. Young children should be supervised to ensure that they do not play with the appliance.
- Do not use mechanical,



**Important**-Please read these instructions fully before installing or operating

electrical or chemical way to speed up the defrost process not recommended by the manufacturer.

- Do not use or place other electrical products inside the appliance not recommended by the manufacturer.
- **Do not** store liquids in glass containers in the freezer compartment as these may shatter.
- Do not store flammable materials such as alcohol, gasoline, LP gas or glue etc in the appliance.
- In case there is an inflammable gas leaking, open the window for air circulation and do not pull out the plug or

- turn the temperature knob. **Do not** touch the appliance until the valve of gas is turned off. Otherwise, sparks may happen.
- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- Do not attempt to repair the appliance yourself. Contact the Customer Helpline:0345 257 7271.

8



Important-Please read these instructions fully before installing or operating

- Children aged from 3 to 8 years are allowed to load and unload this appliance.
- MARNING! When positioning the appliance, ensure the supply cord is not trapped or damaged.
- MARNING! Do not locate multiple portable socketoutlets or portable power suppliers at the rear of the appliance.

- To avoid contamination of food, please respect the following instructions
- Opening the door for long periods can cause a significant increase of the temperature in the compartments of the appliance.
- Clean regularly surfaces that can come in contact with food and accessible drainage systems.
- Clean water tanks if they have not been used for 48h; flush the water system connected to a water supply if water has not been drawn for 5 days.
- Store raw meat and fish in suitable containers in the refrigerator, so that it is not in contact with or drip onto other food.
- Two-star frozen-food compartments(if they are presented in the appliance) are suitable for storing prefrozen food, storing or making ice-cream and making ice cubes.



**Important**-Please read these instructions fully before installing or operating


One-, two- and three -star compartments (if they are presented in the appliance) are not suitable for the freezing of fresh food.

- If the appliance is left empty for long periods, switch off, defrost, clean, dry and leave the door open to prevent mount developing within the appliance.
- The refrigerating appliance is not intended to be used as a built-inappliance, unless specifically shown as such into its instruction manual.
- The drawers, baskets and shelves should be kept in their current position unless otherwise specified in this document.

⚠ WARNING! During using, service and disposal the appliance, please pay attention to symbol similar as left side, which is located on rear of appliance (rear panel or compressor) and with yellow or orange color.

It's risk of fire warning symbol. There are flammable materials in refrigerant pipes and compressor. Please be far away fire source during using, service and disposal.

# Getting to know your refrigerator



#### Getting to know your refrigerator

You'll be up and running in no time

#### Ready?Let's begin...


Please read these instructions carefully. They contain important information which will help you get the best from your refrigerator and ensure safe and correct installation and operation

If you require any further assistance, our technical experts are happy to help. For full details, refer to the product support section at the end of these instructions.

#### Getting to know your refrigerator

You'll be up and running in no time

#### **Parts**




- 1.Thermostatand light
- 2. Shelf
- 3.Drain port
- 4.Crisper cover
- 5.Crisper

- 6.Freezing drawers
- 7.Compressor(at the back)
- 8. Adjustable leveling feet
- 9.Upper bracket
- 10.Lower bracket

#### Accessories included



Instructions x 1



#### Bringing it all together


#### Transportation

Caution: 2 people are required to unpack and handle the appliance, it is recommended that gloves are worn.

- •The appliance should be transported only in an upright position. Do not tilt the appliance greater than 45 degrees. The packaging as supplied must be intact during transportation.
- •After transporting the appliance, leave it for at least 4 hours before switching on to allow the cooling system to settle. Failure to comply could result in damage to the appliance.
- Do not move the appliance by pulling the door or handle as it may damage your flooring and wall coverings etc.
- Empty any water in the drain tray before moving.
- Make sure that the defrost waterpipe at the back of the product is fixed to the plastic evaporating pan on the top of the compressor, to avoid defrost waterspillage on the on the floor.
- Ensure the supplycable is not caught under the appliance during and after moving.
- Carefully remove all packaging materials including the foam base, dispose of correctly

#### Installation

•Ensure sufficient spacing is provided for the appliance to be installed. Leave space on both sides (5cm), back (5cm) and above the appliance 5cm) to ensure proper ventilation.



- Do not place the appliance near a heat source or in direct sunlight.
- Do not putany heavy objects on topof the appliance. It will damage the appliance.

• Do not install the appliance in a moist and wet place.



- Adjust the feet at front to level the appliance. It should be installed on a smooth surface to avoid excessive vibration and noise.
- •Each appliance has a climate class (shown on the rating plate) where it indicates the temperature range of the appliance operation in place. The appliance may notwork properly if it is left for a long period at a temperature outside the specified range:

extended temperate: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 10 °C to 32 °C (from 50°F to 90°F)'; temperate: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 16 °C to 32 °C (from 61°F to 90°F)';

subtropical: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from  $16~^{\circ}\text{C}$  to  $38~^{\circ}\text{C}$  (from  $61~^{\circ}\text{F}$  to  $100~^{\circ}\text{F}$ )'; tropical: 'this refrigerating appliance is intended to

tropical: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 16 °C to 43 °C (from 61°F to 110°F )'

•Refer to section "Care and Maintenance" to prepare your appliance for use.

#### Bringing it all together

#### **Door Reverse**


Warning: Remove the mainplug before reversing the door. 2 people maybe required to reverse the door. The refrigerator has the capability of opening the door from either the left or the rightside. The unit is delivered to you with the door opening from the left side. To change the opening direction, please follow these instructions.

**Note:** Before reversing the doorswing, unplug the appliance from the mains or disconnect the electrical power supply.


- 1. Take out four screw cover (12), remove the top cover (13), and transfer the hinge cover from left side to right side (11).
- 2.Remove the two screws (3) holding the top hinge(4)(right side) to the frame. Remove the top hinge (4).
- 3. Lift the door off the middle hinge pin and place it on a non-scratching surface.
- 4.Remove thetwo screws (5) holding the middle hing (6). Remove the middle hinge (6).
- **5.**Lift the lower door off the bottom hingepin and place it on a non-scratching surface.
- **6.**Remove the two screws (7) holding the bottom hinge (8). Remove the bottom hinge (8).
- 7. Remove the left front leg (9) and transfer it to the right side.
- 8. Before replacing the bottomhinge (8), remove the hinge pin (10) and reverse the direction of the hinge (8). Reassemble the bottomhinge (6) on the left hand side using the two screws (7).
- 9. Refit thehinge pin (10) into the bottom hinge (8).
- 10. Lower the door onto the bottom hinge pin (10).
- 11. While holding the lower door in the closed position, reassemble the middle hinge (6) on the left hand side using the two screws (5). Do not put the washer (14) on the left side. Do not tighten the screws (5) until the top
- of the lowerdoor is level with the countertop
- 12. Before replacing the upper hinge (4), remove the hinge pin (2) from right holeto left hole of the upper hinge (4).
- 13. Lower the upperdoor onto the middle hinge pin.
- 14. While holding the upper door in the closed position, reassemble the upper hinge (4) on the left hand side using the two screws (3). Do not tighten the screws (3) until the top of upper door is level with the counter top.
- 15. Reassemble top cover(13).

#### Levelling the appliance


- 1. Rotate feetclockwise to heighten.
- 2. Rotate feet anti clockwise to lower.



Door opening from leftside



Door opening from rightside



#### Bringing it all together

#### Electrical connection

Any electrical workthat is required to install this appliance MUST be carried out by a qualified electrician.



Warning: THIS APPLIANCEMUST BE EARTHED

Before making any electrical connections, ensure that:

- •Electrical safety is only guaranteed when the earth system of your house is in accordance with the related local regulations.
- •Do not damage the refrigerant circuit.
- Do not bend, stretch or pull the supply cable to avoid electric shock.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- •Ensure the powersocket is suitable for the maximum power of the machine (fuses in the power circuit must be 13 amp).
- The supply voltage should be the same as that indicated in the technical specifications and the appliance rating plate.
- •The appliance should be earthed and in compliance with the applicable law.
- When installed, the power socket must be within easy reach.
- If the socket outlets inyour home are not suitable for the plug supplied with this unit check with a qualified electrician for replacement.
- The use of adapters, multiple connectors or extension cables are not recommended.
- •The appliance must be connected to a 220-240 volt 50Hz AC supply by means of a three pin socket, suitably earthed and protected by a 13 amp fuse.
- •Should the fuse need to be replaced, a 13 amp fuse approved to BS1362 must be used.
- •The plug contains a removable fuse cover that must be refitted when the fuse is replaced. If the fuse cover is lost or damaged, the plug must not be used until a replacement cover has been fitted or the plug is replaced.
- •A damaged plugshould be cutoff as close to the plug body as possible, the fuseshould be removed and the plugdisposed of safely.

#### Plug replacement (UK& Ireland only)

Should you need to replace the plug; the wires in the power cable are coloured in the following way:

Blue Neutral 'N'

Brown Live 'L'

Green & Yellow Earth 'E'


As the colours of the wires in the powercable may not correspond with the coloured markings identifying the terminals in your plug, and proceed as follows:


The green &yellow wire must be connected to the terminal in the plug that is marked with the letter E or by the earth symbol.

The blue wire must be connected to the terminal that is marked with the letter N.

The brown wire must be connected to the terminal that is marked with the letter L.

If the powersupply cord isdamaged, it must be replaced by the manufacturer or its service agent or a similar qualified person in order to avoid a hazard.





#### Getting the most from your appliance

#### Before first use

#### Final checks before operating the appliance

- 1.Good air circulation around the appliance in position.
- **2**. The feethave been adjusted for perfect levelling.
- **3.**Clean the compartment per recommendation in section "Care and Maintenance".
- 4.Plug in the appliance

The compressor starts up and in operation may produce some background noise this is normal, this is not a defect.

#### Using your appliance

#### 1. Temperature adjustment

- The compartment temperature can be set by the thermostat between "1" and "7" (coldest setting), while the "0" means turn off. We recommend setting the thermostat midway first.
- To ensure the compartment is maintained at the desired temperature, it is advised to monitor the temperature periodically by a thermometer and adjust the thermostat accordingly.
- Load the appliance after switch onfor a while to allow the temperature to reach the desired setting.

#### 2. Storing freshfood

- Use the fridge compartment to store fresh food and drinks.
- Do not exceed the food capacity that the appliance unable to handle.
- Do not put warm food in the appliance immediately as it may cause excessive cooling of the compartment.
- Set thetemperature knob at medium position for storing fresh food.
- Do not mix already frozen food and fresh food.

#### 3. Storing frozen food

- The freezer compartment is a 4 Starrated and suitable for the freezing and storage of pre-frozen food.
- Check the food packaging for no suggestion before storage.

#### Useful information

The following guidelines and recommendations are suggested to obtain the best results and storage hygiene.

- •Temperature to riseso the doorshould be closed as soon as possible.
- •For hygiene reasons, it is always a good practise to pack, wrapand cover the food before storing.
- •Use a polythene bag to store raw meat and place on the lowest shelf. Avoid contact with cooked food to prevent contamination. For safety reason, storeraw meat for two to three days only.
- Cooked dishes must be stored in airtightcovered containers.
- •Food should cool to room temperature.
- Most vegetables should be blanched and chilled before freezing.
- •Bottles can be placed in the door section.
- •Some fruits and vegetables likepineapples, melons, tomatoes, and cucumbers should be wrapped in polythene bags.
- Do not leavefrozen foodat room temperature to thaw. You could defrost the foodby putting itin the fridge tothaw slowly. Make sure you avoid defrosting fooddropping food juices on to other food.

#### Getting the most from your appliance

Position different food in different compartments according to be below table

Refrigerator compartments	Type of food
Door or balconies of fridge compartment	Foods with natural preservatives, such as jams, juices, drinks, condiments.
	Do not store perishable foods.
Crisper drawer (salad drawer)	Fruits, herbs and vegetables should be placed separately in the crisper bin.
	Do not store bananas, onions, potatoes, garlic in the refrigerator.
Fridge shelf – bottom	Raw meat, poultry, fish (for short-term storage)
Chiller (box/drawer)	Raw meat, poultry, fish (for short-term storage)
Fridge shelf – middle	Dairy products, eggs
Fridge shelf – top	Foods that do not need cooking, such as ready-to-eat foods, deli meats, leftovers.
Freezer drawer(s)/shelf	Foods for long-term storage.
	Bottom drawer/shelf for raw meat, poultry, fish.
	Middle drawer/shelf for frozen vegetables, chips.
	Top drawer/shelf for ice cream, frozen fruit, frozen baked goods.

#### **Energy saving tips**

- •Place your fridge away from direct sunlight, your oven orany other heatsources. Allow 20 cm clear space on both sides and above, and at least 5 cm behind.
- Cover all food stored, and arrange itso that cold air can circulate freely.
- •Higher cold setting will use more energy. Donot set to maximum cold if it is not necessary.
- Cool the hot/warmfood to room temperature before putthem into your fridge.
- •Frequently opening and closing the door will cause the internal temperature to rise and it will consume more energy.
- •Close the door(s) properly, and makesure the seals and hinges are airtight. Checkthe seals by putting a sheet of paper between the door and the main body of the fridge. If the paper moves, your seals need replacing.
- Defrost regularly if your refrigerator is not a frost-free or cyclic defrost model. Accumulated ice layer should not be more than 5 mm thick.
- •The pre-set combination of drawers, baskets and shelves have already been set in the most efficient way for the use of this product.

#### **Defrosting**

Fridge Compartment

•The fridge compartment defrosts automatically.

The defrosting water runs through the drain port to the drain tray at the back of the appliance.

- In case, the some droplets
  may remain inside the
  compartment and re-freeze,
  cycle, this is normal. Do not use pointed or sharp
  objects, i.e. knives or forks, to remove the
- Check the collection channel to ensure that no food particle have blocked the drain channel.

#### Freezer Compartment

- •The appliance requiredefrosting once or twice a year whenice layer thickness reaches 5~10mm.
- Unplug the appliance from the mains before defrosting.
- •Remove all frozen food from the freezer and roll it firmly in newspapers. Put it into a containers in a cool place for temporary storage.
- Use an icescraper(not provided)or similartool to remove theice layer. This process can be speed up by placing a pot of warm water inside the freezer.
- Empty the defrosting water and clean the freezer.
- •Turn on the freezer and set to maximum temperature. Refill the frozen food to freezer.
- This process should be completed within 2 hours.

#### Getting the most from your appliance

#### Temperature setting recommendation

Temperature Setting Recommendation			
Environment Temperature	Freezer compartment	Fridge compartment	
Summer	1	6 7 0 1	
		Set on 2~4	
Normal	1	6 7 0 1	
		Set on 3	
Winter	/	5 4 3 2 7 0	
		Set on 4~6	


#### =adUWhicb : ccX GhcfU[Y

- · Under Recommended setting, the best storage time of fridge is no more than 3 days.
- Under Recommended setting, the best storage time of freezer is no more than 1 month.
- · The best storage time may reduce under other settings.

#### **Tips for Storing Foodstuffs**

- The quantity of fresh food that can be kept frozen in a specific time period is indicated on the rating plate.
- Load limits are determined by baskets, flaps, drawers, shelves etc. Make sure that these
  components can still close easily after loading.

## Care and Maintenance 5



#### Care and maintenance

#### Looking after your appliance General

Important: Always unplug the appliance \from the powersocket during cleaning and maintenance.

- Never use any sharp instruments or abrasive substances, soap, household cleaner, detergent or wax polish for cleaning.
- . Use luke warm water to clean the cabinet of the appliance and wipe it dry.
- Never clean the appliance with flammable fluids. It could cause damage and a fire hazard.
- •Clean the exterior of the appliance and door seal with a damp cloth and dry it through.
- Avoid watergoing into the temperature control box.. Clean with a dry cloth only.
- .Clean the condenser (located at the back of the appliance) with a vacuum cleaner. It is suggested to remove the dust every year.
- •Shelves are all removable for cleaning purpose.

Important: Care must betaken while cleaning/carrying the appliance not to touch the bottom of the condenser metal wires at the back of the appliance, as this could cause injury to fingers and hands.

#### Light bulb replacement

Please follow the below step to replace the blown bulb

- 1. Unplug the appliance from the mains.
- 2.Remove the screw on the light cover. (Pic1)
- 3. Press on the tabs at the sides of the lamp cover and pullit out carefully. (Pic 2)
- 4. Remove the blown bulb. (Pic 3)
- 5. Replace the new 10 watt (max) SES bulb.
- 6.Put the coverback and ensure the tab has been located in the correct position. (Pic 2)
- 7. Fix the screwto lock the cover. (Pic1)









#### Power failure

In case there is a powerfailure, you should take the following actions:

If it lasts less than 24 hours, keep the doors closed. This will allow the stored food to stay cold as long as possible. If it lasts more than 24 hours, it is advised to empty the freezer compartment and temporarily store the food in a portable freezer or using artificial ice packs. Try tostay coldfor as longas possible.

Remarks: Full appliance will stay cold longer than a partially filled one. If ice crystals are still visible on the food, it may be frozen again, although flavour and aroma may be affected. If food is found to bein a poor condition, it is best to throw itaway.

#### Short vacation

There is no need to disconnect the appliance from the mainsif you will be away for two to three weeks. Use up the perishable food.

#### Long vacation

Remove all the food if you are away for three weeks or more. Unplug the appliance and leave the doors open to provide air circulation to prevent odourand mould.

#### Moving your appliance

#### Moving

Refer to section "Transportation" under "Installation"

#### Care and maintenance

#### Looking after your appliance

#### **Technical Specifications**

Model	ME55152SW/ME55152SB
Energy efficiency class	F
Energy consumption Kwh/year	256
Net storage volume fresh food (litres)	138
Net storage volume frozenfood (litres)	69
Total net storage (litres)	207
Frozen foodcompartment rating	4star ⊯⊞
Climate class	N
Operating noise level dB(A)	40
Minimum Operation Temperature	16°C
Product Dimension	550mmx580mmx1520mm

The model information can be retrieved using the QR-Code reported in the energy label.

The label also includes the model identifier that can be used to consult the portal of the registry at https://eprel.ec.europa.eu

This product contains a light source of energy efficiency class G (if present).


#### **Disposal information**



The symbol on the product or its packaging indicates that this product may not be treated as household waste. Instead its hould be handed over to the applicable collection point for the recycling of electrical and electronic equipment, By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. For more detailed information about recycling this product, please contact your local council office, your household waste disposal service or the shop where the product was purchased.

Remember: Old fridges must be disposed of carefully-older models contain CFC gases that are harmful-if in doubt, contactyour local council for details on how to dispose of an old fridge.

Doors and lids of the refrigeration appliance should be removed before disposal in the landfill, to avoid children or animals getting trapped inside.



#### Help is always at hand

#### **Troubleshooting**

If you have a problem with your product, these questions may beable to assistyou?

#### Question- Appliance does not work.

Answer

Appliance is not switched on -Switch on the appliance.
Mains plug is not plugged in or is loose.-Insert mains plug.
Fuse has blown or is defective - Checkfuse, replace if necessary.
Socket is defective - Mains malfunctions are to be corrected by an electrician.

#### Question - Appliance cools too much.

Answer

Temperature is too cold - Adjust the thermostat dial to a warmer setting.

#### Question - The food is too warm.

Answer

Temperature is not properly adjusted - Adjust the thermostat to a cooler setting. Door was open for an extended period - Open the door only as long as necessary. A large quantity of warmfood was placed in the appliance - Adjust the thermostat to a cooler setting. Cool warmfood before placing in the refrigerator. The appliance is near a heat source - Position the refrigerator away from a heat source.

#### Question-Interior light does not work.

Answer

Light bulb is defective - Replace with equivalent light bulb.

#### Question-Heavy build up of frost, possibly also on the door seal.

Answer

Door seal is not air tight- Carefully warmthe leaking sections of the door seal with a hair dryer(not hotter than approx 50 degree). At the same timeshape the warmed door seal by hand such that it sits correctly.

#### Question - Water on the floor or on storage shelves.

Answer

Water drainhole is blocked - Removefood residue or ice from the entrance of the drain hole.

#### Question - Appliance is making unusual noises

Answers

Appliance is not level - Readjust the front levelling feet.

Appliance is in contact with wall or other objects. - Push appliance away a short distance A part at the back of the appliance ega tube, is in contact with another appliance part or wall - - Gently bend this part away carefully if necessary

#### Help is always at hand

#### Help and assiance

If you require any technical guidance or find that your refrigerator is not operating as intended, a simple solution can often be found in the **Troubleshooting** section of these instruction or online at **www.bush-support.com** 

If you still require further assistance, call one of our experts on **0345 257 7271.** To help give us give you a fast and efficients ervice please have the following information ready.

Model Ref.		You can find these on the rating plate-a small information panel (usuall
Serial number		a stickeror metal plate) or the rear ofyour appliance
Date of purchase		This will beshown on your receipt
Local call rates applies	*	

Line open 8am-7pm Monday to Saturday and 10am-4pm Sunday

\*Calls to Bush enquiry lines may attracta charge and set up feefrom residential lines depending on your call plan/tariff. Mobile and other providers costs may vary, see www.bt.com/pricing for details.

For security and training purpose, telephone calls to and from customerservice centres maybe recorded and monitored. Call from Republic of Ireland will attract international call charges.



This appliance complies with the following EEC directives: 2014/35/EEC Low voltage directive 2014/30/EU EMC directive

Help is always at hand



#### Call us now and activate your 12 month guarantee

Thank you for choosing Bush. Your new product is guaranteed against faults and breakdowns for 12 months. Don't forgetto registerit with us today so we can provide you with our best possible after-sale service and useful updates.

#### www.bushregistration.co.uk

### FREEPHONE\* **0800 597 8548**

Lines are open8am-8pm,365 days ayear.\*Callmay be recorded and monitored.

#### Your Bush Guarantee

This product is guaranteed for twelve months from the date of original purchase. Any defect that arises due to faulty materials or workmanship will be repaired free of charge (or if applicable the product will be replaced or the purchase price refunded) where possible during this period by the dealer from who your purchased unit.

#### The guarantee is subject to the following provisions:

- The guarantee does not cover accidental damage, misuse cabinet parts, knobs or consumable items.
- The product mustbe correctly installed and operated in accordance with the instructions contained in the manual
- It must be used solely for domestic purposes. The guarantee will be rendered invalid if the product is

- re-sold or has been damaged by inexpert repair.
- Specifications are subject to change without notice.
- Bush disclaim any liability for loss or damage arising from the breakdown of the product
- This guarantee is in addition to and does not diminish your statutory or legal rights

#### Important Data Protection Information

To find out how we and Domestic & General Insurance Plc use your data please refer to the guarantee registration material or visit www.bushregistrations.co.uk

#### Help is always at hand

#### **Spare Parts Supply**

To order spare parts, please contact our customer helpline: 0345 257 7271. The original spare parts for some specific components are available for a minimum of 7 or 10 years, based on the type of component, from the placing on the market of the last unit of the model.

### **BUSH**

