

## Instruction Manual

B60185FFWTDW B60185FFWTDB B60185FFWTDS



You'll soon be enjoying your new refrigerator.

It all begins here, with your instructions.Don't worry, there's nothing too technical coming up.Just simple, step-by-step guidance to get you up and running quickly.Sound good?Then let's get started

## Help and Guidance

We're here to help you get the most from your refrigerator. Should you require any guidance, a simple solution can often be found online at.

## www.bush-support.com

If you still require further assistance, call one of our experts on 0345 257 7271.

## Contents

## 1Safety information

Safety information

6

11

12

2 Getting to know

### your refrigerator Ready?Let'sbegin...

## Parts

## **3**Installing your

## refrigerator

Transportation	15
Installation	15
Door Reverse	16
Electrical Connection	17

## **4**Using your

## refrigerator


Before first use	20
Using your appliance	20
Useful information	20

## **5** Care and Maintenance

General	25
Light bulb replacement	25
Power failure	25
Moving your appliance	25
Technical Specifications	26

## 6 Product support

Trouble Shooting	29
Help and assistance	30
Guarantee	31



Important-Please read these instructions fully

before installing or operating

## **Before use**

The installation of this appliance is best carried out by 2 people.

- Dispose of all packaging carefully and responsibly.
- The appliance is designed for <u>indoor</u> <u>use only</u> and must be protected from rain, moisture and extreme temperature variations.
- This appliance is designed for house hold use. **Do not** use the appliance for industrial and commercial use, or any other purpose.
- The appliance MUST be positioned on a firm level base.
- Do not splash water on the appliance. It may cause electrical parts to fail and result in an electric shock.
- Leave the appliance in

its intended place of installation and in its correct orientation for at least 4 hours before switching on to allow the cooling system to settle before first use or after any transportation.

 Your appliance is an environmental friendly product and it contains non CFC/HFC gas substances in the cooling system (Called R600a) and in the insulation (Called cyclopentane) which potentially are flammable if exposed to fire. Therefore, take care not to damage, the cooling circuit/pipes of the appliance in transportation and in use. In case of damage do not expose the appliance to fire,

Important-Please read these instructions fully before installing or operating

potential ignition source and immediately ventilate the room where the appliance is situated.

- Do not sit, stand or place any other heavy objects on top of the appliance. This could result in injury or damage to the appliance.
- Do not allow children to play with the appliance to avoid the risk of entrapment and suffocation.
- Keep ventilation opening, in the appliance enclosure or in the built-in structure, clear of obstruction. During use
- This appliance is not intended for use by persons (including

children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance. This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance safely. Young children should be supervised to ensure that they do not play with the

• Do not use mechanical,

appliance.

7

Important-Please read these instructions fully before installing or operating


electrical or chemical methods to speed up the defrost process not recommended by the manufacturer.

- Do not use or place other electrical products inside the appliance not recommended by the manufacturer.
- Do not store liquids in glass containers in the freezer compartment as these may shatter.
- Do not store flammable materials such as alcohol, gasoline, LP gas or glue etc in the appliance.
- In case there is an inflammable gas leaking, open the window for air circulation and do not pull out the plug or

turn the temperature knob. **Do not** touch the appliance until the valve of gas is turned off. Otherwise, sparks may happen.

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- **Do not** attempt to repair the appliance yourself. Contact the Customer Helpline:0345 257 7271.

# Getting to know vour refrigerator



## Getting to know your refrigerator

You'll be up and running in no time

## Ready?Let's begin...


Please read these instructions carefully. They contain important information which will help you get the best from your refrigerator and ensure safe and correct installation and operation

If you require any further assistance, our technical experts are happy to help. For full details, refer to the product support section at the end of these instructions.

## Getting to know your refrigerator

You'll be up and running in no time


## Parts



- 1.Thermostatand light
   2. Fan
   3.Fridge shelves
   4.Upper Crisper
- 5.Crisper 6.Freezer Drawers 7.Leveling Feet 8.Fridge Balconies 9.Water Tank



# Installing your refrigerator **3**



## Installing your refrigerator Bringing it all together


## Transportation


**Caution:** 2 people are required to unpack and handle the appliance, it is recommended that gloves are worn.

- •The appliance should be transported only in an upright position. Do not tilt the appliance greater than 45 degrees . The packaging as supplied must be intact during transportation.
- •After transporting the appliance, leave it for at least 4 hours before switching on to allow the cooling system to settle. Failure to comply could result in damage to the appliance.
- Do not move the appliance by pulling the dooror handle as it may damage your flooring and wall coverings etc.
- Empty any water in the drain tray before moving.
- Make sure that the defrost water pipe at the back of the product is fixed to the plastic evaporating pan on the top of the compressor, to avoid defrost water spillage on the on the floor.
- •Ensure the supplycable is not caught under the appliance during and after moving.
- •Carefully remove all packaging materials including the foam base, dispose of correctly

## Installation

- •Ensure sufficient spacing is provided for the appliance to be installed. Leave space on both sides (15cm), back (20cm) and above the appliance (30cm) to ensure proper ventilation.
- •Screw in the two spacers at the back of the appliance.
- •Do not place the appliance near a heat sourceor in direct sunlight.
- •Do not put any heavy objects on top of the appliance. It will damage the appliance.
- Do not install the appliance in a moist and wet place.
- •Adjust the feet at front to level the appliance. It should be installed on a smooth surface to avoid excessive vibration and noise.
- •Each appliance has a climate class (shown on the rating plate) where it indicates the temperature range of the appliance operation inplace. The appliance may notwork properly if it is leftfor a long period at a temperature outside the specified range.







Climate Class	Amb.T.(°C)	Amb.T.(°F)
SN	10~32°C	50~90°F
N	16~32°C	51~90°F
ST	16~38°C	61~100°F
Т	16~43°C	61~110°F

## Installing your refrigerator Bringing it all together

#### **Door Reverse**

Warning: Remove the mainplug before reversing the door. 2 people maybe required to reverse the door. The refrigerator has the capability of opening the door from either the leftor the rightside. The unit is delivered to you with the door opening from the left side. To change the opening direction, please follow these instructions.

**Note:** Before reversing the doorswing, unplug the appliance from the mains or disconnect the electrical power supply.

Unscrew and remove the hinge cover.
 Unscrew and remove the hinge.
 Unscrew middle hinge. Then lift lower door and place it on a soft pad to avoid scratching.

**4.** Move the hinge hole covers from left side to right side.

**5**.Unscrew bottom hinge. Then remove the adjustable feetfrom both sides.

**6**.Unscrew and remove the bottom hinge pin, turn the bracket over and replace it.

7.Refit the bracket fitting the bottom hinge pin.Replace both adjustable feet. Transfer the lowerdoor onto the lowerhinge pin.
8.Make the middle hinge reverse the direction 180°C, then transfer it to the left property position. Make the middle hinge pin in the upper hole of the lower door,

then tight the bolts.


9.Place the upperdoor back on.Ensure the door is aligned horizontally and vertically so that the sealare closed on all sides before finally tightening thetop hinge. Then insert the hinge and screw it to the front of the unit.

**10**. Unscrew the hingepin and reverse the hinge, then reinstall the hingepin.

11.Prise the hingehole cover.

12.Fix the hingeon the left.

**13.** Fix the hingecover on the left and the hinge hole coveron the right.



### Levelling the appliance

Rotate feetclockwise to heighten.
 Rotate feet anti clockwise to lower.

## Installing your refrigerator

## Bringing it all together

## **Electrical connection**



#### Warning: THIS APPLIANCEMUST BE EARTHED

## Before making any electrical connections, ensure that:

- •Electrical safety is only guaranteed when the earth system of your house is in accordance with the related local regulations.
- •Do not damage the refrigerant circuit.
- Do not bend, stretch or pull the supply cable to avoid electric shock.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- •Ensure the powersocket is suitable for the maximum power of the machine (fuses in the power circuit must be 13 amp).
- •The supply voltage should be the same as that indicated in the technical specifications and the appliance rating plate.
- •The appliance should be earthed and in compliance with the applicable law.
- •When installed, the power socket must be within easy reach.
- If the socket outlets inyour home arenot suitable for the plugsupplied with this unit check with a qualified electrician for replacement.
- •The use of adapters, multiple connectors or extension cables are not recommended.
- •The appliance must be connected to a 220-240 volt 50Hz ACsupply by means of a threepin socket, suitably earthed and protected by a 13 amp fuse.
- •Should the fuse need to be replaced, a 13 amp fuse approved to BS1362 must be used.
- •The plug containsa removable fuse cover that must be refitted when the fuse is replaced. If the fuse cover islost or damaged, the plug must not be used until a replacement cover has been fitted or the plug is replaced.
- •A damaged plugshould be cut off as close to the plug body as possible, the fuse should be removed and the plug disposed of safely.

### Plug replacement (UK& Ireland only)

Should you need to replace the plug; the wires in the powercable are coloured in the following way:

Blue Neutral 'N'

<sub>h</sub> Brown Live 'L'

Green & Yellow Earth 'E'


As the colours of the wires in the power cable may not correspond with the coloured markings identifying the terminals in your plug, and proceed as follows:

The green & yellow wire must be connected to the terminal in the plug that is marked with the letter E or by the earth symbol.


The blue wire must be connected to the terminal that is marked with the letter N.

The brown wire must beconnected to the terminal that is marked with the letter L.

If the powersupply cord isdamaged, it mustbe replaced by themanufacturer or its service agent or asimilar qualified personin order to avoid a hazard.



# Using your refrigerator 4



## Using your refrigerator

## Getting the most from your appliance

#### Before first use

#### Final checks before operating the appliance

- 1. Good air circulation around the appliance in position.
- 2. The feethave been adjusted for perfect levelling.
- **3**.Clean the compartment per recommendation in section "Care and Maintenance".
- 4.Plug in the appliance

The compressor starts up and in operation may produce some background noise this is normal, this is not a defect.

#### Using your appliance 1. Temperature adjustment

- The compartment temperature can be set by the thermostat between "1"and "7"(coldest setting), while the "0" means turn off. We recommend setting the thermostat midway first.
- To ensure the compartment is maintained at the desired temperature, it is advised to monitor the temperature periodically by a thermometer and adjust the thermostat accordingly.
- Load the appliance after switch onfor a while to allow the temperature to reach the desired setting.

#### 2. Storing freshfood

- •Use the fridge compartment to store fresh food and drinks.
- Do not exceed the food capacity that the appliance unable to handle.
- Do not put warm food in the appliance immediately as it may cause excessive cooling of the compartment.
- Set the temperature knob at medium position for storing fresh food.
- Do not mix already frozen food and fresh food.

#### 3. Storing frozen food

- The freezer compartment is **Bess** 4 Starrated and suitable for the freezing and storageof pre-frozen food.
- Check the food packaging for **E** suggestion before storage.

#### Useful information

The following guidelines and recommendations are suggested to obtain the best results and storage hygiene.

•To stop any excess rise in temperatures the door should be closed as soon as possible.


•For hygiene reasons, it is always a good practise to pack, wrap and cover the food before storing.

- Use a polythene bag to store raw meat and place on the lowestshelf. Avoid contact with cooked food to prevent contamination. For safety reason, store raw meatfor two to three days only.
- Cooked dishes must be stored in airtight covered containers.
- •Food should coolto room temperature.
- Most vegetablesshould be blanched and chilled before freezing.
- .Bottles can be placed in the door section.
- Some fruits and vegetables like pineapples, melons, tomatoes, and cucumbers should be wrapped in polythene bags.
- Do not leavefrozen foodat room temperature to thaw. You could defrost the foodby putting it in the fridge to thaw slowly. Make sure you avoid defrosting food dropping food juices on to other food.

## **Using your refrigerator** Getting the most from your appliance

Before using the water dispenser for the first time, remove and clean the water tank located inside the refrigeration compartment.

1.Lift and remove the tank balcony.



2.Remove the water tank. Detach the top cover and wash and clean both the tank and the cover.



3.After cleaning, reposition water tank, cover and tank balcony as below:



4.Clean the dispenser lever outside the refrigerator door.



#### Fill the water tank

1. Open the small lid in the top of the tank balcony.

2. Fill the water tank with drinkable water up to the max.line. Do not over fill.

3. Close the lid. Ensure it is firmly shut.



#### **Dispensing water**

Push the dispenser lever gently with a glassor container. To stop the flow, pull the glass away from the lever.



## **Using your refrigerator** Getting the most from your appliance

#### Energy saving tips

- •Place your fridge away from direct sunlight, your oven orany other heatsources. Allow 20 cm clear space on both sides and above, and at least5 cm behind.
- •Cover all food stored, and arrange itso that cold air can circulate freely.
- •Higher cold setting will use more energy. Donot set to maximum cold if it is not necessary.
- •Cool the hot/warmfood to room temperature before put them into your fridge.
- •Frequently opening and closing the door will cause the internal temperature to rise and it will consume more energy.
- Close the door(s) properly, and make sure the seals and hinges are airtight. Check the seals by putting a sheet of paper between the door and the main body of the fridge. If the paper moves, your seals need replacing.
- Defrost regularly if your refrigerator is not a frost-free or cyclic defrost model. Accumulated ice layershould not be more than 5 mm thick.
- •The pre-set combination of drawers, baskets and shelves have already been set in the most efficient wayfor the use of this product.

#### Defrosting

Fridge Compartment

- •The fridge compartment defrosts automatically. The defrosting water runs through the drain port to the drain trayat the back of the appliance.
- •Some droplets may remain inside the compartment

and re-freeze, after the defrosting cycle, this is normal. Do not use pointedor sharp objects, i.e. knives or forks, to remove the

•Check the collection channel to ensure that no food particle have blocked the drain channel.

Freezer Compartment


•The freezer compartment defrost automatically

The fan inside the freezer compartment circulates cold air. Never insert any object through the holes for circulation. Do not cover thehole with any material which may obstruct air circulation.





# Care and Maintenance 5



## Care and maintenance

## Looking after your appliance General

#### Important: Always unplug the appliance from the powersocket during cleaning and maintenance.

- •Never use any sharp instrumentsor abrasive substances, soap, household cleaner, detergent or wax polish for cleaning.
- •Use luke warm water to clean the cabinet of the appliance and wipe it dry.
- •Never clean the appliance with flammable fluids. It could cause damage and a fire hazard.
- •Clean the exterior of the appliance and door seal with a damp cloth and dry it through.
- •Avoid watergoing into the temperature control box.. Clean with a dry cloth only.
- •Clean the condenser (located at the back of the appliance) with a vacuum cleaner. It is suggested to remove the dust every year.
- •Shelves are allremovable forcleaning purpose.

Important: Care must betaken while cleaning/carrying the appliance not to touch the bottom of the condenser metal wires at the back of the appliance, as this could cause injury to fingers and hands.

#### Light bulb replacement

This appliance is equipped with LED light bulb. It can be used for long time. In case, the LED bulb is blown, it must be replaced by the qualified person to avoid any hazard.Contact the service agent at 0345 2577271.

#### Power failure

In case there is a powerfailure, you should take the following actions:

If it lastsless than 24 hours, keep the doors closed. This will allow the stored food tostay cold as longas possible. If it lasts more than 24 hours, it is advised to empty the freezer compartment and temporarily store the food in a portable freezer or using artificial ice packs. Try tostay cold for as longas possible. Remarks: Full appliance will stay cold longer than a partially filled one. If ice crystals are still visible on the food, it may be frozen again, although flavour and aroma may be affected. If food is found to be in a poor condition, it is best to throw it away.

#### Short vacation

There is noneed to disconnect the appliance from the mains if you will be away for two to three weeks. Use up the perishable food.

#### Long vacation

Remove all the food if youare away for three weeks or more. Unplug the appliance and leave the doors opento provide air circulation to prevent odour and mould.

#### Moving your appliance Moving

Refer to section "Transportation" under "Installation"

## Care and maintenance Looking after your appliance

**Technical Specifications** 

Model	B60185FFWTDW/B60185FFWTDB/B60185FFWTDS
Energy efficiency class	A+
Energy consumption Kwh/year	266
Net storage volume fresh food (litres)	219
Net storage volume frozenfood (litres)	73
Totalnet storage(litres)	292
Frozen foodcompartment rating	4star ⊮œ
Climate class	N,ST
Operating noise level dB(A)	43
Minimum Operation Temperature	16°C


### **Disposal information**



The symbol on the product or its packaging indicates that this product may not be treated as household waste. Instead itshould be handed over to the applicable collection point for the recycling of electrical and electronic equipment, By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. For more detailed information about recycling this product, please contact your local council office, your household waste disposal service or the shop where the product was purchased.

Remember : Oldfridges must be disposed of carefully- older models contain CFC gases that are harmful- if in doubt , contactyour local council for details on how to dispose of an old fridge.





## Product support

Help is always at hand

## Troubleshooting

If you have a problem with your product, these questions may beable to assistyou?

#### Question- Appliance does not work.

Answer Appliance is notswitched on -Switch on theappliance. Mains plug isnot plugged in or is loose.-Insert mains plug. Fuse has blown or is defective - Checkfuse, replace ifnecessary. Socket is defective - Mains malfunctions are to be corrected by an electrician.

#### Question - Appliance cools too much.

Answer Temperature is too cold - Adjust the thermostat dial to a warmer setting.

#### Question - The food is too warm.

Answer

Temperature is not properly adjusted - Adjust the thermostat to a cooler setting. Door was open for an extended period - Open the door only as long as necessary. A large quantity of warmfood was placed in the appliance - Adjust the thermostat to a coolersetting. Cool warmfood before placing in the refrigerator. The appliance is near a heat source - Position the refrigerator away from a heat source.

#### Question-Interior light does not work.

Answer If the LED light is broken, please contact qualified technician.

#### Question-Heavy build up of frost, possibly also on the door seal.

Answer

Door seal is not air tight- Carefully warm the leaking sections of the door seal with a hair dryer(not hotter than approx 50 degree). At the same time shape the warmed door seal by hand such that it sits correctly.

#### Question - Water on the floor or onstorage shelves.

Answer

Water drainhole is blocked - Removefood residue or ice from the entrance of the drain hole.

#### **Question - Appliance is making unusual noises**

Answers

Appliance is not level - Readjust the front levelling feet.

Appliance is in contact with wall or other objects. - Push appliance awaya short distance A part at the back of the appliance ega tube, is in contact with another appliance part or wall - - Gently bend this part away carefully if necessary

## **Product support**

Help is always at hand

#### Help and assiance

If you require any technical guidance or find that yourrefrigerator is not operating as intended, a simple solution can often be found in the **Troubleshooting** section of these instruction or onlineat **www.bush-support.com** 

If you still require further assistance, call one of our experts on **0345 257 7271**. To help give us give you a fast and efficient service please have the following information ready.

Model Ref.	You can find these on the rating plate-a small
Serial number	information panel (usually a stickeror metal plate) on the rear ofyour appliance
Date of purchase	 This will beshown on your receipt

Local call rates applies\*

### Line open 8am-7pm Monday to Saturday and 10am-4pm Sunday

\*Calls to Bush enquiry lines may attract a charge and setup fee from residential lines depending on your call plan/tariff. Mobile and other providers costs may vary, see www.bt.com/pricing for details

For security and training purpose, telephone calls to and from customer service centres maybe recorded and monitored. Call from Republic of Ireland will attract international call charges.

CE This appliance complies with the following EEC directives: 2014/35/EEC Low voltage directive 2014/30/EU EMC directive

## Product support

Help is always at hand

## B<u>US</u>H

## Call us now and activate your 12 month guarantee

Thank you for choosing Bush. Your new product is guaranteed against faults and breakdowns for 12 months.Don't forgetto registerit with us today so we can provide you with our best possible after-sale service and useful updates.

## www.bushregistration.co.uk

## FREEPHONE\*

## 0800 597 8548

Lines are open8am-8pm,365 days ayear.\*Callmay be recorded and monitored.

## Your Bush Guarantee

This product isguaranteed for twelve months from the date of original purchase. Any defect that arises due to faulty materials or workmanship will be repaired free of charge (orif applicable the product will be replaced or the purchase price refunded) where possible during this period by the dealer from who your purchased unit.

### The guarantee is subject to the following provisions:

- The guarantee does not cover accidental damage, misuse cabinet parts, knobs or consumable items.
- The product must be correctly installed and operated in accordance with the instructions contained in the manual
- It must be used solely for domestic purposes. The guarantee will be rendered invalid if the product is

re-sold or hasbeen damaged by inexpert repair.

- Specifications are subject to change without notice.
- Bush disclaim any liability for loss or damage arising from the breakdown of the product
- This guarantee is in addition to and does not diminish your statutory or legal rights

## Important Date Protection Information

To find out how we and Domestic & General Insurance Plc use your data please refer to the guarantee registration material orvisit www.bushregistrations.co.uk



