
Ohio Ottoman Black Coffee Table

Assembly Instructions - Please keep for future reference

143/6563



Dimensions

Width - 79cm

Depth - 79cm

Height - 43.5cm

Important - Please read these instructions fully before starting assembly



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.
- Check you have all the components and tools listed on page 2.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Assemble this product on a flat surface.
- Assemble all parts loosely before tightening any bolts.
- Unit weight: 21.2kgs.
- At least 2 people are required to assemble this product.



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Discard all extra fittings and keep fittings out of reach of children.
- Dispose of all packaging carefully and responsibly.
- Retain Assembly Instructions for future reference.

Warnings

- This product should only be used on firm, level ground.
- Make sure the legs remain in contact with the ground.
- Do not stand on the product.


Care and maintenance

- Please clean this product using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.
- Do not use any abrasive materials when cleaning.
- From time to time check that there are no loose bolts on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Components - Parts

If you have damaged or missing components, call the **Customer Helpline**: **08456 400800**


Please check you have all the parts listed below



1 Table Top (79 x 79 x 2.5cm)



2 Long Base Panel (78.5 x 40.5 X 2.5cm)




3 Short Base Panel x 2 (38 x 40.5 x 2.5cm)

Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



Tools required



Ruler - Use this ruler to help correctly identify the screws


0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170

Assembly Instructions

Step 1


Base panels assembly


a: Insert bolts (A) into holes on long base panel (2) as shown and tighten using a crosshead screwdriver.



a: 2 0

b: Insert long wooden dowels **D** into holes on short base panels **3**.







C: Insert cam locks **3** into holes on short base panels **3**.


d: Attach the short base panels 3 to long base panel 2 aligning the dowels and bolts with the cam locks as shown.

e: Then lock using a crosshead screwdriver by turning the cam locks **B** clockwise.










e:



Assembly Instructions

Step 2

Attaching the table top


a: Place the table top 1 upside down on a flat protected surface.

Insert bolts (A) into holes on the table top [1] as shown and tighten using a crosshead screwdriver.

- b: Insert short wooden dowels into holes on long & short base panels 2 & 3.
- C: Insert cam locks B into holes on long & short base panels 2 & 3.
- **d:** Attach the table top 1 onto the base panels aligning the dowels and bolts with the cam locks as shown.
- **e:** Then lock using a crosshead screwdriver by turning the cam locks **B** clockwise.
- f: Remove backing from adhesive pads and paste it on the base panels 2 & 3 to cover the cam locks.

Carefully turn over the table and place on a flat surface.

Assembly is complete.




Ohio Ottoman Coffee Table- Ottoman

Assembly Instructions - Please keep for future reference

143/6563

173/6029



Dimensions

Width - 39cm

Depth - 39cm

Height - 37.5cm

Important - Please read these instructions fully before starting assembly



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Do not discard any of the packaging until you have checked that you have all the parts.
- Check you have all the components listed on page 2.
- Remove all components from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.

- Make sure you have enough space to layout the parts before starting.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Assemble this product on a flat surface.

- Unit weight: 2.94kgs.
- Maximum safe weight of user: 110kgs.
- Dispose of all packaging carefully and responsibly.
- Retain Assembly Instructions for future reference.


Warnings

- This product should only be used on firm, level ground.
- Make sure the base remain in contact with the ground.
- Do not stand on the product.


Care and maintenance

- Please clean this product using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.
- Do not use any abrasive materials when cleaning.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Please check you have all the parts listed below



1 Top cover (39 x 39 x 5cm)



Bottom panel (35.5 x 36cm)




3 Seat frame (36 x 36 x 36cm)

Assembly Instructions

Step 1

Opening seat frame


Open the folded seat 3 frame by pulling from the side edge as shown.



Step 2

Attaching bottom panel


Use the handle on the bottom panel 2 to hold it, then insert it inside the seat frame 3 and carefully push it down into the bottom as shown.



Step 3

Attaching top cover

Carefully fit top cover 1 on the seat frame 3 as shown.



Assembly is complete.