HUDSON LEATHER FACED CHAIR

Assembly Instructions - Please keep for future reference | 146/2551(D)



Dimensions

Width - 69 cm
Depth - 77 cm
Height - 113-121 cm

110 kg
Max Weight

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Argos FIO5801R-IM 21x29.7cm ~~20131011~~ Judy
PDF仅供参考，请勿用于印刷。印刷请用AI档。

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and fittings list on page 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- We do not recommend the use of power drill or drivers ***for inserting screws***, as this could damage the unit. Only use hand screwdrivers.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Safety during use



- Do not stand on this chair. Don't use this chair as a step ladder.
- At least every 4 months, check all bolts, screws and knobs, to be sure they are tight.
- Use this product only for seating one person at a time.
- If parts are missing, broken or damaged or worn, stop use of this product until repairs are made and using factory authorized parts.
- Do not use this chair unless all bolts, screws and knobs are firmly secured.
- Failure to follow these warnings could result in serious injury.

Argos FIO5801R-IM 21x29.7cm ~~20131011~~ Judy
PDF仅供参考，请勿用于印刷。印刷请用AI档。

Components - Parts

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

 1 Backrest (60 x 81 cm)	 2 Seat Cushion (60 x 56 cm)	 3 Armrest
 4 Seat Support	 5 Gas lift (80 mm)	 6 Cover
 7 Base (350 mm)	 8 Castor (R50 mm) – 5pcs	

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  Bolt 20 mm x 6 mm - 4 pcs	**B**  Bolt 30 mm x 6 mm - 8 pcs
C  Cap x 8 pcs	**D**  Allen key M5 x 1 pc

Ruler - Use this ruler to help correctly identify the screws/bolts



Argos FIO5801R-IM 21x29.7cm ~~20131011~~ Judy
PDF仅供参考，请勿用于印刷。印刷请用AI档。

Assembly Instructions

Step 1

Fitting the base


1a. Push all the five castors [8] onto the base [7].

Note: Ensure all the castors are firmly located on the base.


1b. Please remove the cap before assembly, then insert the gas lift [5] into the base, and then slide the cover [6] over the top.

Note: Ensure the gas lift is fully inserted.

1a.



1b.




Step 2

Fitting the seat cushion

Use bolts (A) to fix seat support [4] onto the seat cushion [2], ensure the support is fitted to the seat cushion with correct orientation.

Note: Tool required (D). Don't fully secure bolts at this stage.



Argos FIO5801R-IM 21x29.7cm ~~20131011~~ Judy
PDF仅供参考，请勿用于印刷。印刷请用AI档。

Assembly Instructions

Step 3


Fitting the backrest

You need flexibility to assemble the arms. it will be impossible to assemble the arms if all the bolts are already very tight.

Use bolts **B** to fix the backrest [1] and the seat cushion [2], finally insert the bolts cap **C** on the bolts **B**.

Note: Tool required Allen Key **D**.

NOW FULLY SECURE ALL BOLTS IN 12 PLACES USING TOOLS **D**.



Argos FIO5801R-IM 21x29.7cm ~~20131011~~ Judy
PDF仅供参考，请勿用于印刷。印刷请用AI档。


Assembly Instructions


Step 4

Finishing the unit.

Carefully locate the seat cushion and backrest onto the gas lift of the base unit.

NOTE: To ensure gas lift mechanism remains secure assembly as shown, then sit on the seat, and raise/ lower the seat several times top and bottom.





If you need help or have damaged or missing parts, call the **Customer Helpline: 0845 640 0800**

Argos FIO5801R-IM 21x29.7cm ~~20131011~~ Judy
PDF仅供参考，请勿用于印刷。印刷请用AI档。