
Seville - Bedside

Assembly Instructions - Please keep for future reference	171/8140
	170/9214
	145/0446
	157/3622
	159/7732
	160/9785
	162/9325
	162/7956



Dimensions

Width - 35.5cm

Depth - 33cm

Height - 41.5cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number)

A Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 7kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

• Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,


as this could damage the unit. Only use hand screwdrivers.

- **Safety note:** If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.




Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



Tools required



If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Step 1

Prepare the drawer front

Screw 2 metal dowels **B** into the holes shown on the back of the drawer front **4**.

Note: Tighten metal dowels up fully against the panels.

Step 2

Prepare the drawer sides

Insert a small locking nut **G** into the hole shown on the left drawer side **5** and right drawer side **6**.

Note: Arrow on locking nut **must** point towards hole in edge of panel.


Step 3

Attach the drawer sides to the drawer front


Push the left drawer side 5 and right drawer side 6 onto the back of the drawer front 4.


Turn the small locking nuts (c) on the left drawer side (5) and right drawer side (6).


Note: Turn the locking nuts **G** clockwise to secure panels - more than 1/2 a turn.



Note: Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.








Note: The locking nuts can be on either surface of the drawer sides. Make sure that the small groove is on the inside, as shown.

Step 4

Fit the drawer base

Slide the drawer base **8** down the grooves in the drawer sides **5** and **6** and down into the groove in the drawer front **4**.



Step 5

Fit the drawer back

Fit the drawer back 7 between the drawer sides 5 and 6.

Make sure that the drawer base **8** fits into the groove in the drawer back **7**.


Hold the drawer back **7** in position and tap the knock-in pegs **1** through the holes in the drawer sides **5** and **6**.


Step 6

Push in drawer stops

Carefully break off the 2 drawer stops (*F599*) from the drawer runners **①**.

Push the drawer stops fully through the drawer sides **5** and **6** from the inside.






Step 7

Attach the handle

Attach the handle G to the drawer front 4 using screw 3.




Step 8

Prepare the left side

Separate the runners **I**.

Push fit the left runner **1** marked 'L' into the left side **1**.

Note: Runners must be be fitted flat against the panel. If necessary gently tap into final position.





Step 9

Prepare the right side

Push fit the left runner **1** marked '**R**' into the right side **2**.

Note: Runners must be be fitted flat against the panel. If necessary gently tap into final position.







Step 11


right side

Join the top to the

Push the top **3** onto the right side **2** and secure with 2 screws **D**.

Prepare the top and the base

Tap 2 wooden dowels (A) into the top 3 and the base 3.





Step 12


Join the base to the right side

Push the base **3** onto the right side **2** and secure with 2 screws **D**.

Step 13

Fit the left side

Push the left side **1** onto the assembly and secure with 4 screws **D**.



Step 14

Fit the back


a: Square up the unit by making sure that measurement **x to x** equals y to y.

b: Place the back **9** onto the unit.

Nail (F) around the 3 edges of the back (9) as shown.

Stand the unit up for the next step.

a: The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 15

Insert the drawer

Lift the front of the drawer whilst inserting to overcome the 'stop' system.

Note: To ensure that your drawer runs smoothly, spray a small amount of furniture polish into the grooves.

Assembly is complete



If you need help or have damaged or missing parts, call the Customer Helpline: 0870 112 1928 or email: Help@ClickSpares.co.uk (quoting your original order number and the reference numbers on the component pages) Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number)

A Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 59kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,


as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the bracket supplied.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.





Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.





If you have damaged or missing components, call the Customer Helpline: 0870 112 1928 or email: Help@ClickSpares.co.uk (quoting your original order number and the reference numbers below)


Step 1

Prepare the top and base

Tap 2 wooden dowels into the top 4.

Tap 2 wooden dowels into the base 5.

Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.




Step 2

Prepare the upright

Push a rail holder H into the upright **3**. Make sure that it is fitted straight, in line with the panel edges and then secure with screw **F**.


Fit 3 hinge plates M onto the upright 3, making sure that the slot is facing towards the finished front edge.



Step 3

Fit the top and the base to the upright


Fit the top **4** and the base **5** onto the upright **3** using 4 screws **C**.







Prepare the right side

Fit 3 hinge plates M onto the right side 2, making sure that the slot is facing towards the finished front edge.







Step 10

Fit the back

a: Square up the unit by making sure that measurement **x to x** equals y to y.

Place the small back **10** and large back **11** down onto the unit as shown.

Make sure that the 2 backs are pushed up tight against each other and that they meet over the back edge of the upright.

b: Nail **B** around the outside edges of the 2 backs.

Note: Do not nail where the backs meet. Nails should be spaced about 150mm apart.

Step 11


Secure the backs

Tap the nail screws (S) through the back holders and down between the backs 10 and 11 into the back edge of the divider.

Keep tapping the nail screws (k in until the back holders () dig into the small and large back.

Stand the unit up for the next step.

a: The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 12

Fit the hanging rail and the shelves

Push hanging rail **8** into the rail holders **1** fitted to the side panels.

For each of the 2 shelves 7, insert 4 shelf studs 1 at the required height.

Lower the 2 shelves **7** down onto the shelf studs **1**.




Step 13

Prepare the 3 doors

Push fit 3 hinges **N** into each of the the doors **9**

Secure each hinge with 2 screws **F**.

Note: Before securing with the screws, make sure that the hinges are positioned at 90 degrees with the edge of the door.



Step 14

Fit doors and handles

Note: The easiest way to attach each door **9** is to fit the top hinge first, then align and fit the other hinges.


a: Push the hinge **N** onto the front part of the hinge plate **M**. The recess at the bottom of screw B goes into the slot in the hinge plate.

b: Keep the hinge **N** FLAT against the hinge plate **M** as you slide it across as far as it will go. Tighten screw A.

C: The hinge **N** must be flat against the hinge plate **M** prior to any adjustment.

d: The hinge N must NOT be AT AN ANGLE to the hinge plate N when assembled. This would indicate that the recess at the bottom of screw B had not located in the slot in the hinge plate and the hinge would not be secure. Remove the hinge from the hinge plate and then re-assemble being careful to follow instructions a-c.

e: Attach a handle **1** to each door **9** using screw **D**.



Step 15

Adjust the doors if needed

a: Before adjusting the doors, use a spirit level to check the base (or top) of the unit is level, front-to-back and side-to-side in the 3 positions shown. Use suitable packing pieces (not supplied) to make the unit level BEFORE making any adjustment to the hinges, as shown.

b: Height adjustment.


Loosen screws A on hinge plates and move door up or down as required. Retighten screw A.

C: Forward and Back adjustment.

Loosen screw B on hinge plate and move door in or out as required. Retighten screw B.

d: Sideways adjustment.

To move door 'out' loosen screw C. To move door 'in' tighten screw C.



Step 16

Fit the bracket

To prevent possible overbalancing, we recommend that this unit is secured to a suitable wall by use of the bracket **G** fitted to the top of the unit.

Fixings are not supplied, as they will need to suit the wall type and the length of screw will depend on the distance from the back of the unit to the wall.

Fix the bracket **G** loosely onto the top of the unit using screw **B** and mark the wall for the wall fixing.

Swivel the bracket **G** away from the wall and drill a hole in the wall using a suitable drill bit and fit your wall fixing.


Swivel the bracket back and fix the bracket to the wall, then tighten Screw **E**.

Note: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.



Warning: The unit is heavy. Lift with care.

Assembly is complete



If you need help or have damaged or missing parts, call the Customer Helpline: 0870 112 1928 or email: Help@ClickSpares.co.uk (quoting your original order number and the reference numbers on the component pages) Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number)

A Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 59kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,


as this could damage the unit. Only use hand screwdrivers.

- **Safety note:** It is recommended that this unit is secured to a wall using the overbalance protector kit supplied or, an alternative fixing method of your choice.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.





Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.





Tools required

If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)


Step 1

Prepare the top and base

Tap 2 wooden dowels (A) into the top (4).

Tap 2 wooden dowels **A** into the base **5**.

Note: Wooden dowels **must not** stick out from the edge by more than 10mm or they may damage other panels.



the upright **3**. Make sure that it is fitted straight in line with the

Prepare the upright

Push a rail holder H into

Step 2

straight, in line with the panel edges and then secure with screw **F**.


Fit 3 hinge plates **()** onto the upright **(3)**, making sure that the slot is facing towards the finished front edge.



Step 3


Fit the top and the base to the upright


Fit the top 4 and the base **5** onto the upright **3** using 4 screws **C**.




Fit 3 hinge plates **D** onto the right side **2**, making sure that the slot is facing towards the finished front edge.

Step 4







Step 10

Fit the back

a: Square up the unit by making sure that measurement **x to x** equals y to y.

Place the small back **10** and large back **11** down onto the unit as shown.

Make sure that the 2 backs are pushed up tight against each other and that they meet over the back edge of the upright.

b: Nail **B** around the outside edges of the 2 backs.

Note: Do not nail where the backs meet. Nails should be spaced about 150mm apart.

Step 11


Secure the backs

Tap the nail screws (K) through the back holders and down between the backs 10 and 11 into the back edge of the divider.

Keep tapping the nail screws (k in until the back holders () dig into the small and large back.

Stand the unit up for the next step.

a: The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 12

Fit the hanging rail and the shelves

Push hanging rail **8** into the rail holders **1** fitted to the side panels.

For each of the 2 shelves 7, insert 4 shelf studs **E** at the required height.

Lower the 2 shelves **7** down onto the shelf studs **1**.




Step 13

Prepare the 3 doors

Push fit 3 hinges (M) into each of the the doors 9

Secure each hinge with 2 screws **F**.

Note: Before securing with the screws, make sure that the hinges are positioned at 90 degrees with the edge of the door.



Step 14

Fit doors and handles

Note: The easiest way to attach each door **9** is to fit the top hinge first, then align and fit the other hinges.


a: Push the hinge **M** onto the front part of the hinge plate **D**. The recess at the bottom of screw B goes into the slot in the hinge plate.

b: Keep the hinge **M** FLAT against the hinge plate **C** as you slide it across as far as it will go. Tighten screw A.

C: The hinge **M** must be flat against the hinge plate **D** prior to any adjustment.

d: The hinge M must NOT be AT AN ANGLE to the hinge plate when assembled. This would indicate that the recess at the bottom of screw B had not located in the slot in the hinge plate and the hinge would not be secure. Remove the hinge from the hinge plate and then re-assemble being careful to follow instructions a-c.

e: Attach a handle **G** to each door **9** using screw **D**.



Step 15

Adjust the doors if needed

a: Before adjusting the doors, use a spirit level to check the base (or top) of the unit is level, front-to-back and side-to-side in the 3 positions shown. Use suitable packing pieces (not supplied) to make the unit level BEFORE making any adjustment to the hinges, as shown.

b: Height adjustment.


Loosen screws A on hinge plates and move door up or down as required. Retighten screw A.

C: Forward and Back adjustment.

Loosen screw B on hinge plate and move door in or out as required. Retighten screw B.

d: Sideways adjustment.

To move door 'out' loosen screw C. To move door 'in' tighten screw C.



Step 16


Fit the overbalance protector kit

To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by fitting of the overbalance protector kit to the unit, or an alternative fixing method of your choice.

Wall fixings are not supplied as they will need to suit the wall type.

Note: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.

Assembly is complete



If you need help or have damaged or missing parts, call the Customer Helpline: 0870 112 1928 or email: Help@ClickSpares.co.uk (quoting your original order number and the reference numbers on the component pages) Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

Seville - 5 Drawer Chest

Assembly Instructions - Please keep for future reference



Dimensions Width - 66cm

Depth - 33cm

Height - 91cm



184/9198

189/6385

145/0862

184/8319

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number)

A Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 21kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,


as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the bracket supplied.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.





Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Step 1

Prepare the drawer fronts

Screw 2 metal dowels **B** into each of the drawer fronts **5**.

Note: Tighten the metal dowels up fully against the panel.




Step 2

Prepare the drawer wraps

Insert 2 small locking nuts **()** into each of the drawer wraps **(6)**.


Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.



Step 3

Fit the drawer base

Place the drawer base **7** into the narrow slot on the drawer wrap **6**. Fold the wrap around the drawer base.





Step 4

Fit the drawer front

Turn drawer wrap **6** assembly over and push it onto the back of the drawer front **5**.

Note: Turn the locking nuts **O** clockwise to secure the panels - more than 1/2 a turn.





Step 5

Attach the drawer stops

Carefully break off 2 drawer stops (*F*599) from a set of drawer runners **J**.


Push the drawer stops fully through the drawer wrap **6** from the inside.

Step 6

Attach the handles

Attach 2 handles **G** to each of the 5 drawer fronts **5** using 2 screws **E**.

Note: Do not overtighten the screws.




Step 7

Prepare the left side

Separate the runners **J**.

Push fit 5 left runners **J** marked 'L' into the left side **1**.

Note: Runners must be be fitted flat against the panel. If necessary gently tap into final position.



Step 8

Prepare the right side

Push fit 5 right runners **J** marked '**R**' into the right side **2**.


Note: Runners must be be fitted flat against the panel. If necessary gently tap into final position.


Step 9

Prepare the top


Tap 2 wooden dowels (A) into the top 3.

Fix the bracket **()** in the middle of the top **(3)**, flush to the back edge using screw **(F)**.





Step 12



Step 14

Fit the back

a: Square up the unit by making sure that measurement **x to x** equals y to y.

b: Place the back 8 onto the unit.

Nail **H** around the 3 edges of the back 8, as shown.


Note: Nails should be spaced about 150mm apart.

Stand the unit up for the next step.



Warning: The unit is heavy. Lift with care.

a: The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 15

Secure unit to a wall

To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by use of the metal bracket **1** fitted to the top **3**.

Fixings are not supplied as they will need to suit the wall type, and the length of screw will depend on the distance of the back of the unit to the wall.

Warning: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.



Step 16

Insert the drawers

Lift the front of the drawers whilst inserting to overcome the 'stop' system.

Note: To ensure that your drawers run smoothly, spray a small amount of furniture polish into the grooves.

Assembly is complete



If you need help or have damaged or missing parts, call the Customer Helpline: 0870 112 1928 or email: Help@ClickSpares.co.uk (quoting your original order number and the reference numbers on the component pages) Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

Seville - 5 Drawer Chest

Assembly Instructions - Please keep for future reference



Dimensions

Width - 66cm

Depth - 33cm

Height - 91cm



184/9198

189/6385

145/0862

184/8319

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number)

A Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 21kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

• Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,


as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the overbalance protector kit supplied or, an alternative fixing method of your choice.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.





Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






If you have damaged or missing components, call the **Customer Helpline: 0870 112 1928** or **email: Help@ClickSpares.co.uk** (quoting your original order number and the reference numbers below)

Step 1

Prepare the drawer fronts

Screw 2 metal dowels **B** into each of the drawer fronts **5**.

Note: Tighten the metal dowels up fully against the panel.




Step 2

Prepare the drawer wraps

Insert 2 small locking nuts **()** into each of the drawer wraps **(6)**.


Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.



Step 3

Fit the drawer base

Place the drawer base **7** into the narrow slot on the drawer wrap **6**. Fold the wrap around the drawer base.




Step 4

Fit the drawer front

Turn drawer wrap **6** assembly over and push it onto the back of the drawer front **5**.

Note: Turn the locking nuts **O** clockwise to secure the panels - more than 1/2 a turn.




Step 5

Attach the drawer stops

Carefully break off 2 drawer stops (*F*599) from a set of drawer runners .

Push the drawer stops fully through the drawer wrap **6** from the inside.




Step 6

Attach the handles

Attach 2 handles G to each of the 5 drawer fronts 5 using 2 screws E.

Note: Do not overtighten the screws.




Step 7

Prepare the left side

Separate the runners **I**.

Push fit 5 left runners **1** marked '**L**' into the left side **1**.

Note: Runners must be be fitted flat against the panel. If necessary gently tap into final position.



Step 8

Prepare the right side


Push fit 5 right runners **1** marked '**R**' into the right side **2**.

Note: Runners must be be fitted flat against the panel. If necessary gently tap into final position.


Step 9

Prepare the top

Tap 2 wooden dowels (A) into the top 3.



Step 12



Step 14

Fit the back

a: Square up the unit by making sure that measurement **x to x** equals y to y.

b: Place the back 8 onto the unit.

Nail **F** around the 3 edges of the back 8, as shown.


Note: Nails should be spaced about 150mm apart.

Stand the unit up for the next step.



Warning: The unit is heavy. Lift with care.

a: The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y



Step 15

Insert the drawers

Lift the front of the drawers whilst inserting to overcome the 'stop' system.

Note: To ensure that your drawers run smoothly, spray a small amount of furniture polish into the grooves.




Step 16

Fit the overbalance protector kit

To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by fitting of the overbalance protector kit to the unit, or an alternative fixing method of your choice.

Wall fixings are not supplied as they will need to suit the wall type.

Note: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.



If you need help or have damaged or missing parts, call the Customer Helpline: 0870 112 1928 or email: Help@ClickSpares.co.uk (quoting your original order number and the reference numbers on the component pages) Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW