
Office Stool

Assembly Instructions - Please keep for future reference

244/9315



Dimensions

Width - 54cm
Depth - 54cm
Height - 48-63.5cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 6400800

Issue 1 - 28/04/14

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on the following pages.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• Parts of the assembly will be easier with 2 people.

• During assembly do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Do not stand on the stool.

• Do not use this stool as step ladder.



• To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

• Unit weight: 3.75 kgs.

• Maximum safe weight of user: 110kgs.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints


• Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.

• Regularly check and ensure that all bolts and fittings are tightend properly.


Components - Parts

If you have damaged or missing components, call the **Customer Helpline: Argos = 0345 6400800**

Please check you have all the parts listed below




1 Seat
(44 x 37 x 7.5cm)



2 Mounting Plate
(13.5 x 25 x 4.5cm)



3 Gas Lift
(Ø5.1 x 32.5-46cm)




4 Leg base
(Ø56 x 8cm)

Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A 	**B** 	**C** 
M6 x 12mm Bolt x 4	Castor x 5	Allen key x 1

Assembly Instructions


Step 1


Attaching mounting plate


Place the seat 1 upside down on a flat protected surface.

Position the mounting plate 2 making sure the arrow on the plate is pointing to the front of the seat as shown.

Align 4 holes as shown and fix using bolts A. Tighten bolts using allen key C.








Step 2

Attaching castors

Attach the castors B into holes on the base 4 and secure by pressing down firmly.




Step 3

Attaching gas lift

Insert the gas lift 3 into hole on the base 4 as shown & secure by pressing down firmly.

Important: Remove plastic tip cover on gas lift before assembling.




Assembly Instructions

Step 4

Attaching the seat


Position the seat [1] as shown and insert the gas lift [3] into the hole of the mounting plate [2]. Secure by pressing down firmly.



Gas lift operation

To adjust the seat higher, lift up the lever under the seat and release at desired height.

To lower the seat, lift up the lever while seated on the stool.



Assembly is complete.

If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 6400800