



Air

User Guide

C86-MA Series



Contents

Contents	1
Machine Overview	2
General Safety Information	3
Getting Started	4
Maintenance	5
Looking After Your Machine — Filters	6
Looking After Your Machine — Removing Blockages	7
FAQs	8
Other Information	9
Guarantee	10



Machine Overview

- 1 Hose connector
- 2 Dirt container
- 3 Cyclone separator and shroud
- 4 Carry handle
- 5 Dirt container release button
- **6** Cord rewind button (hidden)
- 7 Floor head parking slot
- 8 On/off button
- **9** Post-motor filter cover
- **10** Primary separator
- 11 H12 HEPA post-motor filter Anti-bacterial H12 HEPA post-motor filter (some models only)
- **12** Pre-motor filter
- 13 Turbo Brush (some models only)
- 14 Combination floor head (some models only)
- **15** Telescopic extension tube
- **16** Flexi crevice tool
- 17 Dusting brush
- 18 Flexible hose and handle
- 19 Hard floor tool (some models only)
- **20** TurboTool (some models only)
- 21 Stretch hose (some models only)
- 22 Upholstery tool
- 23 TurboTool connector (some models only)





NOTE: Some parts may vary according to model. Please check inside flap of box for more details.

General Safety Information

This vacuum cleaner is intended for household use only and NOT for commercial or industrial use. Please keep instructions for further use.

When using the vacuum cleaner basic safety precautions should always be observed, including the following:

- 1. Do not leave the vacuum cleaner unattended when plugged in. Unplug the appliance from the socket when not in use.
- 2. Only use the vacuum cleaner indoors on dry surfaces.
- Turn off the on/off switch on the vacuum cleaner controls before disconnecting or connecting from the mains supply.
- 4. Always unplug the vacuum cleaner before connecting or disconnecting the vacuum hose and accessories.
- 5. Children should be supervised to ensure that they do not play with the appliance.
- 6. This appliance is not intended for use by children under eight years of age and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance in a safe way and understands the hazards involved.
- 7. Cleaning and maintenance shall not be made by children without supervision.
- 8. The appliance should only be used as described in the quick start guide or in the full online user guide.
- 9. Only Vax recommended attachments should be used with this appliance.
- 10. Do not use this vacuum cleaner if it has been dropped, damaged, left outdoors or dropped into water. Do not use this vacuum cleaner with a damaged cord or plug. If the supply cord is damaged return the vacuum cleaner to a Vax authorised Service Agent or a suitably qualified person for examination, repair or adjustment.
- 11. Do not pull or carry this appliance by the cord. Do not use the cord as a handle, close a door on the cord or pull the cord around sharp edges or corners. Do not run the vacuum cleaner over the cord. Keep the cord away from heated surfaces.
- 12. Do not handle the plug or the vacuum cleaner with wet hands.
- 13. Keep hair, loose clothing, fingers and all parts of the body away from openings and moving parts.
- 14. Do not pick up any hot coals, cigarette butts, matches or any hot, smoking or burning objects.
- 15. Do not vacuum up hard or sharp objects such as glass, nails, screws, coins, etc. without ALL of the filters in place.
- 16. Do not vacuum up harmful or toxic material (chlorine, bleach, ammonia, drain cleaner etc.)
- 17. Do not vacuum up hard or sharp objects such as glass, nails, screws, coins etc.
- 18. Store the vacuum cleaner in a cool, dry area.
- 19. Use only CE approved 13 amp extension cords. Non-approved cords may overheat. Care should be taken to arrange the cord so that the cord cannot be tripped over.
- 20. Do not put any objects into openings. Do not use with any openings blocked and do not restrict airflow. Keep all openings free of dust, lint, hair or anything that might reduce airflow.
- 21. Do not use without all of the filters in place.
- 22. Take extra care when vacuuming on the stairs.
- 23. Please ensure that the brushbar is turned off when you are vacuuming on the stairs.
- 24. Keep vacuuming area well lit.




Getting Started



NOTE: The TurboTool (with TurboTool connector attached), Turbobrush, hard floor tool, crevice tool, upholstery tool and dusting brush can all be attached to the telescopic tube or hose handle.

NOTE: Stretch hose should **not** be used as the main vacuum hose. The stretch hose is recommended to be used for a period of 20 minutes maximum.

Assembling your vacuum cleaner



CAUTION: The vacuum cleaner is a very powerful unit. Before plugging the cord into the electrical socket, make sure the switch is in the 'off' position. Hold the vacuum cleaner firmly when starting and in use.

Operating the appliance and accessories







NOTE: Fully unwind the power cord. A yellow mark on the cord indicates the recommended cord length. Do not exceed the cord length beyond the yellow mark.

Maintenance

Packing away and storage

NOTE: For convenience there is a parking slot located at the rear of the vacuum cleaner where the floor head and tubes can be attached for storage and carrying.

Packing away and storage





Emptying and cleaning the dirt container





Advanced cleaning - primary separator















Looking after your machine - Filters

Advanced cleaning - cyclone seperator

WARNING: Always switch off and unplug the vacuum cleaner from the electrical socket before assembling, opening or emptying the dirt container, or before connecting/disconnecting the attachments.








NOTE: Wipe to clean. Parts must be completely dry before using your machine.

Cleaning the pre-motor filter







Cleaning the HEPA post-motor filter







and switch it back on.

WARNING: Do not wash the post-motor filter.

Looking after your machine - Removing Blockages

WARNING: To reduce the risk of electric shock, the power cord must be disconnected before performing maintenance/troubleshooting checks. Turn the vacuum cleaner off and unplug from the electrical socket.

IMPORTANT: If the air inlet, hose or telescopic tube is blocked, switch off the vacuum cleaner and remove the blockage(s) before re-starting the vacuum cleaner.

Clearing blockages

Hose blockages

The flexible hose may be disconnected from the vacuum cleaner. Carefully remove any blockages found and reconnect the hose securely.

Accessory blockages

Remove accessory from the hose/telescopictube. Carefully remove the blockage and return to the cleaner.

Removing blockages from the TurboTool (some models only)



Turn the TurboTool over and slide off the locking ring.



Detach lower housing and remove blockage.



To re-assemble the TurboTool, ensure that the tabs are engaged and pivot the lower housing closed. Slip the locking ring over the neck of the TurboTool and into the groove to finish.

Removing blockages from the Turbobrush (some models only)



Lay the Turbobrush floor head on a flat surface and turn over to expose the brushbar. Using a pair of scissors, cut through any threads or hairs caught by the brushbar that have wrapped around the guides.



WARNING: To reduce the risk of personal injury, unplug the vacuum cleaner before performing maintenance/troubleshooting checks.

Is there an accessory missing?

- Check the 'Parts Overview' page in this guide to make sure the part is definitely included in your unit.
- If it is missing, we're here to help. Simply call us on 0844 412 8455

Why won't the vacuum cleaner pick up?

- The dirt container may be incorrectly installed; remove the dirt container from the unit by pressing the dirt container release catch and then reattaching it to the unit, ensuring it is locked firmly back into place.
- The filter may be clogged; refer to 'Maintenance: Cleaning the filters' on pages 5 and 6.
- The dirt container may be blocked; refer to 'Maintenance: Emptying and cleaning the dirt container' on page 5.
- There may be a blockage in the tube/hose. Disconnect from the vacuum cleaner, carefully remove any blockages found and reconnect securely.

Why is dust escaping from the vacuum?

- The filter may be clogged; refer to 'Maintenance: Cleaning the filters' on pages 5 and 6.
- The dirt container may be blocked; refer to 'Maintenance: Emptying and cleaning the dirt container' on page 5.
- The dirt container may be incorrectly installed; remove the dirt container from the unit by pressing the dirt container release catch and then reattaching it to the unit, ensuring it is locked firmly back into place.

What do I do if the unit/an accessory becomes damaged or broken?

• We're here to help. Simply call 0844 412 8455 or visit vax.co.uk

Why won't the accessories pick up properly?

- Hose blockages: remove the hose from the unit. Carefully remove any blockages found and reconnect hose securely.
- Accessory blockages: remove accessory from handle/tube. Carefully remove blockage and re-attach to the vacuum cleaner.
- The accessory may be faulty. Simply call us on 0844 412 8455 for assistance.

Why will the vacuum cleaner not run?

- It may not be plugged into the electrical socket correctly; ensure that the plug is pushed in securely.
- The electrical socket may not be working properly; check the fuse or breaker, or consult an electrician.
- The motor thermostat may have tripped; switch off and unplug the vacuum cleaner, and leave for one hour before switching the cleaner back on.

Other Information

UK Service & Help

Any queries or concerns about using your Vax, simply visit; vax.co.uk/support – vaxireland.ie or call the Vax Careline. Calls are charged at the UK local rate. Please make a note of the serial number and model number of the vacuum cleaner before calling.

Vax Careline: (UK) 0844 412 8455 (ROI) 1-800 928 308

Monday-Friday 8.30am to 6.30pm Saturday-Sunday 9.00am to 5.00pm

Consumables

To purchase spares and accessories, please visit vax.co.uk

Pre-motor filter (Type 57): 1-1-130851-00 Post motor filter (Type 45): 1-1-130998-00

Guarantee will only be valid with the use of genuine Vax spares and accessories.



Technical Specification

Voltage: 220-240V ~50Hz

Wattage: 1500W Capacity: 2.5L

Filters: Pre-motor filter H12 HEPA post-motor filter/

Anti-bacterial H12 HEPA post-motor filter (some models only)

Cord length: 6m (approx) Weight: 5.6 kg (approx)

Subject to technical change without notice.



EEC Statement of Compliance

Manufacturer/EEC importer: Vax Limited, hereby on our own responsibility, declare that the

C86-MA series is manufactured in compliance with the following Directives:

Safety: 2006/95/EC Low Voltage Directive

EMC: 2004/108/EC Electromagnetic Compatibility Directive



Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice.



It's quick and easy to register for your

FREE 6 year guarantee

online at: vax.co.uk/guarantees

Please retain your original receipt for proof of purchase.

UK based customer care centre — Open 6 days a week

Monday-Friday 8:30-18:30 Saturday 9:00-17:00

we're here if you need us

Instead of taking me back to the shop, simply visit: vax.co.uk/support or call (UK) 0844 412 8455 (ROI) 1-800 928 308

Let us know what you think @VaxUK







10 vax.co.uk



Vax Ltd., Kingswood Road, Hampton Lovett, Droitwich, Worcestershire, WR9 0QH, UK email: info@vax.co.uk website: vax.co.uk