
Chadwick - Desk

Assembly Instructions - Please keep for future reference

356/2246

322/8865

330/1074



Dimensions

Width - 100cm

Depth - 45cm

Height - 72cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 19kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).
- Dispose of all packaging carefully and responsibly.

Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*

Please check you have all the panels listed below




Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below


Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



Tools required





If you have damaged or missing components, call the **Customer Helpline:** 08456 400800 quoting the reference numbers below

Step 1


Prepare the drawer front and drawer wrap


a: Screw 2 metal dowels **b** into the holes shown on the back of the drawer front **9**.

Note: Tighten the metal dowels up fully against the panel.

b: Insert 2 small locking nuts **(F)** into the holes shown on the drawer wrap **(11)**.

Note: The arrows on the locking nuts **must** point towards the hole in the edge of the panel.






Step 2

Assemble the drawer

a: Place the drawer base 10 into the narrow slot on the drawer wrap 11. Fold the wrap around the base.

b: Turn the drawer wrap assembly over and push it onto the back of the drawer front [9].

Note: Turn the locking nuts **c** clockwise to secure the panels - more than 1/2 a turn.




Step 3

Attach the drawer stops

Carefully break off the 2 drawer stops (F599) from the pair of drawer runners .

Push the drawer stops fully through the drawer wrap 11 from the inside.




Step 4

Attach the handle

Attach the handle **(H)** to the drawer front using 2 screws **(D)**.


Note: Do not overtighten the screws.



Step 5

Fit the wedgefixes

Turn the drawer assemblies over and slide 4 wedgefixes into the front and back grooves, as shown, and tighten up the screws.





Step 6

Prepare the left side and the upright

Separate the runners **L**.

a: Push fit left runner marked 'L' into the holes shown on left side 1.


Note: Runners must be be fitted flat against the panel. If necessary gently tap into final position.

Insert 2 large locking nuts **(E)** into left side **1**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

b: Push fit right runner **()** marked '**R**' into the holes shown on upright **2**.


Insert 2 large locking nuts into the upright 2.



Step 7

Fit the base to the upright

Attach the base 5 to the upright 2 using 2 screws **G**.




Step 8

Prepare the plinth

Tap 2 wooden dowels **A** into the plinth **8**.


Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.



Step 9

Fit the plinth to the upright


Attach the plinth 8 to the upright 2 using the dowel already fitted and secure with screw **G**.



Step 10

Fit the left side


Attach the left side 1 to the base 5 and plinth 8 using 3 screws 6.



Step 11

Prepare the right side

Insert 2 large locking nuts into the right side 3.




Step 12

Fit the modesty

2 people are needed here

Attach the modesty 7 to the upright 2 using 2 screws **G**.

Support the modesty until the right side has been fitted in the next step.



Step 13


Fit the right side and the plastic nails

2 people are needed here

Attach the right side 3 to the modesty 7 using 2 screws **G**.

BO

Tap 2 plastic nails (s) into the bottom edge of the left side 1, upright 2 and right side 3.




Step 14

Prepare the top panel

a: Screw 6 metal dowels **B** into the holes on the top **4**.

Note: Tighten the metal dowels up fully against the panel.




Step 15

Fit the top

Push the 6 metal dowels if fitted to the top 4 down into the holes in the top edge of the side and upright panels.

Use a screwdriver to tighten the 6 large locking nuts **2** fitted to the side and upright panels **1**, **2** and **3**.

Note: Turn the large locking nuts **(3)** as far as they will go - more than 1/2 a turn.



Step 16

Fit the back

2 people are needed here

a: Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.

b: Place the back 12 down onto the unit.

Nail **J** down the sides and bottom edge of the back **12** as shown.


Note: Nails should be spaced about 150mm apart.

Stand the unit up.



Warning: The desk is heavy. Lift with care.

The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 17

Fit the shelf

Insert 4 shelf studs **©**, at the required height, into the holes on the left side **1** and upright **2**.

Slide the shelf 6 in to rest on top of the 4 shelf studs.



Step 18

Insert the drawer


Lift the front of the drawer whilst inserting to overcome the 'stop' system.

Note: To ensure that your drawer runs smoothly, spray a small amount of furniture polish into the grooves.



Warning: The desk is heavy. Lift with care.

Assembly is complete



If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800** and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

11 ALR3091