
Hertford - 4 Drawer Chest

Assembly Instructions - Please keep for future reference

338/9003

357/1402





Dimensions

Width - 107cm

Depth - 39cm

Height - 85.5cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 32kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the overbalance kit supplied.
- Dispose of all packaging carefully and responsibly.


Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the panels listed on pages 1 and 2



1 Left Side (DF657) (854 x 390mm)



Right Side (DF658) (854 x 390mm)



3 Top (*DF659*) (996 x 385mm)

•

4 Rail (*DF2033*) (996 x 70mm) x 2

Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*

Please check you have all the panels listed on pages 1 and 2

Top Drawer Front (DF672) (992 x 140mm)	9 Middle Drawer Front (DF673) (992 x 189mm) x 2			
Top Left Drawer Side (W350-115LH) (350 x 115mm) 7 Top Right Drawer Side (W350-115RH) (350 x 115mm)	Middle Left Drawer Side (W350-124LH) (350 x 124mm) x 2 Middle Right Drawer Side (W350-124RH) (350 x 124mm) x 2			
8 Top Drawer Back (W946-115) (946 x 115mm)	12 Middle Drawer Back (W946-124) (946 x 124mm) x 2			
13 Bottom Drawer Front (DF674) (992 x 289mm)	17 Drawer Base (7957-347) (957 x 347mm) x 4			
14 Bottom Left Drawer Side (W350-165LH) (350 x 165mm) Solution Right Drawer Side (W350-165RH) (350 x 165mm)				
16 Bottom Drawer Back (W946-165) (946 x 165mm)				
	18 Back (X1014-839)			

(1014 x 839mm)




Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below


Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



Tools required












Eye protection (when using a hammer or drill)



Electric drill (only use when drilling into walls)

Ruler - Use this ruler to help correctly identify the screws




If you have damaged or missing components, call the Assembly Instructions Customer Helpline: 08456 400800 quoting the reference numbers below

Step 1

Prepare the top drawer front

Screw 2 metal dowels A into the top drawer front 5.

Note: Tighten the metal dowels up fully against the panels.




Step 2


Prepare the top drawer sides

Insert a small locking nut C into the hole shown on the top left drawer side 6 and top right drawer side 7.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 3

Attach the top drawer sides to the top drawer front

Push the top left drawer side 6 and top right drawer side 7 onto the back of the top drawer front 5.

Turn the small locking nuts C on the top left drawer side 6 and top right drawer side 7.


Note: Turn the locking nuts C clockwise to secure panels - more than 1/2 a turn.



Step 4

Fit the drawer base

Slide the drawer base 17 down the grooves in the top drawer sides 6 and 7 and down into the groove in the top drawer front 5.



Step 5


Fit the top drawer back

Fit the top drawer back 8 between the top drawer sides 6 and 7.

Make sure that the drawer base 17 fits into the groove in the top drawer back 8.

Hold the top drawer back


8 in position and tap
the knock-in pegs f
through the holes in the
top drawer sides 6 and
7.



Step 6

Attach the handles

Attach 2 handles **(x)** to the top drawer front **5** using 2 screws **G**.




Step 7

Prepare the 2 middle drawer fronts

Screw 2 metal dowels **A** into each of the 2 middle drawer fronts **9**.

Note: Tighten the metal dowels up fully against the panels.




Step 8


Prepare the middle drawer sides

Insert a small locking nut **©** into the hole shown on the middle left drawer sides **10** and the middle right drawer sides **11**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 9


Attach the middle drawer sides to the middle drawer fronts

Push the middle left drawer sides 10 and middle right drawer sides 11 onto the back of the middle drawer fronts 9.

Turn the small locking nuts **©** on the middle left drawer sides **10** and middle right drawer sides **11**.

Note: Turn the locking nuts **©** clockwise to secure panels - more than 1/2 a turn.






Step 10

Fit the drawer base

Slide the drawer base 17 down the grooves in the middle drawer sides 10 and 11 and down into the groove in the middle drawer front 9.




Step 11

Fit the middle drawer back

Fit the middle drawer 12 back between the middle drawer sides 10 and 11.

Make sure that the drawer base 17 fits into the groove in the middle drawer back 12.


Hold the middle drawer back 12 in position and tap the knock-in pegs through the holes in the middle drawer sides 10 and 11.



Step 12

Attach the handles

Attach 2 handles **(K)** to each of the middle drawer fronts **(9)** using screws **(3)**.




Step 13

Prepare the bottom drawer front

Screw 2 metal dowels **A** into the bottom drawer front **13**.

Note: Tighten the metal dowels up fully against the panels.



Step 14


Prepare the bottom drawer sides

Insert a small locking nut (a) into the hole shown on the bottom left drawer side [14] and the bottom right drawer side [15].

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 15

Attach the bottom drawer sides to the bottom drawer front

Push the bottom left drawer side 14 and bottom right drawer side 15 onto the back of the bottom drawer front 13.

Turn the small locking nuts **©** on the bottom left drawer side **14** and bottom right drawer side **15**.


Note: Turn the locking nuts **©** clockwise to secure panels - more than 1/2 a turn.



Step 16

Fit the drawer base

Slide the drawer base 17 down the grooves in the bottom drawer sides 14 and 15 and down into the groove in the bottom drawer front 13.




Step 17

Fit the bottom drawer back

Fit the bottom drawer back 16 between the bottom drawer sides 14 and 15.

Make sure that the drawer base 17 fits into the groove in the bottom drawer back 16.


Hold the bottom drawer back 16 in position and tap the knock-in pegs through the holes in the bottom drawer sides 14 and 15.



Step 18

Attach the handles


Attach 2 handles **(s)** to the bottom drawer front **13** using 2 screws **(g)**.



Step 19

Fit 4 wedgefixes to each of the drawers

Turn all 4 of the drawer assemblies over and slide 4 wedgefixes Into the front and back grooves, as shown and tighten up the screws.




Step 20

Fit runners to each of the drawers

Fit runner (Md), marked with 'R', to the bottom edge of the right drawer sides as shown, making sure that it is pushed up against the back of the drawer front. Use a bradawl to mark the fixing positions, then secure with 2 screws (1).

Fit runner Mc, marked 'L', to the bottom edge of the left drawer sides using the same method.



Step 21

Prepare the left side

a: Fit 4 runners **Ma** to the left side **1**.


The 1st screw uses the 1st hole in from the front of the runners.


The 2nd and 3rd screws


use the holes that line
up with the other panel
holes.

b: Fit a screw **H** into the 2nd hole in at the top of the runners **Ma**.

Screw 4 metal dowels **A** into the left side **1**.







Step 22

Prepare the right side

a: Fit 4 runners **Mb** to the right side **2**.


The 1st screw uses the 1st hole in from the front of the runners.


The 2nd and 3rd screws

use the holes that line
up with the other panel
holes.

b: Fit a screw **H** into the 2nd hole in at the top of the runners **Mb**.

Screw 4 metal dowels **A** into the right side **2**.






Step 23

Prepare the top

Insert 4 large locking nuts **B** into the top **3**.

Tap 4 wooden dowels **D** into the top **3**.

Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.




Step 24

Fit the top to the right side

Push the top 3 onto the right side 2.

Use a screwdriver to tighten the 2 large locking nuts **B** fitted to the top **3**.

Note: Turn the large locking nuts **B** as far as they will go - more than 1/2 a turn.




Step 25

Prepare the 2 rails

Insert 2 large locking nuts **B** into each of the 2 rails **4**.

Tap 2 wooden dowels ointo each of the 2 rails 4.




Step 26

Fit the 2 rails

Push the 2 rails 4 onto the right side 2.

Use a screwdriver to tighten the large locking nut **B** fitted to each rail **4**.




Step 27

Fit the left side

Push the left side 1 onto the assembly.

Use a screwdriver to tighten the 4 large locking nuts **B** fitted to the top **3** and the 2 rails **4**.



Step 28

Fit the back

a: Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.

b: Place the back **18** onto the unit.

Nail **around the** outside edges of the back **18**.


Note: Nails should be spaced about 150mm apart.

Stand the unit up for the next step.



Warning: The unit is heavy. Lift with care.


The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y



Step 29

Fit the drawers

Slide the wheels of the runners fitted to the drawers, over the wheels of the runners fitted to the side panels and push the drawers into position.



Step 30


Fit the overbalance protector kit


To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by fitting of the overbalance protector kit to the unit, or an alternative fixing method of your choice.

Wall fixings are not supplied as they will need to suit the wall type.

Note: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.

Assembly is complete





If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800** and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW