Arvika - 3 Drawer Bedside

Assembly Instructions - Please keep for future reference

355/7794

359/8430



Dimensions

Width - 37cm

Depth - 39.5cm

Height - 65cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



!\ Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Warning: This unit weighs approximately 14.5kgs. Please lift with care.
- Check you have all the components and tools listed on pages 1, 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Tools required





Cross-head screwdriver



Scissors



Hammer




Eye protection (when using a hammer or drill)

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*


Please check you have all the panels listed below




Left Side (DF1895) (495 x 393mm)



Right Side (DF1896) (495 x 393mm)



3 Top (*DF1407*) (370 x 394mm)



4 Base (DF1962) (370 x 394mm)



5 Drawer Front (*DF1408*) (332 x 161mm) x 3




6 Drawer Back (W288-124) (288 x 124mm) x 3




7 Left Drawer Side (W350-124LH) (350 x 124mm) x 3



8 Right Drawer Side (W350-124RH) (350 x 124mm) x 3



9 Drawer Base (7299-347) (299 x 347mm) x 3



10 Back (X520-364) (520 x 364mm)





Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






If you have damaged or missing components, call the Assembly Instructions Customer Helpline: 08456 400800 quoting the reference numbers below

Step 1

Prepare the 3 drawer fronts

Screw 2 metal dowels A into each of the drawer fronts 5.

Note: Tighten the metal dowels up fully against the panels.




Step 2

Prepare the drawer sides

Insert a small locking nut **C** into the hole shown on the left drawer side 7 and the right drawer side 8.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.




Step 3

Attach the drawer sides to the drawer fronts

Push the left drawer sides 7 and right drawer sides 8 onto the back of the drawer fronts 5.

Turn the small locking nuts **C** on the left drawer side 7 and right drawer side 8.


Note: Turn the locking nuts **C** clockwise to secure panels - more than 1/2 a turn.



Step 4

Fit the drawer base

Slide the drawer base 9 down the grooves in the drawer sides 7 and 8 and down into the groove in the drawer front 5.




Step 5

Fit the drawer back

Fit the drawer back 6 between the drawer sides 7 and 8.

Make sure that the drawer base 9 fits into the groove in the drawer back 6.


Hold the drawer back 6 in position and tap the knock-in pegs (5) through the holes in the drawer sides (7) and (8).



Step 6

Attach the handles


Attach a handle **M** to each of the drawer fronts **5** using screws **H**.



Step 7

Fit the wedgefixes

Turn the drawer assemblies over and slide 2 wedgefixes into the front and back grooves, as shown, and tighten up the screws.






Step 8

Fit the runners

Fit a runner Pd, marked with 'R', to the bottom edge of the right drawer side 8, as shown, making sure that it is pushed up against the back of the drawer front 5. Use a bradawl to mark the fixing positions, then secure with 2 screws 1.

Fit runner **Pc**, marked 'L', to the bottom edge of the left drawer side **7** using the same method.



Step 9

Prepare the left side

a: Fit 3 runners **Pa** to the left side **1**.

The 1st screw (uses the 1st hole in from the front of the runners.

The 2nd and 3rd screws use the holes that line up with the other panel holes.


b: Fit a screw **1** into the 2nd hole in at the top of the runners **Pa**.


Insert 2 large locking nuts **B** into the left side **1**.


Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Tap 4 wooden dowels **D** into the left side **1**.

Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.







Step 10

Prepare the right side

a: Fit 3 runners **Pb** to the right side **2**.


The 1st screw (uses the 1st hole in from the front of the runners.


The 2nd and 3rd screws use the holes that line up with the other panel holes.


b: Fit a screw **J** into the 2nd hole in at the top of the runners **P.b**.

Insert 2 large locking nuts **B** into the right side **2**.

Tap 4 wooden dowels **D** into the right side **2**.








Step 11

Prepare the top

Screw 4 metal dowels **A** into the top **3**.

Note: The top panel has been finished on both surfaces.

The base panel has 1 chipboard suface.




Step 12

Fit the right side to the top

Push the right side 2 onto the top 3.

Use a screwdriver to tighten the 2 large locking nuts **B** fitted to the right side **2**.

Note: Turn the large locking nuts **3** as far as they will go - more than 1/2 a turn.




Step 13

Fit the left side

Push the left side 1 onto the top 3.


Use a screwdriver to tighten the 2 large locking nuts **B** fitted to the left side **1**.



Step 14

Fit the base

Attach the base 4 the the sides 1 and 2 using the 4 screws **G**.




Step 15

Fit the leg brackets to the base

a: Screw each leg bracket • to the base • using 2 screws • into the mark holes.

b: Then use another 2 screws **1** into the other 2 holes.



Step 16

Fit the back


a: Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.

b: Place the back 10 onto the unit.

Nail **(E)** around the outside edges of the back **(10)**.

Note: Nails should be spaced about 150mm apart.

The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 17

Fit the legs

Screw the legs **N** into the leg brackets **O**.

Carefully stand the unit up for the next step.





Step 18

Fit the drawers

Slide the wheels of the runners fitted to the drawers, over the wheels of the runners fitted to the side panels and push the drawers into position.

Assembly is complete





If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800** and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

Arvika - 4+2 Drawer Chest

Assembly Instructions - Please keep for future reference

346/4966

343/2857



Dimensions

Width - 72cm

Depth - 39.5cm

Height - 106cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 33.5kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the overbalance kit supplied.
- Dispose of all packaging carefully and responsibly.

Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

If you have damaged or missing components, call the Customer Helpline: 08456 400800 quoting the reference numbers below

Please check you have all the panels listed below





16 Large Drawer Back (W633-165) (633 x 165mm)

18 Large Right Drawer Side (W350-165RH) (350 x 165mm)


19 Back (X933-710) (933 x 710mm)


Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Step 1


Prepare the 2 top drawer fronts

Screw 2 metal dowels **A** into each of the top drawer fronts **6** and **7**.

Note: Tighten the metal dowels up fully against the panels.



Note: The top right drawer front has a small identification hole.




Step 2


Prepare 2 pair of small drawer sides

Insert a small locking nut **©** into the hole shown on the small left drawer side **10** and the small right drawer side **11**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 3


Attach the small drawer sides to the top drawer fronts

Push the small left drawer sides 10 and small right drawer sides 11 onto the back of the top drawer fronts 6 and 7.

Turn the small locking nuts **©** on the small left drawer side **10** and small right drawer side **11**.

Note: Turn the locking nuts **©** clockwise to secure panels - more than 1/2 a turn.






Step 4

Fit the top drawer base

Slide the top drawer base 9 down the grooves in the small drawer sides 10 and 11 and down into the groove in the top drawer fronts 6 and 7.




Step 5

Fit the top drawer back

Fit the top drawer back

8 between the small drawer sides 10 and 11. Make sure that the top drawer base 9 fits into the groove in the top drawer back 8.


Hold the top drawer back **8** in position and tap the knock-in pegs **5** through the holes in the small drawer sides **10** and **11**.



Step 6

Attach the handles


Attach a handle **(M)** to each of the top drawer fronts **(6)** and **(7)** using screws **(1)**.



Step 7

Fit the wedgefixes

Turn the top drawer assemblies over and slide 2 wedgefixes into the front and back grooves, as shown, and tighten up the screws.






Step 8

Fit the runners

Fit a runner Pd, marked with 'R', to the bottom edge of the small right drawer side 11, as shown, making sure that it is pushed up against the back of the top drawer front 6 and 7. Use a bradawl to mark the fixing positions, then secure with 2 screws 1.

Fit runner **Pc**, marked 'L', to the bottom edge of the small left drawer side **10** using the same method.




Step 9

Prepare the 3 mid drawer fronts

Screw 2 metal dowels **A** into each of the mid drawer fronts **12**.

Note: Tighten the metal dowels up fully against the panels.




Step 10


Prepare 3 pair of small drawer sides

Insert a small locking nut **©** into the hole shown on the small left drawer side **10** and the small right drawer side **11**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 11


Attach the small drawer sides to the mid drawer fronts

Push the small left drawer sides 10 and small right drawer sides 11 onto the back of the mid drawer fronts 12.

Turn the small locking nuts **©** on the small left drawer side **10** and small right drawer side **11**.

Note: Turn the locking nuts © clockwise to secure panels - more than 1/2 a turn.






Step 12

Fit the large drawer base

Slide the large drawer base 14 down the grooves in the small drawer sides 10 and 11 and down into the groove in the mid drawer front 12.




Step 13

Fit the mid drawer back

Fit the mid drawer back

13 between the small
drawer sides 10 and 11.
Make sure that the large
drawer base 14 fits into
the groove in the mid
drawer back 13.


Hold the mid drawer back 13 in position and tap the knock-in pegs through the holes in the small drawer sides 10 and 11.



Step 14

Attach the handles


Attach a handle **(1)** to each of the mid drawer fronts **12** using screws **(1)**.



Step 15

Fit the wedgefixes

Turn the mid drawer assemblies over and slide 4 wedgefixes into the front and back grooves, as shown, and tighten up the screws.




Step 16

Fit the runners

Fit a runner Pd, marked with 'R', to the bottom edge of the small right drawer side 11, as shown, making sure that it is pushed up against the back of the mid drawer front 12. Use a bradawl to mark the fixing positions, then secure with 2 screws 1.

Fit runner **Pc**, marked 'L', to the bottom edge of the small left drawer side 10 using the same method.




Step 17

Prepare the large drawer front

Screw 2 metal dowels **A** into the large drawer front **15**.

Note: Tighten the metal dowels up fully against the panels.




Step 18


Prepare the large drawer sides

Insert a small locking nut **©** into the hole shown on the large left drawer side **17** and the large right drawer side **18**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 19

Attach the large drawer sides to the large drawer front

Push the large left drawer sides 17 and large right drawer sides 18 onto the back of the large drawer front 15.

Turn the small locking nuts **©** on the large left drawer side **17** and large right drawer side **18**.


Note: Turn the locking nuts **©** clockwise to secure panels - more than 1/2 a turn.



Step 20

Fit the large drawer base

Slide the large drawer base 14 down the grooves in the large drawer sides 17 and 18 and down into the groove in the large drawer front 15.




Step 21

Fit the large drawer back

Fit the large drawer back 16 between the large drawer sides 17 and 18. Make sure that the large drawer base 14 fits into the groove in the large drawer back 16.


Hold the large drawer back 16 in position and tap the knock-in pegs through the holes in the large drawer sides 17 and 18.



Step 22

Attach the handle


Attach a handle **M** to the large drawer front **15** using screws **H**.



Step 23

Fit the wedgefixes

Turn the large drawer assembly over and slide 4 wedgefixes into the front and back grooves, as shown, and tighten up the screws.




Step 24

Fit the runners

Fit a runner Pd, marked with 'R', to the bottom edge of the large right drawer side 18, as shown, making sure that it is pushed up against the back of the large drawer front 15. Use a bradawl to mark the fixing positions, then secure with 2 screws 1.

Fit runner **Pc**, marked 'L', to the bottom edge of the large left drawer side 17 using the same method.



Step 25

Prepare the left side

a: Fit 5 runners **Pa** to the left side **1**.

The 1st screw (uses the 1st hole in from the front of the runners.

The 2nd and 3rd screws use the holes that line up with the other panel holes.


b: Fit a screw **1** into the 2nd hole in at the top of the runners **Pa**.


Insert 2 large locking nuts **B** into the left side **1**.


Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Tap 4 wooden dowels **D** into the left side **1**.

Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.







Step 26

Prepare the right side

a: Fit 5 runners **P b** to the right side **2**.


The 1st screw (uses the 1st hole in from the front of the runners.


The 2nd and 3rd screws use the holes that line up with the other panel holes.


b: Fit a screw **1** into the 2nd hole in at the top of the runners **P.b.**.

Insert 2 large locking nuts **B** into the right side **2**.

Tap 4 wooden dowels **D** into the right side **2**.







Step 27

Prepare the divider

a: Fit a runner **Pa** to the divider **5**.

The 1st screw (uses the 1st hole in from the front of the runners.

The 2nd and 3rd screws use the holes that line up with the other panel holes.

b: Fit a screw **1** into the 2nd hole in at the top of the runners **Pa**.

Insert 2 large locking nuts **B** into the divider **5**.

Tap 4 wooden dowels **D** into the divider **5**.


Turn the divider over

C: Fit a runner **Pb** to the divider **5**.

The 1st screw (uses the 1st hole in from the front of the runners.


The 2nd and 3rd screws use the holes that line up with the other panel holes.


b: Fit a screw **1** into the 2nd hole in at the top of the runners **P.b**.




Note: Due to the manufacturing process, the 2 holes for the large locking nut can be on either surface of the panel.










Step 28

Prepare the top

Screw 6 metal dowels **A** into the top **3**.

Note: The top panel has been finished on both surfaces.

The base panel only has 1 finished suface.




Step 29

Fit the divider to the top

Push divider 5 down onto the top 3.

Use a screwdriver to tighten the 2 large locking nuts **5** fitted to the divider **5**.




Step 30

Fit the sides to the top

Push the left side 1 and right side 2 onto the top 3.

Use a screwdriver to tighten the 4 large locking nuts **B** fitted to the left side **1** and right side **2**.

Note: Turn the large locking nuts **3** as far as they will go - more than 1/2 a turn.




Step 31

Fit the base

Attach the base 4 the the sides 1 and 2 using the 4 screws **G**.








Step 32

Fit the leg brackets to the base

a: Screw each leg bracket • to the base • using 2 screws • into the mark holes.

b: Then use another 2 screws **1** into the other 2 holes.



Step 33

Fit the back

a: Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.


b: Place the back 19 onto the unit.

Nail **(E)** around the outside edges of the back **(19)**.

Note: Nails should be spaced about 150mm apart.

Stand the unit up for the next step.

The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y



Step 34

Fit the legs

Screw the legs **N** into the leg brackets **O**.


Carefully stand the unit up for the next step.







Warning: The unit is heavy.
Lift with care.



Step 35

Fit the overbalance protector and drawers

To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by use of the overbalance protector kit fitted to the unit or, an alternative fixing method of your choice.


Wall fixings are not supplied as they will need to suit the wall type.


Note: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.

Slide the wheels of the runners fitted to the drawers, over the wheels of the runners fitted to the side panels and push the drawers into position.



Warning: The unit is heavy. Lift with care.





If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800 and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

19 ALR3114

Arvika - 2 Drawer 2 Door Robe

Assembly Instructions - Please keep for future reference

357/6823

356/4921



Dimensions

Width - 83cm

Depth - 49.5cm

Height - 186.5cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



!\ Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Warning: This unit weighs approximately 52.5kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the overbalance kit supplied.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Tools required






Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the panels listed below



16 Left Door (DF3023)

(1371 x 394mm)

17 Right Door (*DF1890*)

(1371 x 394mm)




(746 x 165mm)


Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Step 1

Prepare the top drawer front

Screw 2 metal dowels **A** into the back of the top drawer front **6**.

Note: Tighten the metal dowels up fully against the panels.




Step 2


Prepare the top drawer sides

Insert a small locking nut **©** into the hole shown on the top left drawer side **7** and the top right drawer side **8**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 3

Attach the top drawer sides to the top drawer front

Push the top left drawer side 7 and top right drawer side 8 onto the back of the top drawer front 6.

Turn the small locking nuts **6** on the top left drawer side **7** and top right drawer side **8**.


Note: Turn the locking nuts **©** clockwise to secure panels - more than 1/2 a turn.



Step 4

Fit the drawer base

Slide the drawer base 14 down the grooves in the top drawer sides 7 and 8 and down into the groove in the top drawer front 6.



Step 5


Fit the top drawer back

Fit the top drawer back

9 between the top
drawer sides 7 and 8.

Make sure that the drawer base 14 fits into the groove in the top drawer back 9.


Hold the top drawer back 9 in position and tap the knock-in pegs through the holes in the top drawer sides 7 and 8.



Step 6

Attach the handle


Attach a handle **(M)** to the top drawer front **(6)** using screws **(1)**.



Step 7

Fit the wedgefixes

Turn the top drawer assembly over and slide 4 wedgefixes into the front and back grooves, as shown, and tighten up the screws.




Step 8

Fit the runners

Fit a runner (Rd), marked with 'R', to the bottom edge of the top right drawer side (8), as shown, making sure that it is pushed up against the back of the top drawer front (6). Use a bradawl to mark the fixing positions, then secure with 2 screws (1).

Fit runner **Rc**, marked 'L', to the bottom edge of the top left drawer side **7** using the same method.




Step 9

Prepare the bottom drawer front

Screw 2 metal dowels **A** into the bottom drawer front **10**.

Note: Tighten the metal dowels up fully against the panels.





Step 10


Prepare the bottom drawer sides

Insert a small locking nut **©** into the hole shown on the bottom left drawer side **11** and the bottom right drawer side **12**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 11


Attach the bottom drawer sides to the bottom drawer front

Push the bottom left drawer sides 11 and bottom right drawer sides 12 onto the back of the bottom drawer front 10.

Turn the small locking nuts **©** on the bottom left drawer side **11** and bottom right drawer side **12**.

Note: Turn the locking nuts **©** clockwise to secure panels - more than 1/2 a turn.






Step 12

Fit the drawer base

Slide the drawer base 14 down the grooves in the bottom drawer sides 11 and 12 and down into the groove in the bottom drawer front 10.




Step 13

Fit the bottom drawer back

Fit the bottom drawer back 13 between the bottom drawer sides 11 and 12.

Make sure that the drawer base 14 fits into the groove in the bottom drawer back 13.


Hold the bottom drawer back 13 in position and tap the knock-in pegs through the holes in the bottom drawer sides 11 and 12.



Step 14

Attach the handle


Attach a handle **M** to the bottom drawer front **10** using screws **H**.



Step 15

Fit the wedgefixes

Turn the bottom drawer assembly over and slide 4 wedgefixes into the front and back grooves, as shown, and tighten up the screws.




Step 16

Fit the runners

Fit a runner (Rd), marked with 'R', to the bottom edge of the bottom right drawer side (12), as shown, making sure that it is pushed up against the back of the bottom drawer front (10). Use a bradawl to mark the fixing positions, then secure with 2 screws (J).

Fit runner **RC**, marked 'L', to the bottom edge of the bottom left drawer side **11** using the same method.



Step 17

Prepare the left side

a: Fit 2 runners **Bb** to the left side **1**.

The 1st screw (uses the 1st hole in from the front of the runners.

The 2nd and 3rd screws use the holes that line up with the other panel holes.

b: Fit a screw **J** into the 2nd hole in at the top of the runners **Rb**.

Screw 2 metal dowels **A** into the left side **1**.


To fit the rail holder ①, screw through the top hole with screw ① and into the mark hole drilled in the left side ①. Make sure that it is fitted straight, in line with the panel edges and then fit another screw ① using the lower hole.

C: Tap 4 wooden

O dowels into the left side 1.

Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.

Fit 3 hinge plates ② onto the left side 1, making sure that the slot is facing towards the finished front edge.



Step 18

Prepare the right side

a: Fit 2 runners **B b** to the right side **2**.

The 1st screw (uses the 1st hole in from the front of the runners.

The 2nd and 3rd screws use the holes that line up with the other panel holes.


b: Fit a screw **J** into the 2nd hole in at the top of the runners **Rb**.

Screw 2 metal dowels (A) into the right side (2).

To fit the rail holder ①, screw through the top hole with screw ① and into the mark hole drilled in the right side ②. Make sure that it is fitted straight, in line with the panel edges and then fit another screw ① using the lower hole.

C: Tap 4 wooden
 dowels into the right side 2.

Fit 3 hinge plates ② onto the right side ②, making sure that the slot is facing towards the finished front edge.



Step 19

Prepare the horizontal

Insert 4 large locking nuts **B** into the horizontal **5**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Tap 4 wooden dowels **D** into the horizontal **5**.

B B Finished front edge


Step 20

Fit the right side to the horizontal

Push the horizontal 5 onto the right side 2.

Use a screwdriver to tighten the 2 large locking nuts **B** fitted to the horizontal **5**.

Note: Turn the large locking nuts 3 as far as they will go - more than 1/2 a turn.





Step 21

Fit the left side

Push the left side 1 onto the horizontal 5.

Use a screwdriver to tighten the 2 large locking nuts **B** fitted to the horizontal **5**.






Step 24

Fit the feet

Attach the 4 feet **(N)** to the base **(4)** using 4 screws **(G)**.



Step 25

Fit the back

a: Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.

b: Place the back 18 onto the unit.

Nail **around the** outside edges of the back **18**.


Note: Nails should be spaced about 150mm apart.

Carefully stand the unit up for the next step.



Warning: The unit is heavy. Lift with care.

The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 26

Fit the drawers and hanging rail

Push the hanging rail 15 into the rail holders .

Slide the wheels of the runners fitted to the drawers, over the wheels of the runners fitted to the side panels and push the drawers into position.




Step 27

Prepare the 2 doors

Push fit 3 hinges **P** into each of the 2 doors **16** and **17**.

Secure each hinge with 2 screws **①**.

Note: Before securing with the screws, make sure that the hinges are positioned at 90 degrees with the edge of the door.



Step 28

Fit doors and handles

Note: The easiest way to attach each door 16 and 17 is to fit the top hinge first, then align and fit the other hinges.


onto the front part of the hinge plate **Q**. The recess at the bottom of screw B goes into the slot in the hinge plate.

b: Keep the hinge P FLAT against the hinge plate Q as you slide it across as far as it will go. Tighten screw A.

C: The hinge P must be flat against the hinge plate Q prior to any adjustment.

d: The hinge P must NOT be AT AN ANGLE to the hinge plate Q when assembled. This would indicate that the recess at the bottom of screw B had not located in the slot in the hinge plate and the hinge would not be secure. Remove the hinge from the hinge plate and then re-assemble being careful to follow instructions a-c.

e: Attach a handle **(M)** to each door **16** and **17** using screws **(H)**.



Step 29

Adjust the doors if needed

a: Before adjusting the doors, use a spirit level to check the base (or top) of the unit is level, front-to-back and side-to-side in the 3 positions shown.

Use suitable packing pieces (not supplied) to make the unit level BEFORE making any adjustment to the hinges, as shown.

b: Height adjustment.


Loosen screws A on hinge plates and move door up or down as required. Retighten screw A.

C: Forward and Back adjustment.

Loosen screw B on hinge plate and move door in or out as required. Retighten screw B.

d: Sideways adjustment.

To move door 'out' loosen screw C.
To move door 'in' tighten screw C.



Step 30


Fit the overbalance protector

To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by use of the overbalance protector kit of fitted to the unit or, an alternative fixing method of your choice.

Wall fixings are not supplied as they will need to suit the wall type.

Note: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.

Assembly is complete



If you need help or have damaged or missing parts, call the **Customer Helpline:** 08456 400800 and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW