Wow Carter Chair

Assembly Instructions - Please keep for future reference

385/1397
418/2168
412/5479



Dimensions

Width - 59cm
Depth - 63cm
Height - 102.5-112cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts,call the **customer helpline: 0345 640 0800**

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and fittings.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area,small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product during assembly, this could cause damage.
- Assemble the item as close to its final position(in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 pepole.



- We do not recommend the use of power drill/drivers ***for inserting screws***, as this could damage the unit. Only use hand screwdrivers.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Components

Please check you have all the components listed below


1 5 x Castor




2 1 x Base



3 1 x Gas lift



4 1 x Cover



5 1 x Seat support



6 1 x Seat cushion



7 1 x Backrest



8 2 x Armrest



Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 0345 640 0800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A 4 x Screw



1/4*20MM

B 8 x Screw



1/4*25MM

C 8 x Plastic cover




Tools required



Allen key 1 X M5 30mm/80mm

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1

Fitting the Base

a: Push all the five Castors 1 into the underside of the Base 2.


***NOTE*: Ensure the Casters are fully inserted.**

b: Insert the Gas lift 3 into the base.


***NOTE*: Ensure the Gas lift is fully inserted and well fitted.**

c: Slide the Cover 4 into the base.


a:



b:




c:



Step 2

Fitting the Seat support

Use screws A to fix the Seat support 5 onto the Seat cushion 6. Ensure the seat support is firmly fitted onto the seat cushion.



Assembly Instructions

Step 3

Fitting the armrest


***NOTE*: It would be useful to ask someone to help you at this stage.**

a: Put seatplate [5] onto gas lift [3] firmly.

b: Carefully attach the screw Ⓑ to link the armrest [8] with seat cushion [6] on each side,then put the screw covers Ⓒ on the screw holes.

Note:Please don't tighten up the screws before you line all the screw holes up.

a:





Step 4

Finishing the Unit

Carefully link the backrest [7] with armrest [8] by using screw Ⓑ, then put the cover Ⓒ on it.

A rubber hammer is recommended to fix the plastic covers

Note:Please don't tighten up the screws before you line all the screw holes up.



NOTE: If you have damaged or missing components, call the Customer Helpline: **0345 640 0800**
Argos Limited,489-499-Avebury Boulevard, Central Milton keynes, MK9 2NW