Malibu - 4 Drawer Media Unit

Assembly Instructions - Please keep for future reference


426/8154

424/0392

402/3502

391/8144

425/5198



Dimensions

Width - 74.7cm

Depth - 39.6cm

Height - 93.6cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 03456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Warning: This unit weighs approximately 31kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the overbalance protector kit supplied or, an alternative fixing method of your choice.
- Dispose of all packaging carefully and responsibly.

Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 03456 400800** *quoting the reference numbers below*

Please check you have all the panels listed below






14 LargeBack (X740-659) (74 x 65.9cm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 03456 400800** quoting the reference numbers below


Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



Tools required






If you have damaged or missing components, call the Assembly Instructions Customer Helpline: 03456 400800 quoting the reference numbers below

Step 1

Prepare the drawer fronts

Screw 2 metal dowels A into each of the drawer fronts 8.

Note: Tighten the metal dowels up fully against the panels.



Step 2


Prepare 4 pairs of the drawer sides

Insert a small locking nut **C** into the hole shown on the left drawer side 9 and the right drawer side 10.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.








Step 3


Attach the drawer sides to the drawer fronts

Push the left drawer sides 9 and right drawer sides 10 onto the back of the 4 drawer fronts 8.

Turn the small locking nuts **C** on the left drawer side 9 and right drawer side 10.

Note: Turn the locking nuts C clockwise to secure panels - more than 1/2 a turn.





Step 4

Fit the drawer base

Slide the drawer base 12 down the grooves in the drawer sides 9 and 10 and down into the groove in the drawer fronts 8.

Step 5

Fit the drawer back

Fit the drawer back 11 between the drawer sides 9 and 10.

Make sure that the drawer base 12 fits into the groove in the drawer back 11.

Hold the drawer back 11 in position and tap the knock-in pegs through the holes in the drawer sides 9 and 10.

Step 6


Attach the handles


Attach 2 handles P to each drawer front 8 using 2 screws H.


Step 7

Fit the wedgefixes

Turn the 4 drawer assemblies over and slide 4 wedgefixes N into the front and back grooves, as shown, and tighten up the screws.







Step 8

Prepare the left side

a: Place 4 runners **M** on the left side **1** as shown. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw **1**.


b: Slide the runner M back the other way and fit the 2nd screw 1 into the corresponding hole in the left side 1.


C: Tap a wooden dowel
into the left side 1.


Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.


Insert a large locking nut **B** into the left side **1**.

Note: The arrow on the locking nuts **must** point towards the hole in the edge of the panel.









Step 9


Prepare the right side


a: Place 4 runners **M** on the right side **2** as shown. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw **1**.


b: Slide the runner M back the other way and fit the 2nd screw into the corresponding hole in the right side 2.


C: Tap a wooden dowel
into the right side 2.

Insert a large locking nut **B** into the right side **2**.










Step 10

Fit the shelf to the right side


Attach the shelf 4 to the right side 2 using 2 screws **G**.



Step 11

Prepare the front rail


Tap 4 wooden dowels **D** into the front rail **5**.



Step 12

Fit the front rail


Push the front rail 5 onto the right side 2.



Step 13

Prepare the plinth


Tap 2 wooden dowels **D** into the plinth 6.



Step 14

Fit the plinth

Push the plinth 6 onto the right side 2 and secure it with screw G.




the left side has been fitted.

Step 15

Prepare the 2 back rails


Tap 2 wooden dowels **D** into each of the 2 back rails 7.



Step 16

Fit the 2 back rails


Push the back rails 7 onto the right side 2 and secure them with screws **G**.



Step 17

Fit the left side


Push the left side 1 onto the assembly and secure it with 5 screws **G**.



Step 18

Prepare the top

Screw 2 metal dowels (A) into the top [3].




Step 19

Fit the top

Push the top 3 onto the sides 1 and 2.

Use a screwdriver to tighten the large locking nut **B** fitted to each of the sides **1** and **2**.

Note: Turn the large locking nuts **3** as far as they will go - more than 1/2 a turn.



Step 20

Fit the back

a: Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.


b: Place the small back 13 and large back 14 onto the unit.

Make sure that the 2 backs are pushed up tight against each other and that they meet in the centre of the back edge of the shelf 4.

Nail along the top of the small back 13 and around the outside edges of the large back 14, as shown.

Note: Do not nail where the 2 backs meet. Nails should be spaced about 150mm apart.

The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y



Step 21

Fit the 3 back holders


Push the nail screws through the back holders and tap them down between the small back and large back 14 and into the back edge of the shelf 4.

Keep tapping the nail screws (3) in until the back holders (1) dig into the small and large back.

Stand the unit up for the next step.



Warning: The unit is heavy. Lift with care.




Step 22

Fit the drawers

Starting with the bottom drawer, slide both the runners of forward and locate the drawer sides 9 and 10 between them, lining up the holes in the drawer wrap with the 2nd 'threaded' holes in the runners of.

Working from the inside of the drawer, insert 2 screws • through the drawer sides and out into the 2nd threaded hole in the runner.

Note: Do not overtighten the screws. If they catch on the runner you may need to loosen them slightly.



Step 23


Fit the overbalance protector kit


To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by fitting of the overbalance protector kit • to the unit, or an alternative fixing method of your choice.

Wall fixings are not supplied as they will need to suit the wall type.

Note: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.

Assembly is complete





If you need help or have damaged or missing parts, call the **Customer Helpline: 03456 400800** and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW