Somersham Oak Bathroom Dbl Cabinet

Assembly Instructions - Please keep for future reference

404/3898





Dimensions

Width - 63cm

Depth - 33cm

Height - 80cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 03456 400800



Safety and care advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the panels, this could cause damage.
- Assemble the unit as close to its final position (in the same room) as possible.

- Assemble on a soft level surface to avoid damaging the unit or your floor.
- **Note:** Only apply the glue once you are sure of the assembly.
- The wall plugs supplied are suitable for solid walls only. It is important that the correct type of fixing is used for your wall, seek professional advice if in doubt.
- Parts of the assembly will be easier with 2 people.
- If using power tools, please follow the safety instructions supplied with the tools.



 We do not recommend the use of power drill/ drivers for inserting screws, as this could damage

the unit. Only use hand screwdrivers.

- **Warning:** Before drilling, check the wall for hidden pipes and cables.
- Dispose of all packaging carefully and responsibly.

Glue safety - Take care when using glue, please follow the advice below

Skin contact: Remove contamination by washing with soap and water. This procedure should also be followed prior to eating and drinking.

Eye contact: Rinse immediately with clean water for 15 minutes and seek medical advice.


If swallowed: Seek medical advice immediately. If possible show product information or label to the medical advisor.

Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: if required the next page can be cut out and used as a reference throughout the assembly. Keep this page with these instructions for future reference.

Please check you have all the panels listed below




1 Left side panel




4 Top panel




7 Upper back panel




10 Right door panel




2 Right side panel



5 Bottom panel




8 Under back panel



3 Shelf



6 Adjustable shelf



9 Lelf door panel

Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly . In some cases more fittings may be supplied than are required.

| | B | |
|----------------------|-------------------|-------------------|
| Locking Pin x 12 | Locking Nut x 12 | Curved hinge x 4 |
| | | |
| Ф4 x 12mm Screw x 16 | Wooden handle x 2 | Metal Support x 4 |
| | 0 9 | 0 🖘 |
| Ф4 x 30mm Screw x 4 | Cam cap x 4 | Screw cap x 4 |

Tools required




Ruler - Use this ruler to help correctly identify the screws

0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170

Step 1

Fitting locking pin

Screw 12 x locking pin into top panel , left side panel and right side panel .



Step 2

Assembling side panel


a:


Attach bottom panel 5 and shelf 3 to left side panel 1 as shown.

Insert locking nut **B** into bottom panel and shelf.

Use a screwdriver to turn the locking nut clockwise to lock.

Continued on next page.





Step 2 - continued

Assembling under unit

NOTE:It would be useful to ask someone to help you at this stage.

b:

Slide down 2 x under back panels


8 along grooves in bottom panel
5 and shelf 3 as shown.

Attach right side panel 2 onto the unit as shown.

Insert locking nut **B** into bottom panel and shelf.

Use a screwdriver to turn the locking nut clockwise to lock.

b:




Step 3

Assembling back panel and top panel

Slide down upper back panel 7 along grooves in lelf side panel 1 and right side panel 2.

Carefully place the top panel 4 onto the unit.Insert locking nut **B** into left side panel and right side panel.

Tighten the locking nut to secure the unit.



Step 4


Assembling door panel

a:

Use 12mm screws **①** to fix curved hinges **②** onto door panel [9].

Use 30mm screws **G** to fix handle **B** onto door.

Repeat above sheps to assembly the right door panel 10.





b


Carefully attach lelf door panel 9 and right door panel 10 to the unit by fixing curved hinge onto lelf side and right side with 12mm screws •


Adjust the door up or down, left or right, in or out if needed as shown:

- 1. Loosen two screws **①** and adjust the door up or down, then fix screws **①** again.
- 2. Loosen screw and adjust the door in or out, then fix screw again(loose screw clockwise first help to adjust door in or out if needed).
- 3. Loosen screw and adjust the door left or right, then fix screw again.










Step 5

Assembling adjustable panel

a:

Insert metal supports **(F)** into left side panel and right side panel. Carefully put the adjustable shelf **(6)** on it.

a:



b:


b:

Use cam caps **(H)** to cover the visible cams as shown.

Use screw caps

to cover the visible screws as shown.

After above assembly, please double check and make sure all screws are firmly fixed before use.



NOTE:If you have damaged or missing components, call the Customer Helpline:03456 400800 Argos LTD,489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW