
Sicily 4-Tier Book Shelf

Assembly Instructions - Please keep for future reference

408/7593



Dimensions

Width - 55cm
Depth - 30cm
Height - 187cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 03456 400800**

Issue 1 - 03/04/15

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- During assembly do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints


- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- Regularly check and ensure that all bolts and fittings are tightend properly.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 03456 400800**


Please check you have all the panels listed below




1 Top panel (45 x 29.6cm)




2 Bottom panel (45 x 29.6cm)




5 Middle panel (45 x 29.6cm)



7 Back (101.3 x 46cm)




3 Left side panel (187 x 30cm)



4 Right side panel (187 x 30cm)



6 Shelf x3 (44.8 x 27.8cm)






8 Back (67 x 46cm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 03456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.


A  Locking pin x 12	B  Locking nut x 12	C  Dowel x 12
D  Shelf support x 12	E  Plastic fastener x 10	F  16mm Screw x 10
G  Wall Strap x 1	H  15mm Screw x 1	


Tools required



Phillips screwdriver (medium & large)

Ruler - Use this ruler to help correctly identify the screws






The screws length is measured from the head to the point (30mm screw shown).

Assembly Instructions


Step 1

Fitting the fitting

a: Insert dowels Ⓒ into top panel [1], bottom panel [2] and middle panel [5].



b: Screw locking pins Ⓐ into side panels [3] and [4]. Insert locking pins as far as shown.




Step 2

Fitting side panel

a: Attach top panel [1], bottom panel [2] and middle panel [5] onto left side panel [3].


Insert locking nuts Ⓑ into the unit, then use a screwdriver to turn locking nuts Ⓑ clockwise to lock.



Step 2 - continued

b: Slide back panel 7 and 8 into the unit.


b:




c: Attach right side panel 4 onto the unit.

Insert locking nuts B into the unit, then use a screwdriver to turn locking nuts B clockwise to lock.

c:





Step 3


Fitting shelf

a: Place shelf supports D into the unit.

***NOTE:* Adjust the shelf supports to the desired height.**

Slide shelves 6 into the unit.

a:



Step 4

Finish the unit

a: Insert plastic fasteners (E) into the back panel grooves and secure with screws (F), tighten with a screwdriver.

Use screw (H) to fix wall strap (G) to the back of top panel.


Secure the other ends of strap to the wall using appropriate screws, washers and wall plugs for your wall type.

WARNING:
Ensure the area to be drilled is free from hidden electrical wires and water or gas pipes.

NOTE:
Wall fixings are not included. Please source suitable wall fixings for your wall type, if in doubt consult a qualified tradesperson.

Assembly is complete.

a:



If you need help or have damaged or missing parts, call the **Customer Helpline: 03456 400800**

A Guide to - **Wall Mounting** & **Fixings**

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fxings is the responsibility of the installer.

Important: When drilling into walls always check that there are no hidden wires or pipes etc.

Make sure that the screws and wall plugs being used are suitable for supporting your unit. **Consult a qualifed tradesperson if you are unsure**.

Hints:

1: ***General rule***: Always use a larger screw and wall plug if you are not sure.

2: Ensure you use the recommended drill bit to match the wall plug and hole size.

3: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.


4: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.

5: Ensure wall plugs are well ftted and are a tight ft in the drilled hole.

Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

No.1 "**General Purpose**" **wall plug**




Generally aerated blocks should not be used to support heavy loads, use a specialist ftting in this case. For light loads, general purpose wall plugs can be used.

No.2 "**Plasterboard**" **wall plug**




For use when attaching light loads on to plasterboard partitions.

No.3 "**Cavity Fixing**" **wall plug**




For use with plasterboard partitions or hollow wooden doors.

No.4 "**Cavity Fixing-Heavy Duty**" **wall plug**




For use when ftting or supporting heavy loads such as shelving, wall cabinets and coat racks.

No.5 "**Hammer Fixing**" **wall plug**



For use with walls stuck with plasterboard. The hammer fxing allows it to be fxed to the wall rather than the plasterboard. Always check the fxing is secure to the retaining wall.

No.6 "**Shield Anchor**" **wall plug Heavy loads**



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.

Care & Maintenance

Safety: Always check the ftting and location to ensure your safety in and around the home.

Fitting: From time to time check the ftting to ensure the wall plugs or screws do not become loose.

Revision 2 - 7/10/09