


Components


1M Black Garden Post

Simple Assembly Instructions - Please keep for future reference


Ⓐ 1 x Lamp



Ⓑ 1 x Cover




Ⓒ 1 x Top





Ⓓ 2 x Tube



Ⓔ 1 x Base



Ⓕ 6 x Decoration Glass




Fittings

IMPORTANT

Ⓐ 2 x Long Screw



Ⓑ 2 x Wall Plug



Ⓒ 6 x Short Screw



Ⓓ 6 x Plastic Plug




Ⓔ 2 x Screw



Ⓕ 6 x Bracket



Ⓖ 1 x Top Screw



1. Read these instructions carefully and familiarise yourself with the procedure before assembling the unit.

2. Check that you have all the component parts following the list on the back cover and familiarise yourself with each part before proceeding.

3. Take all the fittings out of the plastic bag and separate them into their groups.

4. Ensure you have enough space to lay out all the parts before assembly.

5. To avoid scratching it is recommended that you assemble the unit on a soft level surface.

Assembly Instructions

Stage 1 – Fitting the Lamp


NOTE: Ensure electricity is switched off at the mains before installing or maintaining any light fixture.

1. Screw the Lamp (A) into the Tube (D). Ensure all the wires fit to the tube and they are not trapped. See fig. 1.

2. Assemble the other Tube (D) by screwing into place. See fig. 2.

3. Screw the unit onto the Base (E). See fig. 2.

NOTE: Take care when assembling and screwing into place, taking care not to damage the wires and light fitting.





Assembly Instructions

Stage 2 – Fitting the Base

NOTE: Ensure electricity is switched off at the mains before installing or maintaining any light fixture.

1. Open the Terminal Block at the Base (E). Connect the wires of the Lamp to the Terminal Block. See fig. 3.

2. Use Terminal Block to connect the mains supply, ensure all the wires are firmly fixed in place. See fig. 4.




Assembly Instructions

Stage 2 – Fitting the Base

NOTE: Before drilling into any location carefully check to avoid any hidden pipes or wires. Also check the desired location. Consult a qualified trades person if you are not sure.

3. Position the Base (E) in the desired location and mark the drill hole locations. Then drill holes at marked locations and insert the Wall Plugs (B). Then fix the unit using Screws (A). See fig. 1.




Stage 3 – Fitting the Decoration Glass

NOTE: Glass is very fragile. Handle it carefully and keep away from children.

NOTE: Ensure Decoration Glasses are facing out and located in place.

1. Locate the Decoration Glasses (F) into the Lamp (A). Then place the Plastic Plugs (D) onto the small tubes located at the bottom of the Base (A). See fig. 6.




Assembly Instructions

Stage 3 – Fitting the Decoration Glass


NOTE: Ensure the Plastic Plugs are firmly located on the Base, as these fix the Decoration Glass in place.

2. Locate the Brackets (F) onto the top of the Base (A). Use the Short Screws (C) to fix the Decoration Glasses (F) into the Lamp. See fig. 7.



NOTE: Ensure electricity is switched off at the mains before installing or maintaining any light fixture.


3. Ensure the power is off at the mains. Screw the Bulb (ES GLS Max 60W, not included) into the unit, then turn the power back on. See fig. 8.




Assembly Instructions

Stage 4 – Fitting the Top

1. Use Top Screw **G** to fix Top **C** onto the Cover **B**.
See fig. 9.



2. Use Screws **E** to fix the Cover **B** onto the Lamp.
See fig. 10.




Assembly Instructions

Stage 5 – Finishing the unit

2. Switch on the mains power supply.
See fig. 11.

Bulb Replacement

1. Switch off the mains power supply.
2. Before replacing the bulb, allow it to cool down for at least 10 minutes.
3. Never touch the bulb with your fingers directly, cover it with a cloth.
4. Loosen the bulb and remove it from the lamp.
5. Replace a new bulb with same voltage and wattage.



Caution

1. Indoor and outdoor use.
2. Connect to 230V/240V~, 50Hz.
3. If in doubt about fitting this product. Please consult a suitably qualified electrician.
4. The temperature of the spot lamp rises very quickly. Do not touch the metal parts or glass of the spot lamp after the light is turned on.

Technical Data

Model No.	432/0315
Input Voltage	230V~240V~, 50Hz
Max. Wattage	60W
Bulb	Max. 60W ES GLS 230V-240V~