
Boltzero Midisleeper

Assembly Instructions - Please keep for future reference

432/8104



Dimensions

Width - 1980mm
Depth - 960mm
Height - 1150mm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 640 0800

Issue 1 - 24/08/15

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on the following pages.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• During assembly do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.

• Unit weight: 24kgs.

Warnings

• **READ CAREFULLY - RETAIN FOR FUTURE REFERENCE**

• **WARNING:** High beds and upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.

• **WARNING:** Bunk beds and high beds can present a serious risk of injury from strangulation if not used correctly. Never attach or hang items to any part of the bunk bed that are not designed to be used with the bed, for example, but not limited to ropes, strings, cords, hooks, belts and bags.

• **WARNING:** Children can become trapped between the bed and the wall, a roof pitch, the ceiling, adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the top safety barrier and the adjoining structure shall not exceed 75mm or shall be more than 230mm.

• **WARNING:** Do not use the bunk bed/high bed if any structural part is broken or missing.

• Always follow the manufacturer's instructions.

• The recommended size of the mattress is L1900 x W900mm.

• Ventilation of the room is necessary in order to keep the humidity low and to prevent mould in and around the bed.

• Assembly instructions including a list of the parts supplied and details of any tools required to assemble the bed are included in the pack.

• The maximum thickness of the mattress is 190mm. Mattress maximum thickness marking on the product are found on the post.

• Check regularly that all assembly fastenings are properly tightened.

• **THIS BED COMPLIES WITH EN747-1:2012+EN747-2:2012**

Manufacturer:
BL Packaging Pte Ltd

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.


• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Components - Parts

If you have damaged or missing components, call the **Customer Helpline: Argos = 0345 640 0800**


Please check you have all the parts listed below




1 End Post x 3
(115 x 5 x 5cm)




2 Front Right End Post
(115 x 5 x 5cm)




3 Side Rail x 2
(90 x 39.5 x 4.5cm)




4 Front Safety Rail
(192.2 x 40 x 3cm)



5 Back Safety Rail
(192.2 x 40 x 3cm)



6 Slat x 6
(92.5 x 26 x 2.5cm)






7 Ladder
(87 x 37 x 8cm)


Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  Footing x 4	**B**  Long Cap x 8	**C**  Short Cap x 11
D  Wall Strap x1	**E**  Slats Remover Tool x 1	

Tools required




Rubber Mallet (Not Provided)

Assembly Instructions

Step 1

Attaching footings


Attach footings Ⓐ to end posts 1 and 2 as shown.



Step 2

Attaching side rails


With the help of an assistant holding the end posts, attach the side rails 3 to the end posts as shown. Insert into holes on the end posts first then push down the siderails to lock.



Step 3

Attaching back safety rail


Attach the back safety rail [5] to the end posts [1] as shown. Insert into holes on the end posts first then push down the rails to lock.



Step 4

Attaching front safety rail

Attach the front safety rail [4] to the end posts [1] and [2] as shown. Insert into holes on the end posts first then push down the rails to lock.



Assembly Instructions


Step 5


Attaching slats


Note: Before attaching the slats [6], carefully make adjustments to ensure the bed frame is straight.

Note: Position the horizontal rail below when attaching the slats onto the bed.

Starting on one end, attach the slats [6] into upper rails [4] and [5]. Push to insert the button on the slats into the hole on the rails as shown. Make sure it is lock when you hear the 'click' sound. Insert one end of the slats first before inserting and locking the other end.









Step 6

Attaching ladder

Attach the top of the ladder [7] by hooking it on the front safety rail [4] as shown.







Step 7

Attaching caps

Attach long caps B and short caps C into holes on the end posts as shown. Insert and lock it carefully into holes by using a rubber mallet.






Step 8


Fixing to wall

This unit must be fixed to a wall.

Move the bunk bed into position on the wall. Position the wall strap D to the top post of upper back safety rail 5 to mark fixing holes on the wall. Remove the wall strap then drill holes and insert appropriate wall plugs. Reposition wall strap and fix using appropriate screws.

Warning:
Before drilling, check wall for hidden pipes and cables. Consult a qualified specialist if unsure.






Assembly is complete.

If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 640 0800

Guide to Disassembling the Slats

Tools required



Slats Remover Tool (Provided)
Please keep this tool for future use.

Use the slats remover tool to remove the slats as shown in the diagram. Insert it into the front/back/safety rails then pull it until the slats are detached.

