

HP Color LaserJet Pro M252 series



Elevate your business printing – it's all here

This compact printer, combined with Original HP Toner with JetIntelligence, helps meet the needs of your business – and is ready to work when you are.



Highlights

- Up to 18 ppm A4 black & colour
- First Page Out from Auto-Off: <13 sec black, 14 sec colour
- Ethernet, Wireless (M252dw)
- Automatic two-sided printing (M252dw)
- 7.6 cm colour touchscreen with apps (M252dw)
- <1 watt with Auto-On/Off and Wake on LAN
- HP ePrint, AirPrint, Google Cloud Print, Wi-Fi Direct/NFC (M252dw), Mopria-certified, Mobile Apps
- Walk-up USB printing (M252dw)

Accomplish more with your time.

- Create professional-quality colour documents and speed through tasks with fast, automatic two-sided printing.¹
- Access time-saving, built-in business apps – just tap and swipe the 7.6 cm touchscreen.^{2,3}
- Print quickly up to 18 pages per minute – this printer wakes up from sleep mode and prints faster than any other printer in its class.⁴
- Easily print Microsoft® Word and PowerPoint® documents – now directly from your USB drive.⁵

Rely on easy mobile printing options.

- Print with just a touch of your NFC-enabled mobile device – no network needed.⁶
- Count on wireless direct printing in the office – from mobile devices – without accessing the company network.⁷
- Easily print from a variety of smartphones and tablets – generally no setup or apps required.⁸

Get more pages, performance and protection.

- Get more pages than ever before, using Original HP High-Yield Colour Toner cartridges with JetIntelligence.⁹
- Count on professional quality at high speeds – HP ColorSphere 3 toner works best with your HP printer.
- Get the authentic HP quality you paid for with anti-fraud technology.
- Print right away with preinstalled toner cartridges. Replace them with optional high-yield cartridges.¹⁰

Meet everyday IT challenges head-on.

- Safeguard data and easily manage devices with a suite of essential security and management features.
- Easily access, print and share resources with Ethernet and wireless networking.¹¹
- Increase security, restore control and help avoid additional expenses with HP JetAdvantage Private Print.¹²



2-sided printing



Color touchscreen



Auto On/Off Technology



Wireless



NFC

Product walkaround

HP Color LaserJet Pro M252dw:

1. Intuitive 7.6 cm (3-inch) colour touchscreen (tilts up)
2. 100-sheet output bin
3. Easy-access USB port
4. Built-in wireless direct/NFC touch-to-print
5. Front door access to toner cartridges
6. Output bin extension
7. Single-sheet priority feed slot
8. 150-sheet main input tray 2
9. Power on/off button
10. Rear door (provides access to print path)
11. Hi-Speed USB 2.0 printing port
12. Fast Ethernet network port
13. Built-in automatic two-sided printing
14. Built-in wireless networking
15. 800 MHz processor, 256 MB RAM



Series at a glance



Model	HP Color LaserJet Pro M252n	HP Color LaserJet Pro M252dw
Product number	B4A21A	B4A22A
Print speed (black and colour)	Up to 18 ppm, A4	Up to 18 ppm, A4
Control panel	2-line backlit control panel	7.6 cm (3-inch) colour touchscreen, with business apps
Memory	128 MB	256 MB
Easy-access USB port	Not available	Yes
Automatic two-sided printing	Not available	Yes
Networking	Fast Ethernet	Fast Ethernet, wireless 802.11b/g/n
Mobile printing capability	HP ePrint, Apple AirPrint, Mopria-certified	NFC touch-to-print, wireless direct printing, HP ePrint, Apple AirPrint, Mopria-certified

Accessories, Supplies and Support

Supplies	CF400A P 201A Black Original LaserJet Toner Cartridge 1,500 pages
	CF400X HP 201X High Yield Black Original LaserJet Toner Cartridge 2,800 pages
	CF401A HP 201A Cyan Original LaserJet Toner Cartridge 1,400 pages
	CF401X HP 201X High Yield Cyan Original LaserJet Toner Cartridge 2,300 pages
	CF402A HP 201A Yellow Original LaserJet Toner Cartridge 1,400 pages
	CF402X HP 201X High Yield Yellow Original LaserJet Toner Cartridge 2,300 pages
	CF403A HP 201A Magenta Original LaserJet Toner Cartridge 1,400 pages
	CF403X HP 201X High Yield Magenta Original LaserJet Toner Cartridge 2,300 pages
Service and support	<p>UM137E HP 3 year Care Pack w/Standard Exchange for Color LaserJet Printers</p> <p>UM133E HP 3 Year Care Pack w/Next Day Exchange for Color LaserJet Printers (UM137E: all EMEA, UM133E: only Austria, Baltics, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech, Greece, Hungary, Poland, Slovakia)</p>

Technical specifications

Model	HP Color LaserJet Pro M252n	HP Color LaserJet Pro M252dw
Product number	B4A21A	B4A22A
Print speed⁵	Up to 18 ppm black (A4); Up to 18 ppm colour (A4); Up to 11 ipm colour duplex (A4)	
First page out time⁶	As fast as 11.5 sec black (A4, ready); As fast as 13 sec colour (A4, ready)	
Print resolution	Up to 600 x 600 dpi black; Up to 600 x 600 dpi colour; Print resolution technologies: ImageRET 3600	
Print technology	Laser	
Print Area	Print margins: Top: 4.3 mm; Bottom: 4.3 mm; Left: 4.3 mm; Right: 4.3 mm	
Print languages	HP PCL 6, HP PCL 5c, HP Postscript Level 3 emulation, PCLm, PDF, URF	
Printer Smart Software Features	HP ePrint, Apple AirPrint™, Mopria-certified, Instant-on Technology, HP Auto-On/Auto-Off Technology	Touch to print, Wireless Direct Printing, HP JetAdvantage Private Print, HP ePrint, Apple AirPrint™, Mopria-certified, Instant-on Technology, HP Auto-On/Auto-Off Technology
Monthly duty cycle^{7,8}	Up to 30,000 pages (A4); Recommended monthly page volume: 250 to 2,500	
Duplex printing	Manual (driver support provided)	Automatic (standard)
Fonts and typefaces	84 scalable TrueType fonts. Additional font solutions available at http://www.hp.com/go/laserjetfonts	
Processor speed	800 MHz	
Connectivity	Standard: Hi-Speed USB 2.0 port; Built-in Fast Ethernet 10/100Base-TX network port	Standard: Hi-Speed USB 2.0 port; Wireless 802.11 b/g/n; Built-in Fast Ethernet 10/100Base-TX network port; Host USB
Network ready	Standard built-in Ethernet	Standard built-in Ethernet 802.11 b/g/n. Wi-Fi operates as both an AP (with Wi-Fi Direct) and STA
Memory	Standard: 128 MB; Maximum: 128 MB	Standard: 256 MB; Maximum: 256 MB
Media types	Paper (brochure, plain), photo paper (HP Premium, panoramic, plus tab), envelopes, labels, cards (greeting, index), transparencies	
Paper size	Custom metric: 76.2 x 127 to 215.9 x 355.6 mm Supported metric: A4, A5, A6, B5, B6, 10 x 15 cm, Postcards (JIS), Envelopes (DL, C5, B5)	Custom metric: 76.2 x 127 to 215.9 x 355.6 mm Supported metric: A4, A5, A6, B5, B6, 10 x 15 cm, Postcards (JIS), Envelopes (DL, C5, B5)
Paper handling	Standard input: 150-sheet input tray, multipurpose tray Standard output: 100-sheet output bin	Standard input: 150-sheet input tray, multipurpose tray Standard output: 100-sheet output bin
Input capacity	Tray 1: 1-sheet all media types Tray 2: Up to 150 sheets Standard/Maximum: Up to 150 sheets in Tray 2	Tray 1: 1-sheet all media types Tray 2: Up to 150 sheets Standard/Maximum: Up to 150 sheets in Tray 2
Output capacity	Standard: Up to 100 sheets ; 10 mm stack height; 10 mm stack height Transparencies Maximum: Up to 100 sheets	Standard: Up to 100 sheets ; 10 mm stack height; 10 mm stack height Transparencies Maximum: Up to 100 sheets
Paper weight	60 to 163 g/m ² (uncoated/matte, recommended), up to 175 g/m ² postcards, 200 g/m ² HP Matte; 60 to 163 g/m ² (coated/glossy, recommended), up to 175 g/m ² postcards, 220 g/m ² HP Glossy	60 to 163 g/m ² (uncoated/matte, recommended), up to 175 g/m ² postcards, 200 g/m ² HP Matte; 60 to 163 g/m ² (coated/glossy, recommended), up to 175 g/m ² postcards, 220 g/m ² HP Glossy
What's in the box	HP Color LaserJet Pro M252n Printer; HP 201A Black Original LaserJet Cartridge (~1,500 yield) and Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) yield); Installation guide; Printer documentation and software on CD-ROM; Power cord	HP Color LaserJet Pro M252dw Printer; HP 201A Black Original LaserJet Cartridge (~1,500 yield) and Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) yield); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6	
Compatible operating systems¹⁰	Windows 10 (32-bit/64-bit), Windows 8.1 (64-bit), Windows 8 Pro (32-bit/64-bit), Windows 8 Enterprise (32-bit/64-bit), Windows 8 Enterprise N (32-bit/64-bit), Windows 8 Basic (32-bit/64-bit), Windows 7 (including Starter Edition 32-bit and 64-bit), Windows Vista (including Starter Edition 32-bit); Mac OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks; Mobile Operating Systems: iOS, Android, Windows 8 RT, Windows 10 Mobile; Other: Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), HP-UX 11 and Solaris 8/9, Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04)	

Model	HP Color LaserJet Pro M252n	HP Color LaserJet Pro M252dw
Product number	B4A21A	B4A22A
Compatible network operating systems	Windows Server 2012 R2 64-bit only, Windows Server 2012 Cluster Support 64-bit only, Windows Server 2012 64-bit only, Windows Server 2008 Standard Edition / Enterprise Edition 32-bit, Windows Server 2008 SP2 32-bit and 64-bit, Windows Server 2008 Terminal Services 32-bit and 64-bit, Windows Server 2008 R2 Standard Edition / Enterprise Edition 64-bit only, Windows Server 2008 R2 SP1 64-bit only, Windows Server 2008 Enterprise Edition 64-bit, Windows Server 2003 Standard Edition 32-bit and 64-bit, Windows Server 2003 R2 Standard Edition / Enterprise Edition 32-bit and 64-bit, Windows Server 2003 Enterprise Edition 32-bit and 64-bit, Windows Server 2003/2008 R2 - Cluster Support 32-bit and 64-bit, Windows Server 2003/2008 - Cluster Support 32-bit and 64-bit; Citrix MetaFrame XP Presentation Server Feature Release 1, 2 and 3 (32-bit and 64-bit), Citrix MetaFrame® Presentation Server 3.0, Citrix Microsoft Windows Server 2008 Terminal Services, Citrix MS Windows Server 2003 Terminal Services, Citrix MS Windows Server 2003 Terminal Services (32-bit and 64-bit), Citrix MS Windows Server 2008 R2 Terminal Services, Citrix MS Windows Server 2008 Terminal Services (32-bit and 64-bit), Citrix Presentation Server 4.0, Citrix Presentation Server 4.0 (32-bit and 64-bit), Citrix Presentation Server 4.5, Citrix Presentation ServerTM 4.5, Citrix XenApp 5.0, Citrix XenApp 5.0, Citrix XenApp 5.0 Feature Pack 2 and 3 (32-bit and 64-bit), Citrix XenApp 5.0 Feature Pack 2 and 3 (32-bit and 64-bit), Citrix XenApp 6.0, Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenDesktop 5.6 (32-bit and 64-bit), HP-UX 10.20, 11.x, 11.1; IBM AIX 3.2.5 or higher; Linux Red Hat 7.x or higher, Linux SuSe 8.x or higher; Novell NetWare 6.5 SP8 minimum for full Vista, Novell NetWare 6.5 (SP8) minimum for full Windows 7, Novell NetWare 6.5 SP8 minimum for full XP (SP7 if only XP), Novell iPrint Client v5.4 for Vista (x86 and x64), Novell iPrint Client v5.4 for Windows 7 (x86 and x64), Novell iPrint Client v5.4 for Windows XP(x86 and x64), Novell Open Enterprise Server 2 (Linux); Solaris 2.5 or higher (SPARC systems only)	
Mobile printing capability	HP ePrint, Apple AirPrint™, Mopria-certified, mobile apps	HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified; Mobile Apps
Minimum system requirements	Windows: Windows 10 (32-bit/64-bit), Windows 8.1 (64-bit), Windows 8 Pro (32-bit/64-bit), Windows 8 Enterprise (32-bit/64-bit), Windows 8 Enterprise N (32-bit/64-bit), Windows 8 Basic (32-bit/64-bit), Windows 7 (including Starter Edition 32-bit and 64-bit), Windows Vista (including Starter Edition (32-bit), Windows Vista (64-bit); Mobile Operating Systems: Android, Windows 8 RT, Windows 10 Mobile; Other: Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), HP/UX 11 and Solaris 8/9, Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network or Wireless connection; 200 MB available hard disk space; Compatible hardware (for OS hardware requirements see http://www.microsoft.com) Mac: Mac OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks; Mobile: iOS; Internet; Dedicated USB, network or wireless connection; 1 GB available hard disk space	
Software included	Windows: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals, HP Device Toolbox, HP Product Improvement Study; Mac: Welcome Screen (directs users to HP.com or OS App Source for LaserJet Software)	
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication; Firewall and ACL; SNMPv3	
Printer management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac); HP Device Toolbox	
Printer dimensions (W x D x H)	Minimum: 392 x 384 x 236.2 mm Maximum: 392 x 849 x 236.2 mm	Minimum: 392 x 412 x 236.2 mm Maximum: 392 x 1002 x 285 mm
Package dimensions (W x D x H)	498 x 298 x 464 mm	498 x 298 x 510 mm
Printer Weight	11.4 kg	12.2 kg
Package weight	15.7 kg	16.7 kg
Operating environment	Temperature: 15 to 30°C; Humidity: 10 to 80% RH	
Storage	Temperature: -20 to 40°C; Humidity: 0 to 95% RH	
Acoustics⁴	Acoustic power emissions: 6.2 B(A); Acoustic power emissions (ready): Inaudible; Acoustic power emissions (active copy): Acoustic pressure emissions: 48 dB(A); Acoustic pressure emissions bystander (active, printing): 48 dB(A)	
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz) Consumption: 375 watts (active printing), 8.7 watts (ready), 1.7 watts (sleep), 0.1 watts (auto-off), 0.1 watts (off) Power supply type: Built-in power supply Typical Electricity Consumption (TEC): 0.84 kWh/Week	Consumption: 375 watts (active printing), 8.7 watts (ready), 1.7 watts (sleep), 0.1 watts (auto-off), 0.1 watts (off)
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology	
Typical Electricity Consumption (TEC)	0.84 kWh/Week	
Certifications	CISPR 22:2008/EN 55022:2010 Class B, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024:2010 ENERGY STAR® certified; Blue Angel Eng; Blue Angel Ger; EPEAT® Silver	
Warranty	One-year limited warranty. Warranty and support options vary by product, country and local legal requirements.	
What's in the box	HP Color LaserJet Pro M252n Printer; HP 201A Black Original LaserJet Cartridge (~1,500 yield) and Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) yield); Installation guide; Printer documentation and software on CD-ROM; Power cord	HP Color LaserJet Pro M252dw Printer; HP 201A Black Original LaserJet Cartridge (~1,500 yield) and Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) yield); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable

Footnotes

¹Duplex printing is only available for the HP Color LaserJet Pro M252dw.; ²Touchscreen is only available for the HP Color LaserJet Pro M252dw.; ³Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language and agreements. For details, visit <http://www.hpconnected.com>.; ⁴Comparison based on manufacturers' published specifications (as of November 2014) and includes colour laser printers with print speed between 11 and 20 pages per minute (ppm); ⁵Feature is only available for the HP Color LaserJet Pro M252dw. Microsoft and PowerPoint are U.S. registered trademarks of the Microsoft group of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported.; ⁶Feature is only available for the HP Color LaserJet Pro M252dw. Mobile device must support near-field communications (NFC)-enabled printing. For more information, see [hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting).; ⁷Feature is only available for the HP Color LaserJet Pro M252dw. Mobile device must be connected directly to the printer's wireless network prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer. For details, see <http://www.hp.com/go/mobileprinting>.; ⁸Local printing requires mobile device and printer to be on the same network or have a direct wireless connection. Remote printing requires an Internet connection to an HP Web-connected printer. For details on how to print, including whether an app is required, see <http://www.hp.com/go/mobileprinting>.; ⁹Based on cartridge yields for HP 131A compared with HP 201X Original HP LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.; ¹⁰High-yield Original HP 201X LaserJet Toner cartridges not included; please purchase separately.; ¹²Available only in selected European countries. Feature is available at no charge and requires the MFP be connected to the Internet with web services enabled. For more information, see <http://www.hpjetadvantage.com>.

Technical specifications disclaimers

¹Introductory cartridges included, ~1,500 page yield black and ~700 page yield colour composite (C/Y/M).; ²Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.; ³Replacement 201A cartridge average composite (C/Y/M) declared yield ~1,400 and average black yield ~1,500 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.; ⁴Acoustic values are subject to change. For current information, see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 18 ppm.; ⁵Measured using ISO/IEC 24734. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.; ⁶Measured using ISO/IEC 17629. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.; ⁷Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.; ⁸HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.; ¹⁰For Windows XP/Vista 32-bit and 64-bit, and for Windows Server 2003 32-bit and 2008 32-bit and 64-bit, only the printer driver and scanner driver are installed.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA5-6750EEE, November 2015

