
Qubrick Storage MidSleeper

Assembly Instructions - Please keep for future reference

461/8144

461/6517



Dimensions

Width - 204.5cm

Depth - 126cm

Height -111.5cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 6400800

Version 1 Date: 20/10/15

WARNING

IMPORTANT - READ CAREFULLY - RETAIN FOR FUTURE REFERENCE

- This bed complies the European Standard BS EN 747-1:2012+A1:2015 and BS EN 747-2:2012+ A1:2015.
- Follow the information on the warnings appearing on the upper bunk bed and do not remove the warning label.
- Warning: “Children can become trapped between the bed and the wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75mm or shall be more than 230mm”.
- Warning: “Bunk beds and high beds can present a serious risk of injury from strangulation if not used correctly. Never attach or hang items to any part of the bunk bed that are not designed to be used with the bed, for example, but not limited to ropes, strings, cords, hooks, belts and bags”.
- Warning: “High beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from fails”.
- Warning: Do not use the bunk bed/high bed if any structural part is broken or missing.
- The ventilation of the room is necessary in order to keep the humidity low and to prevent mould in and around the bed.
- Be aware of the risk of injury of young children falling from the upper bunk bed.
- The top of the mattress shall be at least 160mm below the upper edge of guardrails.
- Recommended use only mattress which is L190 x W90 cm, 17cm or less in thickness on upper bunk bed.
- Always use the recommended size mattress to prevent the likelihood of entrapment or falls.
- The use of water or sleep flotation mattress is prohibited.
- Prohibit more than one person on the upper bunk bed and do not allow horseplay on or under the bed and prohibit jumping on the bed.
- Always use the ladder for entering and leaving the upper bunk bed.
- Use of a night light may provide added safety precaution for a child using the upper bunk bed.
- Periodically check and ensure that the guardrail, ladder, components and all assembly fastenings are in their proper position and that care should be taken that no fittings are loose.
- Always follow the manufacturer’s instructions.
- The maximum child weight : 75 Kgs.

Safety and Care Advice

Important – Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on the following pages.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• Do not use this item if any components are missing or damaged.

• During assembly do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• During assembly children should be kept away from the product due to possible risk of injury.

• Parts of the assembly will be easier with 3~4 people.



• To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints

• Regularly check and ensure that all bolts and fittings are tightend properly.

IMPORTANT: RETAIN THESE INSTRUCTIONS FOR FUTURE REFERENCE

• Argos Ltd. MK9 2 NW.

• This product is intended for children in the age 6 or above.

• Maximum load: 75 kgs.


• Assembly of this product must be carried out by a competent adult.

Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: Argos = 0345 6400800**


Please check you have all the panels listed below



1 Bed panel (193.6 x 95cm)




2 Front bed frame (192 x 36cm)




3 Bed frame (192 x 36cm)




4 Right panel (95 x 36cm)



5 Left panel (111.2 x 95cm)




6 Cube back panel (91.9 x 73.5cm)




7 Back support panel (163.6 x 11cm)




8 Left support panel (74 x 7cm)




9 Front right panel (111.2 x 11.1cm)



10 Front left panel (111.2 x 11.1cm)



11 Mid right (73.5 x 36cm)



12 Mid left (73.5 x 36cm)




13 Mid shelf (87.7 x 36cm)




14 Mid bottom (87.7 x 36cm)




15 Mid back panel (87.7 x 36cm)



16 Mid support (36 x 34.3cm)




17 Cube right (73.5 x 30cm)



18 Cube left (73.5 x 49cm)




19 Cube shelf (91.9 x 28.4cm)



20 Cube bottom (91.9 x 28.4cm)



21 Cube support x 2
(35.2 x 28.3cm)



22 Ladder right (92.1 x 11.1cm)



23 Ladder left (92.1 x 11.1cm)



24 Top ladder (33 x 10.2cm)




25 Ladder x2 (33 x 10.2cm)



26 Drawer front (87.1 x 33.6cm)



27 Drawer back (82.8 x 25cm)



28 Drawer bottom (85.2 x 28.6cm)




29 Drawer right (29 x 23.3cm)




30 Drawer left (29 x 23.3cm)




31 Drawer support (27.7 x 6cm)



32 Table top (73.6 x 48.1cm)



33 Table support (70.3 x 16.5cm)



34 Table side panel x2
(64 x 47.8cm)








35 Bottom back panel (90.4 x 37cm)


Components - Fittings


Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.


A  50mm Screw x 107	**B**  30mm Screw x 9	**C**  25mm Screw x 2
D  24mm Screw x 4	**E**  (This screw is included in the runners bag) 12mm Screw x 12	**F**  39mm Dowel x 12
G  15mm Locking nut x 7	**H**  12mm Locking nut x 5	**I**  50mm Dowel x 7
J  40mm Dowel x 6	**K**  30mm Dowel x 14	**L**  Right outside runner x 1
M  Right inside runner x 1	**N**  Left outside runner x 1	**O**  Left inside runner x 1
P Nail x 16	**Q**  Handle x 3	**R**  Nut x 4
S  Front castor x 2	**T**  Castor x 2	**U**  Allen key x 1

Tools required


Phillips screwdriver (medium & large)



Flatblade screwdriver (medium)

7mm Suitable drill bit (for use with wall plug)



Drill


Small hammer


Ruler/tape measure


Eye protection (when using a hammer or glue)

Ruler - Use this ruler to help correctly identify the screws




The screws length is measured from the head to the point (30mm screw shown).

Assembly Instructions


Step 1

Attaching runners

a: Position the Right outside runners Ⓝ in from front edge of the Mid right 11.

Use Screws Ⓔ to fix the Right outside runner Ⓝ onto the Mid right 11.


a:



b: Position the Left outside runner Ⓛ in from front edge of the Mid left 12 .

Use Screws Ⓔ to fix the Left outside runner Ⓛ onto the Mid left 12 .

b:



Assembly Instructions


Step 2

Fitting the middle shelves

a: Use 2 Screws Ⓐ by Allen key Ⓤ to fix the Mid support 16 onto the Mid shlef 13 .


Insert Dowels Ⓚ into Mid shlef 13 .

a:




b: Use 2 Screws Ⓐ by Allen key Ⓤ to fix the Mid back panel 15 onto the Mid shlef 13 .

b:



c: Use 8 Screws Ⓐ by Allen key Ⓤ to fix the Mid right 11 and Mid left 12 onto the Mid shlef 13 and Mid bottom 14 .

c:




Step 3

Fixing bottom back panel

Attach Bottom back panel 35 using nails P.

Important:
The unit **MUST** be 'square' when back is attached.

a:




Step 4

Fixing 4 cubes

a: Insert Dowels K into the Cube shelf 19 .


Position the Cube support 21 onto the Cube shelf 19 using Dowels I.

a:



b: Use 2 Screws A by Allen key U to fix the Cube bottom 20 onto the Cube support 21 .

b:



Continued on next page.


Assembly Instructions

Step 4 - continued

c: Carefully locate the Cube back panel [6] onto the unit.

Fasten 12 Screws (A) by Allen key (U) to fix Cube right [17] and Cube left [18] onto the Cube back panel [6], Cube shelf [19] and Cube bottom [20].

c:




Step 5

Fitting the ladder


a: Insert Dowels (J) into the Top ladder [24] and Ladder [25] .

a:



b: Fasten 12 Screws (A) by Allen key (U) to fix Ladder right [22] and Ladder left [23] onto the Top ladder [24] and Ladder [25] .

b:




Continued on next page.

Step 5 - continued

c: With help, upright down the cube unit.


Use 2 Screws Ⓐ by Allen key Ⓤ to fix Top ladder 24 onto the Cube left 18 .

c:



d: Use 2 Screws Ⓐ by Allen key Ⓤ to fix Mid right 11 onto the Cube left 18.

d:




Step 6

Fitting the left panel

Note: It would be useful to ask someone to help you at this stage.

Use 4 Screws Ⓐ by Allen key Ⓤ to fix the Back support panel [7] onto the Left panel [5] and Cube back panel [6].

Insert Dowels Ⓘ into the Cube right [17] and Cube left [18].




Step 7

Fitting the bed panel

a: Use 5 Screws Ⓐ by Allen key Ⓤ to fix the Right panel [4] onto Front bed frame [2] and Bed frame [3].

a:




Continued on next page.

Step 7 - continued


b: Use 3 Screws Ⓐ by Allen key Ⓤ to fix the Left support panel [8] onto the Bed panel [1] .

b:



c: Use 16 Screws Ⓐ by Allen key Ⓤ to fix the Bed panel [1] onto the Front bed frame [2] , Bed frame [3] and Right panel [4] .

c:




Continued on next page.

Step 7 - continued

d: Upside down Bed panel carefully.

Use 18 Screws A by Allen key U to fix the Bed panel 1 onto the unit.


d:



e: Use 9 Screws A by Allen key U to fix the Left panel 5 onto the unit.

Use 4 Screws A by Allen key U to fix the Ladder right 22 and Ladder left 23 onto the unit.

e:




Assembly Instructions

Step 8

Fitting the front panels

Use 6 Screws Ⓐ by Allen key Ⓤ to fix the Front right panel [9] and Front left panel [10] onto the unit.

Use 2 Screws Ⓒ to fix the Front right panel [9] onto the Cube left [18] .



Step 9


Drawer assembly

a: Screw Locking pins Ⓕ into the Drawer front [26] .

Note: Insert locking pins as far as shown.
Do not over tighten.

Continued on next page.

a:



Assembly Instructions


Step 9 - continued

b: Fix Drawer right 29 , Drawer support 31 and Drawer left 30 onto Drawer front 26 .

Insert 5 Locking nuts H into the Drawer right 29 , Drawer support 31 and Drawer left panel 30 .


Use a screwdriver to turn Locking nuts H clockwise to lock.

b:




c: Carefully slide the Drawer bottom 28 into the grooves.

c:



d: Position the Drawer back 27 onto the unit using Screws B.

d:




Continued on next page.

Step 9 - continued


e: Use Screws E to fix the Right inside runner M and Left inside runner O onto the unit.

e:



f: Attach Handles Q using Screws B .


f:



Step 10

Inserting drawer

Slide the drawer fully onto runners.



Assembly Instructions

Step 11


Fitting the table


a: Screw Locking pins Ⓕ into the Table side panel 34 .

Note: Insert locking pins as far as shown.
Do not over tighten.

a: Insert Dowels Ⓚ into the Table side panel 34 .

a:






X 2

b: Insert Dowels Ⓚ into the Table support 33 .

b:





c: Carefully locate the Table side panel 34 onto the Table support 33 .

Insert 2 Locking nuts Ⓖ into the Table support 33 .

Use a screwdriver to turn Locking nuts Ⓖ clockwise to lock.

c:






Continued on next page.


Step 11 - continued

d: Screw Locking pins (F) into the Table top [32] .

Note: Insert locking pins as far as shown.
Do not over tighten.

d:







e: Carefully locate the Table top [32] onto the unit.

Insert 5 Locking nuts (G) into the Table side panel [34] and Table support [33] .

Use a screwdriver to turn Locking nuts (G) clockwise to lock.

e:





Continued on next page.

Assembly Instructions


Step 11 - continued

f: Attach Handle Ⓠ using Screws Ⓑ.

Use Screw Ⓓ and Nut Ⓡ to fix the Front castors Ⓢ and Casters Ⓣ onto the unit.


Note: The Front castors Ⓢ feature a locking arm. We recommend you lock the castors when you have finally positioned the unit in place.

f:



g: Slide the table fully into the unit.

g:



Assembly Instructions


Step 12

Finishing the unit

Note: It would be useful to ask someone to help you at this stage.

With help, place the unit in the intended position.

Warnung:
Be aware of the danger of young children under six years old falling from the upper bunk. Top bunk beds are not recommended for children under six years old. Complies BS EN 747-1:2012+ A1:2015 and BS EN 747-2:2012+ A1:2015.



Assembly is complete.

If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 6400800