



Overall Assembled Product Dimensions



Copper Plated Round Coffee Table

Technical Drawing




4 Long round tube (Dia. 1.9 x 30 cm)

5 Short round tube (Dia. 1.9 x 5 cm)

Components - Fittings

3 Middle frame (Dia. 80 x 2.5 cm)



carton paper protect


1 Mirror (Dia. 80.8 x 0.5 cm)
(Pack in carton with six side polyfoam)

2 Top frame (Dia. 82.3 x 3.8 cm)

Copper Plated Round Coffee Table

Assembly Instructions - Please keep for future reference

524/8252



Dimensions

Width - 82.5 CM

Depth - 82.5 CM

Height - 40 CM

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 03456 400800**



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- During assembly do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints

- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- Regularly check and ensure that all bolts and fittings are tightened properly.

Mirror Safety

- Keep these instructions for future reference
- imported by:
Argos Ltd
489-499 Avebury Boulevard.
Saxon Gate West.
Central Milton Keynes
MK9 2t4W
- If the mirror is chipped or broken: stop using the product and consult the Manufacturer or Supplier
- Batch No: 368406
- Date of Manufacture: Apr. 2016
- Type of mirror used: 5 mm mirror

Warning:


- (a) Do not place very hot or very cold items on the mirror surface(s) unless adequately thick table mats are used to prevent such items from coming into contact with the mirror.
- (b) Do not sit or stand upon the mirror surface(s).
- (c) Do not use the mirror as a chopping surface. Do not strike the mirror with hard or pointed items.
- (d) When cleaning mirror panels use a damp cloth or leather with washing up liquid or soft soap if necessary, do not use washing powders or any other substance containing abrasives since these substances scratch mirror.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 03456 400800**


Please check you have all the panels listed below




1 Mirror (Dia. 80.8 x 0.5 cm)



2 Top frame (Dia. 82.3 x 3.8 cm)



3 Middle frame (Dia. 80 x 2.5 cm)



4 Long round tube (Dia. 1.9 x 30 cm)



5 Short round tube (Dia. 1.9 x 5 cm)



Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 03456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

| | | |
|--|--|--|
| A  75 mm Threaded rod x 4 | B  32 mm Threaded rod x 4 | C  Plug x 4 |
| D  Glass cushion x 4 | | |

Ruler - Use this ruler to help correctly identify the screws



The screws length is measured from the head to the point (30mm screw shown).

Assembly Instructions

Step 1



Fitting Round Tube

a: Screw Threaded rod **B** into Top frame **2**.



Please keep the long threaded side up.

b: Screw Long round tube **4** into Threaded rod **B** joint with Top frame **2**.

a:



b:



Step 2

Fitting Middle Frame

a: Screw Threaded rod **A** into Long round tube **4**.



Insert Middle frame **3** into the Threaded rod **A**.

Please keep the long threaded side up.


b: Screw Short round tube **5** into Threaded rod **A**.

c: Insert plastic plug **C** into Short round tube **5**.



a:



b:



c:




Assembly Instructions

Step 3


Fitting Mirror

a: Attach glass cushion **D** on the Top frame **2**



a:



b:



b: Put the Mirror **1** on the Top frame **2**.



Assembly is complete.

If you need help or have damaged or missing parts, call the **Customer Helpline: 03456 400800**