
SLIMLINE METAL WINE RACK-24 BOTTLES

Assembly Instructions - Please keep for future reference | 543/4176

HOME BY ARGOS



Dimensions

Width -45 cm
Depth -30 cm
Height -90 cm

Important – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts,call the **Customer Helpline: Argos=03456 400800**

Issue 1 - 04/09/16

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on the following pages.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• During assembly do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.



• To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this 6-tier shelf.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Handy Hints

• Regularly check and ensure that all bolts and fittings are tightend properly.


Components - Shelf

If you have damaged or missing components, call the **Customer Helpline: Argos=03456 400800**

Please check you have all the fittings listed below



1 Metal leg X 4 (2.5x88.1cm)




2 Wine shelf X 6 (45x30cm)

Components - Fittings

Please check you have all the fittings listed below


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A




Plastic locking caps x 48

AA




Washer x 2

BB



Anchor x 2

CC




Screw x 2

Tools required



Phillips screwdriver (medium & large)


Suitable drill bit (for use with wall plug)



Drill



Small hammer



Eye protection (when using a hammer or glue)

Assembly Instructions

Step 1

Attaching wine shelf

Attach plastic locking caps (A) on to the metal leg [1] as shown in fig 1.

Slide down base wine shelf [2] until it locks over plastic locking caps (A).
Push shelf firm to secure.




fig 1

Step 2

Attaching wine shelf

Measure positon of mid shelf required by counting rings up from base shelf.

Fit plastic locking caps (A) as shown in fig 2

Ensure all caps are fitted to same height.

Slide down wine shelf [2] until it locks over plastic locking caps (A)




fig 2

Assembly Instructions

Step 3

Attaching wine shelf

Repeat step 2 for the third wine shelf 1 as desired.




fig 3

Step 4

Attaching wine shelf

Repeat step 2 for the fourth wine shelf 1 as desired.




fig 4

Assembly Instructions

Step 5

Attaching wine shelf

Repeat step 2 for the fifth wine shelf 1 as desired.




fig 5

Step 6

Attaching wine shelf

Repeat step 2 for the last wine shelf 1 as desired.




fig 6

Assembly Instructions

Step 7

Rack now fully assembled.

Adjust feet for correct level.





fig 7

Step 8

Fixing to wall:

This step is REQUIRED to ensure the stability of the item.
Mark fixing hole on wall and remove the shelf
Using a 1/4-in. drill bit (not included), drill a 1/4-in. pilot hole at marked locations.
Insert anchors (BB) into the holes, then move the item back into position.
Insert thescrews (CC) through washers (AA) and the shelf (A),then into the anchors (BB).
Warning:
Before drilling,check wall for hidden pipes and cables.



Note:
Wall plugs supplied are for solid wall only. The correct type of fixing must be used for your wall,seek professional advice if in doubt


fig 8

If you need help or have damaged or missing parts,call the **Customer Helpline: Argos=03456 400800**

A Guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fxings is the responsibility of the installer.

Important: When drilling into walls always check that there are no hidden wires or pipes etc.

Make sur e that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualifed tradesperson if you ar e unsure .

Hints:

1: **General rule** : ⚠ Always use a larger screw and wall plug if you are not sure.

2: Ensure you use the recommended drill bit to match the wall plug and hole size.

3: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.


4: Take extra car e when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.

5: Ensure wall plugs are well ftted and are a tight ft in the drilled hole.

Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

No.1 "**General Purpose** " wall plug




Generally aerated blocks should not be used to support heavy loads, use a specialist ftting in this case. For light loads, general purpose wall plugs can be used.

No.2 "**Plasterboar d**" wall plug




For use when attaching light loads on to plasterboard partitions.

No.3 "**Cavity Fixing** " wall plug




For use with plasterboard partitions or hollow wooden doors.

No.4 "**Cavity Fixing -Heavy Duty** " wall plug




For use when ftting or supporting heavy loads such as shelving, wall cabinets and coat racks.

No.5 "**Hammer Fixing** " wall plug



For use with walls stuck with plasterboard. The hammer fxing allows it to be fxed to the wall rather than the plasterboard. Always check the fxing is secure to the retaining wall.

No.6 "**Shield Anchor** " wall plug Heavy loads



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.

Car e & Maintenance

Safety: Always check the ftting and location to ensure your safety in and around the home.

Fitting: From time to time check the ftting to ensure the wall plugs or screws do not become loose.