


GASLIFT BAR TABLE



ASSEMBLY INSTRUCTIONS

Before you start, here is some helpful advice:

1. We suggest you spend a short time reading through this leaflet and follow the simple step-by-step assembly instructions.
2. Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.
3. Assemble this product on a flat surface.
4. Assemble all parts loosely before tightening any bolts.
5. Discard all extra fittings and keep fittings out of reach of children.
6. To clean, wipe clean with a damp cloth.
7. Retain Assembly Instruction for future reference.



ADDITIONAL TOOLS REQUIRED



APPROXIMATE
TIME OF ASSEMBLY:
30 MINUTES


PARTS LIST

CODE	DESCRIPTION	QTY.
1	TABLE TOP	1
2	LEG	1
3	GASLIFT	1
4	BASE	1


FITTINGS LIST

CODE	DESCRIPTION	QTY.
a	BOLT	4
b	WASHER	4
c	SPRING WASHER	4

1




2



3

GASLIFT OPERATION:

To adjust the table higher, lift up the lever under the table and release at desired height. To lower the table, lift up the lever while press down the table top with some force.




Gaslift Bar Table

Assembly Instructions - Please keep for future reference

600/0774

600/0781



Dimensions

Width - 53cm
Depth - 53cm
Height - 67~92.5cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the customer helpline: 08456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- We suggest you spend a short time reading through this leaflet and follow the simple step by step assembly instructions.
- Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.
- Assemble this product on a flat surface.
- Assemble all parts loosely before tightening any bolts.
- Discard all extra fittings and keep fittings out of reach of children.
- Unit weight : 7.5kg.
- We recommend that this unit is assembled by at least 2 people.
- Retain Assembly Instructions for future reference.

Warnings

- This product should only be used on firm, level ground.
- Make sure the base remain in contact with the ground.
- Do not stand on the product.


Care and maintenance

- Please clean the table surface using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.
- Do not use any abrasive materials when cleaning.
- From time to time check that there are no loose bolts on this unit.


Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Parts

Please check you have all the parts listed below




1 Table top
(Ø53 x 1.8cm)



2 Upper leg
(Ø5.6 x 16 x 39cm)



3 Gaslift
(Ø5 x 61~85cm)



4 Base
(Ø45 x 8.5cm)




Components - Fittings

If you have damaged or missing components, call the **customer helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



M6 x 16mm Bolt x 4




Spring washer x 4



Washer x 4

Tools required



Crosshead
Screwdriver

Ruler - Use this ruler to help correctly identify the screws





Assembly Instructions

Step 1

Attaching table top

Place the table top **1** on a flat protected surface.

Position the upper legs **2** on the table top **1** as shown. Align the holes and fix together using bolts **A** & spring washers **B** & washers **C**. Tighten the bolts using screw-driver.



Step 2


Attaching gaslift

Place the base **4** on a flat protected surface.

Insert the gaslift **3** into hole of the base **4**.



Important:
Remove plastic tip cover on gaslift before assembling.



Step 3


Attaching table top

Position the table top as shown and insert the gaslift **3** into the upper leg **2**. Secure by pressing down the table top firmly.

Gaslift operation

To adjust the table higher, lift up the lever under the table and release at desired height.

To lower the table, lift up the lever while pressing down the table top.



If you need help or have damaged or missing parts, call the customer helpline: 08456 400800

Vendor Name:	BL Packaging PTE LTD
Product Name:	Gas lift bar table white
Code:	6000781
Date:	Nov 7th 2011

Instruction Manual

Instruction Manual

1

of

5

Gaslift Bar Table


Assembly Instructions - Please keep for future reference

600/0774

600/0781

600/1780

600/1845



Dimensions

Width - 53cm

Depth - 53cm

Height - 67-92.5cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

Issue 1 - 23/09/11

Insert Additional Pages If Required.

Vendor Name:	BL Packaging PTE LTD
Product Name:	Gas lift bar table white
Code:	6000781
Date:	Nov 7th 2011

Instruction Manual

Instruction Manual

2

of

5



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.
- Assemble this product on a flat protected surface.
- Assemble all parts loosely before tightening any bolts.

- Discard all extra fittings and keep fittings out of reach of children.
- Unit weight: 7.5kgs.
- Retain assembly instruction for future reference.
- Dispose of all packaging carefully and responsibly.



- We do not recommend the use of power drill/drivers for inserting screws, as this could damage the unit. Only use hand screwdrivers.

Warnings

- This product should only be used on firm, level ground.
- Make sure the legs remain in contact with the ground.
- Do not stand on the product.

Care and maintenance

- Please clean the table surface using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.
- Do not use any abrasive materials when cleaning.
- From time to time check that there are no loose bolts on this unit.

Vendor Name:	BL Packaging PTE LTD
Product Name:	Gas lift bar table white
Code:	6000781
Date:	Nov 7th 2011

Instruction Manual

Instruction Manual

3

of

5


Components - Parts

If you have damaged or missing components, call the Customer Helpline: 08456 400800

Please check you have all the parts listed below



1 Table top
(Ø53 x 1.8cm)



3 Upper leg
(Ø5.5 x 15 x 39cm)



2 Base
(Ø45 x 8.5cm)



4 Gaslift
(Ø5 x 58.5-85cm)

Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



A M6 x 16mm Bolt x 4



B Spring washer x 4



C Flat washer x 4

Tools required



Crosshead screwdriver

Vendor Name:	BL Packaging PTE LTD
Product Name:	Gas lift bar table white
Code:	6000781
Date:	Nov 7th 2011

Instruction Manual

Instruction Manual

4

of

5

Assembly Instructions

Step 1



Attaching upper leg

Place the table top **1** upside down on a flat protected surface.

Position the upper leg **3** onto the table top **1** as shown.

Align the holes and fix using bolts **A**, spring washers **B** and flat washers **C**.

Tighten the bolts using a crosshead screwdriver.



Step 2


Attaching gaslift

Place the base **2** on a flat protected surface.

Insert the gaslift **4** into the hole of the base **2** as shown.



Important: Remove plastic tip cover on gaslift before assembling.



3

Insert Additional Pages If Required.

Vendor Name:	BL Packaging PTE LTD
Product Name:	Gas lift bar table white
Code:	6000781
Date:	Nov 7th 2011

Instruction Manual

Instruction Manual

5

of

5


Assembly Instructions

Step 3

Attaching table top

Position the base and table top as shown and insert the gaslift **4** into the upper leg **3**.

Secure by pressing down the table top firmly.




Step 4

Gaslift operation

To adjust the table higher, lift up the lever under the table top and release at desired height.

To lower the table, lift up the lever while pressing the table top.



Assembly is complete.

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

4

Insert Additional Pages If Required.