
# Magnetic Exercise Bike

Assembly & User Instructions - Please keep for future reference

607/7635




## Important – Please read these instructions fully before assembly or use

These instructions contain important information which will help you get the best from your equipment and ensure safe and correct assembly, use and maintenance.

If you need help or have damaged or missing parts, call the **Customer Helpline: 0345 600 1714**or visit www.argos-support.co.uk

# Contents

Safety Information	2
Components - Parts	3
Components - Fixings	4
Assembly Instructions	5-9
Exercising Information	10-14
Before starting	10
Muscle chart	11
Warming up and cooling down	12-13
Computer Operation	14
Care and Maintenance	15
Explodes Parts Diagram	16
Parts List	17



# Safety Information

# opti

### Important – Please read fully before assembly or use

This exercise equipment is built for optimum safety. However, certain precautions apply whenever you operate a piece of exercise equipment. Be sure to read the entire manual before you assemble, operate or use this equipment.

### Assembly

- The product must be installed on a stable and level surface. To protect the floor or carpet from damage, place a mat under the exercise bike.
- Assemble the item as close to its final position (in the same room) as possible.
- Make sure you have enough space to layout the parts before starting.
- Keep children and animals away from the work area, small parts could pose a choking hazard if swallowed.
- Dispose of all packaging carefully and responsibly.
- Check you have all the components and tools listed in the parts list, bearing in mind that, for ease of assembly, some components are pre-assembled.
- The assembly of this equipment is best carried out by 2 people.

#### Use

- It is the responsibility of the owner to ensure that all users of this product are properly informed as to how to use this product safely.
- This product is intended for domestic use only. Do not use in any commercial, rental, or institutional setting.
- Use the equipment only for intended use, as described in this manual. Do not use attachments not recommended by the manufacturer.
- Keep this equipment indoors, away from moisture and dust. Do not put the equipment in a garage, outbuilding, covered patio, or near water.
- Your product is intended for use in clean dry conditions. You should avoid storage in excessively cold or damp places as this may lead to corrosion and other related problems that are outside our control.
- Keep unsupervised children away from the equipment.
- Disabled persons should not use the equipment without a qualified person or doctor in attendance.

- Always wear appropriate workout clothing when exercising. Do not wear loose or baggy clothing, as it may get caught in the equipment. Wear trainers to protect your feet while exercising.
  - Do not place any sharp objects around the equipment.
- Keep hands away from all moving parts.
- If any of the adjustment devices are left projecting, they could interfere with the user's movement.
- Before using the equipment to exercise, always perform stretching exercises to properly warm up.
- Only one person at a time should use the equipment.
- If the user experiences dizziness, nausea, chest pain, or other abnormal symptoms stop the workout and seek immediate medical attention.
- Injuries to health may result from incorrect or excessive training.
- This product is suitable for a maximum user weight of: 100kg.
- This product conforms to: BS EN ISO 20957-1 and -5 Class (H) Home Use Class (C).
- This stationary training equipment is not suitable for high accuracy purposes
- The braking system is adjustable.
- Always examine your exercise bike before use to ensure all parts are in working order.
- Never insert any object or body parts into any opening.


### Battery safety

- **Warning:** Incorrect installation of batteries may cause battery leakage and corrosion, resulting in damage to the computer.
- **Do not** mix old and new batteries, or batteries of different types.
- Do not dispose of batteries in a fire.
- Do not dispose of batteries with normal household waste, take to a local recycling centre.

Warning: Before beginning any exercise program, consult your Doctor. This is especially important for persons over the age of 35 or persons with pre-existing health problems. You MUST read all instructions before using any fitness equipment. Argos and its associates assumes no responsibility for personal injury or property damage sustained by or through the use of this product. Over exercising may result in serious injury or death. If you feel faint stop exercising immediately. Warning! Heart rate monitoring systems may be inaccurate. For the most accurate heart rate measure, please hold both hand pulse sensors continuously during any programme.

## Please check you have all the parts listed below


**Note:** Some of the smaller components may be pre-fitted to larger components. Please check carefully before contacting Argos regarding any missing components.





5. Rear stabilizer X1

1. Main frame X1



2. Front stabilizer X1



12. Front postX1



19. Seat X1



26. Pedal (Left)X1

20. Seat PostX1

23. Adjustment knob X1





27. Pedal (Right) X1

31. ComputerX1

32. Handle barX1

# Components - Fixings




## Please check you have all the fixings listed below

**Note:** The quantities below are the correct amount to complete the assembly. In some cases more hardware may be supplied than are required. Some of the fixings are pre-fitted to the larger components. Please check carefully before contacting Argos regarding any missing fixings.

3 () carriage bolt (M8 x 60) x 4	10 Domed nut (M8) x 4	11 Curved washer (Ø8) x 8
Allen key bolt (M8 X 15) x 4	21	<b>22</b>
24 Handlebar knob (M8) x 1	25	28 Fixing screw (M5 X 10) x 2
36 Plug x 1	Multi tool x 1	Allen key x 1


Total mass of the product is  $18.2 \, \text{kg}$ . The size of the equipment is (width)  $51 \, \text{cm} \, \text{X}$  (depth)  $80 \, \text{cm} \, \text{X}$  (height)  $128 \, \text{cm}$ .



- 31. Computer
- 18. Tension control knob
- 19. Seat
- 20. Seat post
- 32. Handlebar
- 12. Front post
- 1. Main frame


## Step 1

Attach the Front Stabilizer (pt.2) and Rear Stabilizers (pt.5) to the Main Frame (pt.1) using 4 sets of M8 Domed Nuts (pt.10), Ø8 Curved Washers (pt.11) and M8 x 60mm Carriage Bolts (pt.3).



## Step 2

Take the Front Post (pt.12) and join the Upper Sensor Wire (pt.15) with Lower Sensor Wire (pt.16). Then connect the Upper cable wire (pt.13) to the Tension Hook (pt.14). (See figure shown) Slide the Front Post (pt.12) into the front post housing, then fix using 4 sets of M8 x 15mm Allen Key Bolts (pt.17) and Ø8 Curved Washers (pt.11). Note: Before connecting the tension cables, please switch the tension knob to "8"






## Step 3

Attach the Handlebar (pt.32) to the Front Post (pt.12), fix with Ø8 Washer (pt.25) and Handlebar Adjustment Knob (pt.24).


Adjustment of the handlebar.

To adjust the handlebar, loosen handlebar locking knob (pt.24) anti- clockwise.Rotate the handlebar (pt.32) to required position. Lock handlebar (pt.32) by firmly tightening clockwise locking knob (pt.24)



## Step 4

Fix the Seat (pt.19) to the Seat post (pt.20) by using 3 sets of Ø8 Washers (pt.22) and M8 Lock Nuts (pt.21) located under the seat.




## Step 5

Insert the Seat Post (pt.20) into the Seat Post housing and line up the holes (The correct height adjustment can be made when the bike is fully assembled) Secure the seat in position with the Adjustment Knob (pt.23).

The seat height is correct when the knee is slightly angled with the pedal vertically down and the foot parallel to the floor.

## Step 6


The Pedals (pt.26 & pt.27) are marked "L" and "R" - Left and Right. Connect them to their appropriate Crank Arms (pt.7). The right crank arm is on the right hand side of the bike as you sit on it. Note that the Right Pedal (pt.27) should be threaded on clockwise and the Left pedal pt.26) anti-clockwise.





## Step 7

Take Pulse plug wire (pt.29) and put it through the hole of Front post (pt.12), then insert the Plug (pt.36) into the hole of Front post (pt.12). Connect the Pulse plug wire (pt.29) to the Pulse sensor wire on computer (pt37) and join the Upper sensor wire (pt.15) with Computer sensor wire (pt.38), then slide the Computer (pt.31) onto the Computer bracket and then fixing with 2 x M5 Fixed screw (pt.28). You can adjust the tension by turning control




## Workout Area

knob by "+" for more resistance or "-" for less

during training.

The free area must be at least 0.6m greater than the training area.
This is a space where you can safely dismount, without obstruction, in case of an emergency.
Where two pieces of equipment are positioned adjacent to each other the free area may be shared.



### Before starting

Tailor your exercise program according to your physical condition. If you have been inactive for several years, or are overweight, you must start slowly and increase your time on the equipment; a few minutes per workout increase is advisable.


Initially, you may be able to exercise only for a few minutes in your target zone, however, your aerobic fitness will improve over the next six to eight weeks. Don't be discouraged if it takes longer. It's important to work at your own pace.

#### Please remember these essentials:

- Have your doctor review your training and diet programs to advise you of a workout routine you should adopt.
- Begin your training program slowly with realistic goals.
- Monitor your pulse frequently. Establish your target heart rate based on your age and condition.
- Set up your equipment on a flat even surface with adequate training area, as prescribed in this manual.


#### **Exercise intensity**

To maximize the benefits of exercising, it is important to exercise at an appropriate intensity. The intensity level can be found by using your heart rate as a guide. For effective aerobic exercise, your heart rate should be maintained at a level between 65% and 85% of your maximum heart rate as you exercise. This is known as your target zone. You can find your target zone in the table below.



During the first few months of your exercise program, keep your heart rate near the low end of your target zone as you exercise. After a few months, your heart rate can be increased gradually until it is near the middle of your target zone as you exercise.

To measure your heart rate, stop exercising but continue moving your legs or walking around and place two fingers on your wrist. Take a six-second heartbeat count and multiply the results by 10 to find your heart rate. For example, if your six-second heartbeat count is 14, your head rate is 140 beats per minute. (A six-seconds count is used because your heart rate will drop rapidly when you stop exercising.) Adjust the intensity of your exercise until your heart rate is at the required level.





### Muscle chart

#### **Aerobic Exercise**


Aerobic exercise improves the fitness of your lungs and heart - your body's most important muscle. Aerobic exercise is promoted by any activity that uses your large muscles (arms, legs, or buttock, for example).

### **Weight Training**

Along with aerobic exercising which helps get rid of and keep off the excess fat that our bodies can store, weight training is an essential part of the exercise routine. Weight training helps tone, build and strengthen muscle. If you are working above your target zone, you may want to do a lower number of reps.


### **Targeted Muscle Groups**

The exercise routine that is performed on the Exercise Bike will develop the lower body muscle groups. These muscle groups are highlighted on the muscle chart below.



A: Trapezius F: Abdominal **G:** Sartorius **B**: Anterior Deltoid C: Pectoralis Major H: Quadriceps D: Serratus Anterior I: Tibialis Anterior

E: Biceps



J: Trapezius N: Gluteals K: Posterior Deltoid O: Hamstrings L: Triceps

M: Latissimus Dorsi

### Warming up and Cooling down

### Each workout should include the following three parts:

- **1.** A warm-up, consisting of 5 to 10 minutes of stretching and light exercise. A proper warm-up increases your body temperature, heart rate, and circulation in preparation for exercise.
- **2.** Training zone exercise, consisting of 20 to 30 minutes of exercising with your heart rate in your training zone. (*Note*: During the first few weeks of your exercise program, do not keep your heart rate in your training zone for longer than 20 minutes.)
- **3.** A cool-down, with 5 to 10 minutes of stretching. This will increase the flexibility of your muscles and will help to reduce post-exercise muscle soreness.

### **Exercise Frequency**

To maintain or improve your fitness, plan three workouts each week, with at least one day of rest between workouts. After a few months of regular exercise, you may complete up to five workouts each week, if desired. Remember, the key to success is make exercise a regular and enjoyable part of your everyday life.

#### **Suggested Stretches**

For a correct warm up, see the following basic stretching exercises. Move slowly as you stretch, never bounce.

### Toe touch stretch

Stand with your knees bent slightly and slowly bend forward from your hips. Allow your back and shoulders to relax as you reach down toward your toes as far as possible.

Hold for 15 counts, then relax.

Repeat 3 times.

Stretches: Hamstrings, back of knees and back.

### Hamstring stretch

Sit with one leg extended. Bring the sole of the opposite foot toward you and rest it against the inner thigh of your extended leg. Reach toward your toes as far as possible.

Hold for 15 counts, then relax.

Repeat 3 times for each leg.

Stretches: Hamstrings, lower back and groin.






### Calf/achilles stretch

With one leg in front of the other, reach forward and place your hands against a wall. Keep your back leg straight and your back foot flat on the floor. Bend your front leg, lean forward and move your hips toward the wall.

Hold for 15 counts, then relax.

Repeat 3 times for each leg. To cause further stretching of the achilles tendons, bend your back leg as well.

Stretches: Calves, achilles tendons and ankles.



### Quadriceps stretch

With one hand against the wall for balance, reach back and grasp one foot with your other hand. Keeping your bent knee pointing directly downward towards the floor, gentle pull your heel towards your buttock until you feel a gentle stretch in the target area.

Hold for 15 counts, then relax.

Repeat 3 times for each leg.

Stretches: Quadriceps and hip muscles.



## Inner thigh stretch

Sit with the soles of your feet together and your knees outward. Pull your feet toward your groin area as far as possible.


Hold for 15 counts, then relax.

Repeat 3 times.

Stretches: Quadriceps and hip muscles.



### Computer operation



- 1. Non-rechargeable batteries are not to be recharged.
- 2. Rechargeable batteries are only to be charged under adult supervision.
- 3. Rechargeable batteries are to be removed from the product before being charged.
- 4. Batteries are to be inserted with the correct polarity.
- 5. Exhausted batteries are to be removed from the product.
- 6. Supply terminals are not to be short-circuited.

### **Functions and Operations**

#### 1.Batteries Installation

Please install 2 piece of AAA 1.5V batteries in the battery case on the back of monitor.

(Whenever Batteries are removed, all the functions values will be reset to zero.)

Change the battery. To change the computer battery, please slide the computer from the computer holder, remove the battery cover on the back of the computer console, and remove the batteries. Replace with AAA batteries. Finally put the cover back on the console, and slide the computer back on the computer holder.

#### 2.Auto On/Off

While the user starts to do exercise, the Display will show out the workout value automatically. Once stop exercising over 256 sec, the Display will turn off, and all the function values will be held. While user starts exercise again, the monitor will be wake up.

\*\* Press the button for 2 seconds, all the function value except Odometer will be reset to zero.

#### 3.Auto Scan

After the monitor is power on or press the button, the LCD will display all functions values from TIME- SPEED-DISTANCE-CALORIES-ODOMETER-PULSE. Each value will be held for 6 seconds.

#### 4.Speed

Display the current training speed from 0.00 to 999.9 km/h. User also can press the button to display the Speed value.

#### 5.Distance

Display the trip distance from 0.00 to 99.99 km. User also can press the button to display the distance value.

#### 6.Time

Display the workout time from 00:00 to 99:59. User also can press the button to display the workout time value.

#### 7. Calories

Display the calories consumption during training from 0.0 to 999.9. User also can press the button to display the calories consumption value.

#### 8.Odometer

Display the total accumulated distance from 0.0 to 9999. User also can press the button to display the Odometer value

#### 9.Pulse

Display the current heart rate in beats per minute.

#### 10.Reset

Press the button for 2 seconds, all the function value except Odometer will be reset to zero.

#### Note:

- 1. If the computer displays abnormally, please re-install the battery and try again.
- 2.Battery Spec: 1.5V AAA (2PCS).
- 3. The batteries must be removed from the appliance before it is scrapped and that they are disposed of safety.
- 4.WARNING! Heart rate monitoring systems may be inaccurate. Over exercise may result in serious injury or death. If you feel faint stop exercising immediately".

## Care and Maintenance

- **1.**The safety level of the equipment can only be maintained if it is examined regularly for damage and wear e.g.ropes, pulleys and connection points.
- **2.** Lubricate moving parts with light oil periodically to prevent premature wear. To prevent damage to the computer, keep liquids away and keep it out of direct sunlight.
- **3.** Inspect and tighten all parts before using the equipment, replace defective components immediately and/or keep the equipment out of use until repair. Pay special attention to components most susceptible to wear.
- **4.** The equipmen can be cleaned using a damp cloth and mild non-abrasivedetergent. **Do not** use solvents.
- **5. Do not**. attempt to repair this equipment yourself. Should assembly, operation or use of your exercise product or if you think that you may have parts missing, contact the

Customer Helpline: 0345 600 1714. www.argos-support.co.uk.

**Guarantee:** For guarantee purposes, please retain your purchase receipt.

### Information for Users on Disposal of old Equipment and Batteries

These symbols indicate that equipment with these symbols should not be disposed of as general household waste. If you want to dispose of the product or battery, please consider the collection systems or facilities for appropriate recycling.

**Notice:** The sign Pb below the symbol for batteries indicates that this battery contains lead.






Trouble shooting

- **1.** Computer not working correctly. If your computer is not working correctly, please check whether the lower sensor wire is connected to the upper sensor wire, and make sure the upper sensor wire is plugged into the computer. When you have checked the above, and the computer still not working, then please make sure the batteries are installed correctly in the computer and that the batteries are still working.
- **2.** No resistance. If there is no tension resistance on the bike, please make sure the upper tension cable is connected to the lower tension cable.

# **Exploded Parts Diagram**





# Parts List

Part	Description	Qty	Part	Description	Qty
1	Main frame	1	39	Square buckle	1
2	Front stabilizer	1	40	C shape buckle	1
3	Carriage bolt ( M8 x 60 )	4	41	Cross bolt (M5 × 40)	1
4	End cap	2	42	Magnetic wheel group	1
5	Rear stabilizer	1	43	Magnet frame	1
6	Rear end cap (Angle adjustable)	2	44	Hexagon bolt (M10 × 70)	1
7	Crank arm ( L + R )	1	45	Washer (Ø10)	2
8	Chain cover ( right )	1	46	Lock nut ( M10 )	1
9	Chain cover ( left )	1	47	Hooking spring	1
10	Domed nut ( M8 )	4	48	Limit bolt group	1
11	Curved washer ( Ø8 )	8	49	Cross screw ( ST4.8×13 )	1
12	Front post	1	50	Sensor buckle	1
13	Upper cable wire	1	51	Round Bush( Ø50 to D38 )	1
14	Lower cable hook	1	52	Dust plug	2
15	Upper sensor wire	1	53	Crank plug	2
16	Lower sensor wire	1	54	Nine piece transfer motion set	1
17	Allen key bolt ( M8 x 15 )	4	55	Belt 350 / J6	1
18	Tension control knob	1	56	Cross screw (T4.2×19)	2
19	Seat	1	57	Cross screw ( ST4.8×19 )	6
20	Seat Post	1	58	Cross screw (T4.8×25)	5
21	Lock nut (M8)	3			
22	Washer (Ø8)	3			
23	Adjustment knob	1			
24	Handlebar knob ( M8 )	1			
25	Washer ( Ø8 x Ø16 )	1			
26	Pedal ( Left )	1			
27	Pedal ( Right )	1			
28	Fixing screw ( M5 x 10 )	2			
29	Pulse plug wire	2			
30	Computer bracket	1			
31	Computer	1			
32	Handle bar	1			
33	Pulse sensor	2			
34	Foam grip	2			
35	Round End cap	2			
36	Plug	1			
37	Pulse sensor wire on computer	2			
38	Computer sensor wire	1			



## **Product Guarantee**

This product is guaranteed against manufacturing defects for a period of



This product is guaranteed for twelve months from the date of original purchase. Any defect that arises due to faulty materials or workmanship will either be replaced, refunded or repaired free of charge where possible during this period by the dealer from whom you purchased the unit.

The guarantee is subject to the following provisions:

- The guarantee does not cover accidental damage, misuse, cabinet parts, knobs or consumable items.
- The product must be correctly installed and operated in accordance with the instructions contained in this manual.
- It must be used solely for domestic purpose.
- The guarantee will be rendered invalided if the product is re-sold or has been damaged by inexpert repair.
- · Specifications are subject to change without notice.
- The manufacturer disclaims any liability for the incidental or consequential damages.
- The guarantee is in addition to, and does not diminish your statutory or legal rights.
- In the event of a problem with the product with in the guarantee period call the Customer Helpline: 0345 600 1714. http://www.argos-support.co.uk/

Guarantor: Argos Ltd 489 - 499 Avebury Boulevard Central Milton Keynes MK9 2NW