


Black Glass round Lamp Table

Assembly Instructions




Before you
start, here
is some
helpful advice

1. We suggest you spend a short time reading through this leaflet and then follow the simple step by step instructions.
2. If you follow the instructions carefully the end result should be worth the effort.
3. Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.
4. Assemble this product on a carpet.
5. To ensure an easier assembly, we strongly advise that all fittings are only finger tightened during initial assembly. Only upon completion of the assembly should all fixing points be fully tightened.
6. We recommend a periodic check on all fixing points to make sure they remain fully tightened.
7. Keep glue and fittings out of children's reach.

After-sales telephone number for spare parts : 08456 400800


Component parts and fittings contained in the box

Parts



Fittings


Ⓐ QTY 1




Ⓑ QTY 1




Ⓒ QTY 4



Ⓓ QTY 1




ASSEMBLY



- 1) Carefully place top glass ① upside down onto a clean flat surface.
- 2) Screw nut ⑥ onto end of threaded rod ④.
- 3) Screw threaded rod ④ into the metal disc on the underside of large glass top ①.
- 4) Tighten nut ⑥ onto the metal discs.


STEP 1



Shown upside down


- 1) Ensuring black plastic plug is facing down, locate stem ② over the threaded rod.

STEP 2




Shown upside down

ASSEMBLY



- 1) Carefully align bottom glass ③ with the main stem. screw glass onto the end of the threaded rod and tighten.

STEP 3




Shown upside down

- 1) Stick self adhesive pads ④ to bottom glass ③ as shown.

STEP 4

- 2) Turn table upright.



Customer information

Keep these instructions for further use.

Maximum safe load for glass top is 20KGS

PRODUCT INFORMATION

- This product complies with BS7449: 1991
- Imported by:

Argos Distributors Ltd
489-499 Avebury Boulevard
Saxon Gate West
Central Milton Keynes
MK9 2NW

- Product Cat No.: 609/1415D
- P/O No:

The glass included with this product is tempered glass of a nominal thickness of 6mm. It complies to BS6206 class C.

If a glass component is chipped or broken replace with glass of the type described on this label. Consult the manufacturer, retailer or agent with regard to obtaining a manufacturing specification and shape for replacement glass quoting the model number and batch number or date of manufacture.


WARNINGS

- 1) Do not place very hot or very cold items against or in close proximity to glass surfaces unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.
- 2) Do not strike the glass with hard or pointed items.
- 3) When cleaning glass panels or mirrors use damp cloth or leather with Washing up liquid or soft soap if necessary, do not use washing Powders or any other substance containing abrasives since these Substances scratch glass.
- 4) Do not sit or stand upon horizontal glass surfaces.

Glass Lamp Table

Assembly Instructions – Please keep for future reference

609/1415



Dimensions

Width - 40cm

Depth - 40cm

Height - 45cm

Important – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Do not stand or put excessive weight on the product, this could cause damage.
- Dispose of all packaging carefully and responsibly.
- Place the product on flat and steady surface during use.
- Keep these instructions for further use.

Glass safety

- This product complies with BS7449: 1991.
- Imported by:
Home Retail Group.
489-499 Avebury Boulevard.
Saxon Gate West.
Central Milton Keynes.
MK9 2NW
- Product Cat No.: 609/1415(D)
- P/O No:
- The glass included with this product is tempered glass of a nominal thickness of 6 mm. It complies to BS6206 class C. If a glass component is chipped or broken replace with glass of the type described on this label. Consult the manufacturer, retailer or agent with regard to obtaining a manufacturing specification and shape for replacement glass quoting the model number and batch number or date of manufacture.
- Maximum safety load of glass is 20KGS.

Warnings


- 1) Do not place very hot or very cold items against or in close proximity to glass surfaces unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.
- 2) Do not strike the glass with hard or pointed items.
- 3) When cleaning glass panels or mirrors use damp cloth or leather with washing up liquid or soft soap if necessary, do not use washing powders or any other substance containing abrasives since these substances scratch glass.
- 4) Do not sit or stand upon horizontal glass surfaces.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Components - Parts


Please check you have all the parts listed below



1 Glass top (Ø40cm)



2 Pedestal (41.8 x 5cm)







3 Glass base (Ø35cm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  Nut x 1	B  Threaded rod x 1	C  Self adhesive pad x 4
D  Spanner x 1		

Ruler – Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1


Attaching threaded rod

Screw nut **A** onto one end of threaded rod **B**.

Place glass top **1** upside down onto a clean flat surface.

Screw threaded rod **B** into the metal disc on glass top **1**.

Fully tighten nut **A** down onto the metal disc.




Step 2

Locating pedestal

Slide pedestal **2** over the threaded rod.

Ensure the end with the plastic cap is facing down.




Assembly Instructions

Step 3

Attaching glass base

Carefully screw glass base **3** onto the end of threaded rod.

Do not overtighten.




Step 4

Attaching pads

a: Peel off the protective film from self adhesive pads **c**.

Stick self adhesive pads to the **c** glass base.

b: Turn the table upright.



Assembly is complete.


If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**
Home Retail Group. 489-499 Avebury Boulevard. Saxon Gate West. Central Milton Keynes. MK9 2NW

Glass Round Lamp Table

Assembly Instructions - Please keep for future reference

609/1415

hygena



Dimensions

Width - 40cm

Depth - 40cm

Height - 45.6cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Do not stand on the panels, this could cause damage.
- Assemble the unit as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- We do not recommend the use of power drill/ drivers **for inserting screws**, as this could damage the unit. Only use hand screwdrivers.
- Dispose of all packaging carefully and responsibly.
- **Warning:** The unit weighs approximately 3.9kgs. **Please lift with care.**

Keep these instructions for future reference

- This product complies with BSEN14749.

Warning

- Do not place very hot or very cold items against or in close proximity to glass surfaces unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.

- Argos Ltd. MK9 2NW.

- Do not strike the glass with hard or pointed items.

- If a glass component is chipped or broken, stop using the product and consult the manufacturer supplier.

- When cleaning glass panels use a damp cloth or leather with washing up liquid or soft soap if necessary; do not use washing powders or any other substances containing abrasives since these substances scratch glass.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- Assembly to be carried out by the competent adult only.


- From time to time check that there are no loose screws on this unit.
- During assembly children should be kept away from the product due to the potential risk of injury.

- This product should not be discarded with household waste. Take to your local authority waste disposal centre.
- Do not use this item if any components are missing or damaged.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline:08456 400800**

Please check you have all the panels listed below



1 Top glass x 1 (40 x 40cm)



2 Base glass x 1 (35 x 35cm)




3 Tube x 1 (5 x 42cm)

Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



A Two end threaded bolt x 2



B Glass pad x 5

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1


Fitting the tube

Note: Assemble on a soft level surface or on the original packing material to avoid damaging the unit or your floor.

a: Stick the Glass pads **B** onto the Base glass **2**.

b: Screw in Two end threaded bolt **A** onto Base glass **2**.

c: Screw in Tube **3** onto the unit.



Assembly Instructions

Step 2


Fitting the top

Note: It would be useful to ask someone to help you at this stage.

a: Screw in Two end threaded bolt **A** onto Top glass **1**.

b: Screw in Top glass **1** onto the unit.

Assembly is complete.




If you need help or have damaged or missing parts, call the **Customer Helpline : 08456 400800**

Matrix Glass Round Lamp Table

Assembly Instructions - Please keep for future reference

609/1415

hygena



Dimensions

Width - 40cm

Depth - 40cm

Height - 45.6cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on page 2.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Do not stand or put excessive weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Parts of the assembly will be easier with 2 people.
- Dispose of all packaging carefully and responsibly.
- Place the product on flat and steady surface during use.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Keep these instructions for further use.
- To ensure an easier assembly, we strongly advise that all fittings are only finger tightened during initial assembly. Only upon completion of the assembly should all fixing points be fully tightened.

Glass safety

- Keep these instruction for future reference.
- Imported by:
Argos Ltd.
489-499 Avebury Boulevard.
Saxon Gate West.
Central Milton Keynes.
MK9 2NW
- If the glass is chipped or broken, stop using the product and consult the Manufacturer or Supplier.
- Batch No:
- Date of Manufacture:
- Type of glass used: 6mm toughened glass

Warnings

- (a) Do not place very hot or very cold items on the glass surface(s) unless adequately thick table mats are used to prevent such items from coming into contact with the glass.
- (b) Do not sit or stand upon the glass surface(s).
- (c) Do not use the glass as a chopping surface. Do not strike the glass with hard or pointed items.
- (d) When cleaning glass panels use a damp cloth or leather with washing up liquid or soft soap if necessary, do not use washing powders or any other substance containing abrasives since these substances scratch glass.


Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Components - Parts

If you have damaged or missing components,
call the **Customer Helpline:08456 400800**

Please check you have all the parts listed below



1 Top glass x 1 (40 x 40cm)



2 Base glass x 1 (35 x 35cm)



3 Tube x 1 (5 x 43.5cm)



4 Metal rod x 4 (0.6 x 43cm)



5 Glass pad x 5

Tools required



Tape measure


Assembly Instructions

Step 1


Attaching the glass pad

Note: Assemble on a soft level surface or on the original packing material to avoid damaging the unit or your floor.

a: Stick the Glass pads **5** onto the Base glass **2**.



b: Screw in Metal rod **4** onto Base glass **2**.




Assembly Instructions

Step 2


Fitting the top

Note: It would be useful to ask someone to help you at this stage.

a: Attach Metal tubes **3** through Metal Rods **4**.



b: Finger tighten Top glass **1** onto the unit as shown.



Assembly is complete.

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800
Argos Ltd. 489-499 Avebury Boulevard. Saxon Gate West. Central Milton Keynes. MK9 2NW