2 Drawers/Tall/Wide/Extra Deep Bookcase

Simple Assembly Instructions - Please keep for future reference




- **1**. Read these instructions carefully and familiarise yourself with the procedure before assembling the unit.
- Check that you have all the component parts following the list on the back cover and familiarise yourself with each part before proceeding.
- *3.* Take all the fittings out of the plastic bag and separate them into their groups.
- 4. Ensure you have enough space to lay out all the parts before assembly.
- *5.* To avoid scratching it is recommended that you assemble the unit on a soft level surface.

5-06

Components


Components




Assembly Instructions


Stage 1 – Fitting the Tracks

Stage 2 – Fitting the Top Panel




- CAUTION: Always check the assembly method is correct before applying Glue.
- NOTE: It would be useful to ask someone to help you at this stage.
- Place a small amount of Glue
 into the dowel holes. Then insert Dowels into the Top Panel (A).
 See fig. 3.
- Place a small amount of Glue
 into the dowel holes. Then insert Dowels () into the Middle Support ().
 See fig. 4.





Place a small amount of Glue
 into the dowel holes. Then insert Dowels into the Bottom Support C.
 See fig. 5.


fig. 2



Assembly Instructions

Stage 3 – Fitting the Bottom Panel


Stage 4 – Fitting the Side Panels



Assembly Instructions

Stage 5 – Fitting the Back Panels

Stage 6 – Fitting the Shelf Supports



Assembly Instructions


Stage 7 – Fitting the Shelves

Stage 8 – Fitting the Drawers


NOTE: It would be useful to ask someone to help you at this stage.


1. Slide Shelves (B) into the unit. See fig. 13.

 Use Covering Sticker M to cover the Screw Heads.
 See fig. 13.



- CAUTION: Always check the assembly method is correct before applying Glue.
- NOTE: It would be useful to ask someone to help you during assembly.
- Use Screws to fix the Drawer Right Side Panel and Drawer Left Side Panel onto Drawer Back Panel .
 See fig. 14.
- Place a small amount of Glue into the groove on the Drawer Sides and Drawer Back Panel. Carefully slide the Drawer Bottom Panel into the unit. See fig. 15.
- Place a small amount of Glue into the dowel holes and onto the joints' surfaces and groove. Insert Dowels and screw in Locking Pins into the Drawer Front Panel Then attach the Front Panel to the Drawer. See fig. 16.





-R

Assembly Instructions

Stage 8 – Fitting the Drawers

4. Use Locking Nuts (to fix the Front

Panel onto the drawer. Then use

Screws (a) to fix the Handles (0)

5. Follow the same method as in fig.

14-17 to complete the other

onto the Front Panel.

See fig. 17.

Drawer.

Stage 9 – Finishing the Unit

- **IMPORTANT:** When drilling into walls always check that there are no hidden wires or pipes etc. Make sure that the screws and a qualified tradesperson if you are not sure.
- NOTE: It would be useful to ask someone to help you at this stage.
- 1. Carefully place the unit in the desired location.
- 2. Use Screw 🕒 to fix the Wall Strap Nonto the top of the unit. See fig. 20.
- 3. Drill a hole at the desired height and insert Wall Plug O into the hole. Pass Screw D through loose end of Wall Strap N to fix the unit to the wall.
- NOTE: Before use always make sure the unit is secure. Please wait 8 hours until Glue is completely dry

Care and Maintenance

Safety

To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.

Cleaning

As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.

Fitting

From time to time please ensure there are no loose screws on the product.

After sales telephone number - 08456 400 800

- fia. 20 wall plugs supplied are suitable for supporting the unit. Consult See fig. 21. See fig. 19.





fig. 19

6. Use Screws (1) to fix the Drawers onto the tracks. See fig. 18.



A Guide to


A Guide to

Wall Mounting & Fixings

Wall Mounting & Fixings

IMPORTANT:

When drilling into walls always check that there are no hidden wires or pipes etc. Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.




HINTS:

- 1) General Rule 🗥 Always use a larger screw and wall plug if you are not sure.
- 2) Ensure you use the recommended drill bit to match the wall plug and hole size.
- 3) Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- 4) Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure the plug is fitting below the ceramic tile to avoid splitting or cracking.
- 5) Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types Of Walls

You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone, wood or plaster board.


No.1 "Standard" Wall Plug General Wall Materials



These come in various sizes and are made from plastic or sometimes wood fiber.


No.2 "General Purpose" Wall Plug Aerated / Breeze Block

Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, a General Purpose Plug can be used. No.3 "Shield Anchor" Wall Plug Heavy Loads




For use with heavier loads such as TV & HiFi Speakers and Satellite Dishes etc.

No.4 "Cavity Fixing" Wall Plug




For use with plaster board partitions or hollow wooden doors.

No.5 "Cavity Fixing - Heavy Duty" Wall Plug



For use when fitting or supporting heavy loads such as shelving, wall cabinets, coat racks.

No.6 "Hammer Fixing" Wall Plug



For use with walls stuck with plaster board. The hammer fixing allows it to be fixed to the wall rather than the plaster board. Always check the fixing is secure to the retaining wall.

CARE & MAINTENANCE




Always check the fitting and location to ensure your safety in and around the home.



From time to time check the fitting to ensure the wall plugs or screws do not become loose.

2 Drawers/Tall/Wide/Extra Deep Bookcase

Assembly Instructions - Please keep for future reference	609/2555
	609/3578
	609/4694
	609/5765
	339/4146



Dimensions


Width - 78cm

Depth - 29cm

Height - 180cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline:** Argos = 0345 6400800



Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on the following pages.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• During assembly do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.

• To reduce the likelihood of damaging your product please ensure that your

power drill is set on a low torque setting.

Glue safety - Take care when using glue, please follow the advice below

Skin contact: Remove contamination by washing with soap and water. This procedure should also be followed prior to eating and drinking. **Eye contact:** Rinse immediately with clean water for 15 minutes and seek medical advice.

If swallowed: Seek medical advice immediately.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners. • From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints


• Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts • Regularly check and ensure that all bolts and fittings are tightend properly.

Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

If you have damaged or missing components, call the **Customer Helpline: Argos = 0345 6400800**

Please check you have all the panels listed below





Components - Fittings

Please check you have all the fittings listed below


Note: The quantities below are the correct amount to complete the assembly. in some cases more fittings may be supplied than are required.

	B ()))))>	O ⊕⊃mm>
Plastic support x 4	14mm Screw x 9	30mm Screw x 12
	(
50mm Screw x 12	Support cover x 12	Shelf support x 12
30mm Dowel x 18	12mm Locking nut x 4	34mm Locking pin x 4
	(This screw is included in the bag of runner)	
Runner x 4	12mm Screw x 12	12mm Screw x 4
		(This screw is included in the bag of wall strap)
Handle x 4	Screw cover x 12	Wall strap x 1 Image: strap x 1
b 0 7220	0	₿ 0===>
Wall plug x 1	Glue x 1	Nail x 54





Phillips screwdriver (medium & large)





Small hammer

Ruler/tape measure




Eye protection (when using a hammer or glue)

Ruler - Use this ruler to help correctly identify the screws


 $0 \quad 5 \quad 10 \quad 15 \quad 20 \quad 25 \quad 30 \quad 35 \quad 40 \quad 45 \quad 50 \quad 55 \quad 60 \quad 65 \quad 70 \quad 75 \quad 80 \quad 85 \quad 90 \quad 95 \quad 100 \quad 105 \quad 110 \quad 115 \quad 120 \quad 125 \quad 130 \quad 135 \quad 140 \quad 145 \quad 150 \quad 155 \quad 160 \quad 165 \quad 170 \quad 100 \quad 10$


The screws length is measured from the head to the point (30mm screw shown).

Step 1



4





Step 3 - continued



Caution: Always check the assembly method is correct before applying glue.

d: Place a small amount of Glue **O** onto the joint's surfaces.

Use Screws D to fix the Left side panel 5 and Right side panel 6 onto the Fixed panels 1 and Middle panel 2, Bottom panel 10, Back support 11.

Step 4


Fixing back panels


Attach Top back panel 12, Middle back panel 13 and Bottom back panel 14 onto the unit using Nails (2).



Important: The unit MUST

be 'square' when back is attached.





Step 6

Dawer assembly

a: Fix Drawer right and left side panels **15** & **16** to Drawer back panel **8** using Screws **C**.

b: Place a small amount of Glue into the groove on the Drawer side panels and Drawer bottom panel. Carefully slide the Drawer bottom panel **4** into the unit.

C: Screw Locking pins **①** into the 2 holes shown on the back of the Drawer front panel **7**.

Note: Insert Locking pins as far as shown.

Do not over tighten.

Insert Dowels G into the Drawer front panel 7.

d: Place a small drop of Glue **Q** into the groove.

Position the Drawer front **7** onto the drawer sides.


Ensure the panels fit together without any gaps.

e: Insert 2 Locking nuts **f)** into the holes in the drawer sides(they will only insert one way).


Turn the Locking nuts **(P**) clockwise to lock the panels together.


Fix the Handles (1) onto 7 the Drawer front panel using Screws (C).

Repeat with remaining drawer.















d:



0

Ø




Step 7

Inserting drawers

a: Slide the assembled drawers fully onto the runners so the runners butt up against the back of the drawer front.

b: From inside each drawer, fix through the holes in the sides into the runners using Screws **()**.



Step 8

Fixing to wall

It is recommended that the bookcase is fixed to a wall.

Use Screw B to fix the Wall strap O onto the top panel.

With help, move bookcase into position.

Warning: The bookcase is heavy. Lift with care.

Mark fixing hole on wall and remove bookcase .


Drill a hole and insert Wall plug P.

Warning: Before drilling, check wall for hidden pipes and and cables.

Reposition bookcase and fix wall strap using Screw **O**.

Note: Before use allow the glue to dry for 24 hours and make sure the unit is secure.

Assembly is complete.



If you need help or have damaged or missing parts, call the **Customer Helpline:** Argos = 0345 6400800

A Guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fixings is the responsibility of the installer.




Important: When drilling into walls always check that there are no hidden wires or pipes etc.

Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.

Hints:


- 1: General rule: Always use a larger screw and wall plug if you are not sure.
- **2:** Ensure you use the recommended drill bit to match the wall plug and hole size.
- **3:** Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- **4:** Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.
- **5:** Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types of walls



Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.


No.2 "Plasterboard" wall plug



For use when attaching light loads on to plasterboard partitions.




You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.



For use with plasterboard partitions or hollow wooden doors.






For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.


Safety: Always check the fitting and location to ensure your safety in and around the home.

No.5 "Hammer Fixing" wall plug



For use with walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.

No.6 "Shield Anchor" wall plug Heavy loads



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.

Fitting: From time to time check the fitting to ensure the wall plugs or screws do not become loose.