
# Anderson - TV Unit

Assembly Instructions - Please keep for future reference

609/5521

609/5514



## **Dimensions**

Width - 100cm

Depth - 39.5cm

Height - 51.7cm



## Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



# Safety and Care Advice

## Important - Please read these instructions fully before starting assembly

- Warning: This unit weighs approximately 24kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).
- Dispose of all packaging carefully and responsibly.

#### Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

**Note:** If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

# Components - Panels


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below* 

## Please check you have all the panels listed below





12 Drawer Base (*T526*) (333 x 317mm) x 2




13 Back (X883) (926 x 440mm)

# Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below


## Please check you have all the fittings listed below

**Note:** The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



#### Tools required






If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

## Step 1

# Prepare the drawer fronts

Screw 2 metal dowels **B** into the holes shown on the back of the drawer front **B**.

**Note:** Tighten metal dowels up fully against the panels.




## Step 2


# Prepare the drawer sides


Insert a small locking nut **f** into the hole shown on the left drawer side **10** and right drawer side **11**.

**Note:** Arrow on locking nut **must** point towards hole in edge of panel.

**Note:** Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.







## Step 3


# Attach the drawer sides to the drawer front


Push the left drawer side 10 and right drawer side 11 onto the back of the drawer front 8.

Turn the small locking nuts **(F)** on the left drawer side **(10)** and right drawer side **(11)**.

**Note:** Turn the locking nuts **O** clockwise to secure panels - more than 1/2 a turn.

**Note:** The locking nuts can be on either surface of the drawer sides. Make sure that the small groove is on the inside, as shown.






## Step 4

#### Fit the drawer base

Slide the drawer base 12 down the grooves in the drawer sides 10 and 11 and down into the groove in the drawer front 8.




## Step 5

#### Fit the drawer back

Fit the drawer back 9 between the drawer sides 10 and 11.

Make sure that the drawer base 12 fits into the groove in the drawer back 9.


Hold the drawer back 9 in position and tap the knock-in pegs 1 through the holes in the drawer sides 10 and 11.



## Step 6

#### Attach the handle

Attach the handle **Ka** to the drawer front **B** using 2 screws **Kb**.




## Step 7

# Fit runners to the drawers

Turn the drawer assemblies over.

Fit the runner **Lo** to the bottom edge of the left drawer side **10**, as shown, making sure that it is pushed up against the back of the drawer front **8**. Use a bradawl to mark the fixing positions, then secure with 2 screws **th**.

Fit the runner **Ld** to the bottom edge of the right drawer side **11** using the same method.




## Step 8

#### Prepare the left side

Fit 2 runners **La** to the left side **1**.

The 1st screw **G** uses the 2nd hole in from the front of the runner **La**.

The 2nd screw **G** uses the hole that lines up with the other panel hole.



# Step 9

# Finish preparing the left side


Tap a wooden dowel **A** into the left side **1**.

**Note:** Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.

Screw 3 metal dowels **B** into the left side **1**.

Insert a large locking nut (a) into the left side (1).

**Note:** The arrow on the locking nut **must** point towards the hole in the edge of the panel.




# Step 10

#### **Prepare the right side**

Tap a wooden dowel **A** into the right side **2**.

Screw 3 metal dowels **B** into the right side **2**.

Insert a large locking nut into the right side 2.



# Step 11

#### **Prepare the base**

Insert 4 large locking nuts **(E)** into the base **(6)**.

# Finished front edge


## Step 12

# Join the right side and base

Push the base 6 onto the right side 2.

Use a screwdriver to tighten the 2 large locking nuts fitted to the base 6.

**Note:** Turn the large locking nuts **(a)** as far as they will go - more than 1/2 a turn.



## Step 13

#### **Prepare the divider**


Fit 2 runners **b** to the divider **3**.


The 1st screw **G** uses the 2nd hole in from the front of the runner.

The 2nd screw **G** uses the hole that lines up with the other panel hole.

Tap a wooden dowel **A** into the divider **3**.

Insert a large locking nut (a) into the divider (3).






# Step 14

#### Fit the divider

Attach the divider 3 to the base 6 using 2 screws 0.




## Step 15

#### **Prepare the plinth**

Tap 2 wooden dowels **A** into the plinth **7**.

Insert 2 large locking nuts (a) into the plinth 7.




# Step 16

#### Fit the plinth

Push the plinth 7 onto the right side 2.

Use a screwdriver to tighten the large locking nut fitted to the plinth 7.



# Step 17

#### Fit the left side

Push the left side 1 onto the assembly.

Use a screwdriver to tighten the 3 large locking nuts **3** fitted to the base **6** and the plinth **7**.

# Step 18

#### **Prepare the top**


Screw 3 metal dowels **B** into the top **5**.


## Step 19

## Fit the top

Push the top 5 onto the assembly.

Use a screwdriver to tighten the 3 large locking nuts **(3)** fitted to the left side **(1)**, right side **(2)** and divider **(3)**.





## Step 20

#### Fit the back

**a:** Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.


**b:** Place the back 13 onto the unit making sure that it is pushed into the rebate on the left side 1.

Nail **D** the back **13** into the left side **1**, top **5**, base **6** and divider **3** as shown.

**Note:** Nails should be spaced about 150mm apart.

Stand the unit up for the next step.


The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y



# Step 21

#### Fit the shelf studs


Insert 4 shelf studs **©** into the holes on the right side **2** and divider **3**.



# Step 22

#### Fit the shelf

Lower the shelf 4 down onto the shelf studs **©**.



# Step 23


#### Fit the drawers

Slide the wheels of the runners fitted to the drawer, over the wheels of the runners fitted to the unit and push the drawer into position.

#### **Assembly is complete**



**Warning:** The unit is heavy. Lift with care.



If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800 and quote the reference numbers on the component pages.


Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

# Anderson - TV Unit

Assembly Instructions - Please keep for future reference

609/5521

609/5514



## **Dimensions**

Width - 100cm

Depth - 39.5cm

Height - 51.7cm



## Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



# Safety and Care Advice

## Important - Please read these instructions fully before starting assembly

- Warning: This unit weighs approximately 24kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).
- Dispose of all packaging carefully and responsibly.

#### Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

**Note:** If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

# Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below* 

## Please check you have all the panels listed below





12 Drawer Base (*T526*) (333 x 317mm) x 2


Back (X929-452) (929 x 452mm)

# Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below


## Please check you have all the fittings listed below

**Note:** The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



#### Tools required






If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

## Step 1

# Prepare the drawer fronts

Screw 2 metal dowels **B** into the holes shown on the back of the drawer front **B**.

**Note:** Tighten metal dowels up fully against the panels.




## Step 2


# Prepare the drawer sides


Insert a small locking nut **f** into the hole shown on the left drawer side **10** and right drawer side **11**.

**Note:** Arrow on locking nut **must** point towards hole in edge of panel.

**Note:** Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.







## Step 3


# Attach the drawer sides to the drawer front


Push the left drawer side 10 and right drawer side 11 onto the back of the drawer front 8.

Turn the small locking nuts **(F)** on the left drawer side **(10)** and right drawer side **(11)**.

**Note:** Turn the locking nuts **O** clockwise to secure panels - more than 1/2 a turn.

**Note:** The locking nuts can be on either surface of the drawer sides. Make sure that the small groove is on the inside, as shown.






## Step 4

#### Fit the drawer base

Slide the drawer base 12 down the grooves in the drawer sides 10 and 11 and down into the groove in the drawer front 8.




## Step 5

#### Fit the drawer back

Fit the drawer back 9 between the drawer sides 10 and 11.

Make sure that the drawer base 12 fits into the groove in the drawer back 9.


Hold the drawer back 9 in position and tap the knock-in pegs 1 through the holes in the drawer sides 10 and 11.



## Step 6

#### Attach the handles

Attach a handle **Ka** to each drawer front **8** using 2 screws **Kb**.




## Step 7

# Fit runners to the drawers

Turn the drawer assemblies over.

Fit the runner **Lo** to the bottom edge of the left drawer side **10**, as shown, making sure that it is pushed up against the back of the drawer front **8**. Use a bradawl to mark the fixing positions, then secure with 2 screws **1**.

Fit the runner **Ld** to the bottom edge of the right drawer side **11** using the same method.




## Step 8

#### Prepare the left side

Fit 2 runners **La** to the left side **1**.

The 1st screw **G** uses the 2nd hole in from the front of the runner **La**.

The 2nd screw **G** uses the hole that lines up with the other panel hole.



# Step 9

# Finish preparing the left side


Tap a wooden dowel **A** into the left side **1**.

**Note:** Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.

Screw 3 metal dowels **B** into the left side **1**.

Insert a large locking nut (a) into the left side (1).

**Note:** The arrow on the locking nut **must** point towards the hole in the edge of the panel.




## Step 10

#### **Prepare the right side**

Tap a wooden dowel **A** into the right side **2**.

Screw 3 metal dowels **B** into the right side **2**.

Insert a large locking nut a into the right side 2.



# Step 11

#### **Prepare the base**

Insert 4 large locking nuts **(E)** into the base **(6)**.

# Finished front edge


## Step 12

# Join the right side and base

Push the base 6 onto the right side 2.

Use a screwdriver to tighten the 2 large locking nuts fitted to the base 6.

Note: Turn the large locking nuts (a) as far as they will go - more than 1/2 a turn.



## Step 13

#### **Prepare the divider**


Fit 2 runners **Lb** to the divider **3**.


The 1st screw **G** uses the 2nd hole in from the front of the runner.

The 2nd screw **G** uses the hole that lines up with the other panel hole.

Tap a wooden dowel **A** into the divider **3**.

Insert a large locking nut (a) into the divider (3).






# Step 14

#### Fit the divider

Attach the divider 3 to the base 6 using 2 screws 1.




## Step 15

#### **Prepare the plinth**

Tap 2 wooden dowels (A) into the plinth 7.

Insert 2 large locking nuts (a) into the plinth 7.




# Step 16

#### Fit the plinth

Push the plinth 7 onto the right side 2.

Use a screwdriver to tighten the large locking nut fitted to the plinth 7.




# Step 17

#### Fit the left side

Push the left side 1 onto the assembly.


Use a screwdriver to tighten the 3 large locking nuts **3** fitted to the base **6** and the plinth **7**.



# Step 18

#### **Prepare the top**

Screw 3 metal dowels **B** into the top **5**.




# Step 19

## Fit the top

Push the top 5 onto the assembly.

Use a screwdriver to tighten the 3 large locking nuts **(3)** fitted to the left side **(1)**, right side **(2)** and divider **(3)**.



## Step 20

#### Fit the back

**a:** Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.


b: Place the back 13 onto the unit making sure that it is positioned flush with the outside edge of the left side 1.

Nail D the back 13 into the left side 1, top 5, base 6 and divider 3 as shown.

**Note:** Nails should be spaced about 150mm apart.

Stand the unit up for the next step.


The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y



## Step 21

#### Fit the shelf studs


Insert 4 shelf studs (a) into the holes on the right side (2) and divider (3).



# Step 22

#### Fit the shelf

Lower the shelf 4 down onto the shelf studs **©**.



# Step 23


#### Fit the drawers

Slide the wheels of the runners fitted to the drawer, over the wheels of the runners fitted to the unit and push the drawer into position.

#### **Assembly is complete**



**Warning:** The unit is heavy. Lift with care.



If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800 and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW