# Capella - 4 + 4 Drawer Chest


Assembly Instructions - Please keep for future reference

615/8602

615/8592

615/8585

615/5571



### Dimensions

Width -123.5cm

Depth - 39cm

Height - 74.4cm



### Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



## Safety and Care Advice

### Important - Please read these instructions fully before starting assembly

- Warning: This unit weighs approximately 38kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).
- Dispose of all packaging carefully and responsibly.

#### Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

**Note:** If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

## Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below* 

### Please check you have all the panels listed below






Support (D1046A) (300 x 85mm) Back (X832A) (1229 x 646mm)

## Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

#### Please check you have all the fittings listed below


**Note:** The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






Knock-in Peg (F171) x 32

### Tools required






If you have damaged or missing components, call the Customer Helpline: 08456 400800 quoting the reference

### Step 1

#### **Prepare the 4 left** hand drawer fronts and 4 right hand drawer fronts

Screw 2 metal dowels B into the holes shown on the back of each drawer front 6 and 7.

**Note:** Tighten the metal dowels up fully against the panels.



### Step 2


#### **Prepare the drawer** sides


Insert a small locking nut **(E)** into the hole shown on the left drawer side 9 and right drawer side **10**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

**Note:** Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.








is on the inside, as shown.



#### **Assemble the drawer** sides and back


Fit the left drawer side 9 and right drawer side 10 to the drawer back 8 by tapping in 4 knock-in pegs (L).



### Step 4

#### Fit the drawer base

Slide the drawer base 11 along the grooves of the drawer sides 9 and 10 into the groove of the drawer back 8.




## Step 5

## Attach the drawer front

Turn the drawer assembly over and push onto the back of the drawer front **6** and **7**.


**Note:** Turn locking nuts **(2)** clockwise to secure panels - more than 1/2 a turn.



### Step 6

#### Attach the handle

Attach a handle **(K)** to each drawer front **(6)** and **(7)** using 2 screws **(G)**.



Profiled front edge

## Step 7

### **Prepare the left side**

a: Place 4 runners ① on the left side ① . Slide back the top of the runner and use the 1st hole from the front to fit the 1st screw ①.

a:

Profiled front edge

Profiled front edge

D:


Profiled front edge

D:

Profiled front edge

**b:** Slide the runner back the other way and use the 3rd hole from the back to fit the 2nd screw **1**.

C: Screw 4 metal dowels into the left side 1.




Back edge


## Step 8

#### Prepare the right side


a: Place 4 runners on the right side 2. Slide back the top of the runner and use the 1st hole from the front to fit the 1st screw 1.



**b:** Slide the runner back the other way and use the 3rd hole from the back to fit the 2nd screw **1**.



C: Screw 4 metal dowels B into the right side 2.



## Step 9

#### **Prepare the upright**

a: Place 4 runners ① on the upright ②. Slide back the top of the runner and use the 1st hole from the front to fit the 1st screw ①.


**b:** Slide the runner back the other way and fit the 2nd screw into the corresponding hole in the upright 4.

Insert 2 large locking nuts **D** as shown.

**Note:** Arrow on locking nut **must** point towards hole in edge of panel.

#### Turn the upright over.

C: Repeat the instructions above to fit 4 runners ① onto the other side of the upright 13 using screws ①.



## Step 10

#### **Prepare the top**


Tap 4 wooden dowels **A** into the top **3** as shown.

**Note:** Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.

Insert 4 large locking nuts **D** into the top **3**.

**Note:** The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Screw 2 metal dowels **B** into the top **3**.




### Step 11

## Join the upright and top


Push the top 3 onto the upright 4 as shown.

Use a screwdriver to tighten the 2 large locking nuts **①** fitted to the upright **4**.

**Note:** Turn the large locking nuts **()** as far as they will go - more than 1/2 a turn.



## Step 12




### Step 13

#### **Prepare the 2 rails**

Tap 2 wooden dowels **A** into each rail **5**.


Insert 2 large locking nuts **D** into each rail **5**.




# Step 14 Fit a rail Push one of the rails 5 onto the right side 2. 2 Use a screwdriver to tighten the large locking nut **D** fitted to the rail **5** . Fix the rail 5 to the bottom edge of the upright 4 using screw **3**. Step **15** Fit the other rail Push the other rail 5 onto the right side 2. 2


Use a screwdriver to tighten the large locking nut fitted to the rail 5.

Note: Support this rail until the left side has been fitted in the next step.



## Step 17





### Step 19

#### Fit the drawers

Starting with the bottom drawer, slide both the runners ① forward and locate the drawer sides ② and 10 between them, lining up the holes in the drawer wrap with the 2nd 'threaded' holes in the runners ①.


Working from the inside of the drawer, insert 2 screws through the drawer sides and out into the 2nd threaded hole in the runner.

**Note:** Do not overtighten the screws **H**. If they catch on the runner you may need to loosen them slightly.

#### **Assembly is complete**



**Warning:** The unit is heavy. Lift with care.



If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800** and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

# Capella - 4 + 4 Drawer Chest

### Assembly Instructions - Please keep for future reference

249/6674

268/2433

247/6058

246/7081

615/5571



#### **Dimensions**

Width -123.5cm

Depth - 39cm

Height - 74.4cm



### Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, please visit www.argos-support.co.uk or email: Help@ClickSpares.co.uk (quoting your original order number)
Alternatively, call the Spares Helpline on: 0370 112 1928.

For any other queries please contact the Customer Helpline on: 0345 640 2020

## Components - Panels

If you need help or have damaged or missing parts, please visit www.argos-support.co.uk or email: Help@ClickSpares.co.uk (quoting your original order number)
Alternatively, call the Spares Helpline on: 0370 112 1928.

For any other queries please contact the Customer Helpline on: 0345 640 2020

When applicable, remove any Please check you have all the panels listed below protective film before use Top (D1042A) **1** Left Side (D1039A) Right Side (D1040A) (1205 x 369mm) (744 x 390mm) (744 x 390mm) Rail (D1043A) 5 (1205 x 103mm) x 2 6 Left Hand Drawer Front (D1044A) Right Hand Drawer Front (D1045A) (599 x 157mm) x 4 (599 x 157mm) x 4 Upright (D1041A) (621 x 368mm) Right Drawer Side (W370-124RH) 8 Drawer Back (W564 - 124) Left Drawer Side (W370-124LH) (370 x 124mm) x 8 (370 x 124mm) x 8 (564 x 124mm) x 8 Drawer Base (*T575 - 367*) (575 x 367mm) x 8



Support (D1046A)

(300 x 85mm)

Back (X832A) (1229 x 646mm)


## Components - Fittings


If you need help or have damaged or missing parts, please visit www.argos-support.co.uk or email: Help@ClickSpares.co.uk (quoting your original order number)
Alternatively, call the Spares Helpline on: 0370 112 1928.

For any other queries please contact the Customer Helpline on: 0345 640 2020

#### Please check you have all the fittings listed below

**Note:** The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






### Step 1

#### Prepare the 4 left hand drawer fronts and 4 right hand drawer fronts

Screw 2 metal dowels **B** into the holes shown on the back of each drawer front **6** and **7**.

**Note:** Tighten the metal dowels up fully against the panels.




### Step 2

## Prepare the drawer sides

Insert a small locking nut **(E)** into the hole shown on the left drawer side **(9)** and right drawer side **(10)**.

**Note:** The arrow on the locking nut **must** point towards the hole in the edge of the panel.

**Note:** Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.



### Step 3

# Attach the drawer sides to the drawer fronts

Push the left drawer sides

9 and right drawer sides

10 onto the back of the drawer fronts


6 and

7.

Turn the small locking nuts (a) on the left drawer side (b) and right drawer side (b).

Note: Turn the locking nuts (a) clockwise to secure panels - more than 1/2 a turn.

**Note:** The locking nuts can be on either surface of the drawer sides. Make sure that the small groove is on the inside, as shown.



### Step 4

#### Fit the drawer base

Slide the drawer base 11 down the grooves in the drawer sides 9 and 10 and down into the groove in the drawer fronts 6 and 7.

### Step 5

#### Fit the drawer back

Fit the drawer back 8 between the drawer sides 9 and 10.

Make sure that the drawer base 11 fits into the groove in the drawer back 8.

Hold the drawer back 8 in position and tap the knock-in pegs through the holes in the drawer sides 9 and 10.

### Step 6


#### Attach the handle


Attach a handle (\$\) to each drawer front 6 and 7 using 2 screw 6.


### Step 7


#### Fit the wedgefixes

Turn the large drawer assemblies over and slide 4 wedgefixes into the front and back grooves, as shown, and tighten up the screws.











## Step 8


### Prepare the left side

a: Place 4 runners J on the left side 1 . Slide back the top of the runner and use the 1st hole from the front to fit the 1st screw 1.

Profiled front edge Profiled front edge a: Profiled front edge b:

**b:** Slide the runner back the other way and use the 3rd hole from the back to fit the 2nd screw 0.

C: Screw 4 metal dowels B into the left side 1.




Back edge


## Step 9

#### Prepare the right side


a: Place 4 runners on the right side 2. Slide back the top of the runner and use the 1st hole from the front to fit the 1st screw 1.



**b:** Slide the runner back the other way and use the 3rd hole from the back to fit the 2nd screw **1**.



C: Screw 4 metal dowels B into the right side 2.



## Step 10

#### **Prepare the upright**

a: Place 4 runners ① on the upright ④. Slide back the top of the runner and use the 1st hole from the front to fit the 1st screw ①.


**b:** Slide the runner back the other way and fit the 2nd screw into the corresponding hole in the upright 4.

Insert 2 large locking nuts **D** as shown.

**Note:** Arrow on locking nut **must** point towards hole in edge of panel.

#### Turn the upright over.

C: Repeat the instructions above to fit 4 runners ① onto the other side of the upright ④ using screws ①.



## Step 11

#### **Prepare the top**


Tap 4 wooden dowels **A** into the top **3** as shown.

**Note:** Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.

Insert 4 large locking nuts **D** into the top **3**.

**Note:** The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Screw 2 metal dowels **B** into the top **3**.




## Step **12**

## Join the upright and top


Push the top 3 onto the upright 4 as shown.

Use a screwdriver to tighten the 2 large locking nuts **D** fitted to the upright **4**.

**Note:** Turn the large locking nuts **①** as far as they will go - more than 1/2 a turn.



## Step 13




### Step 14


#### **Prepare the 2 rails**


Tap 2 wooden dowels **A** into each rail **5**.

Insert 2 large locking nuts **D** into each rail **5**.





# Step 15 Fit a rail Push one of the rails 5 onto the right side 2. 2 Use a screwdriver to tighten the large locking nut **D** fitted to the rail **5** . Fix the rail 5 to the bottom edge of the upright 4 using screw **3**. Step 16 Fit the other rail Push the other rail 5 onto the right side 2.





## Step 18





Fit the 5 plastic nails

be spaced about 150mm

Note: Nails should

apart.

Tap 2 plastic nails N into the bottom edge of each of the sides 1 and 2 and 1 into the support 12.

Stand the unit up for the next step.



Warning: The unit is heavy. Lift with care.

### Step 20

#### Fit the drawers

Starting with the bottom drawer, slide both the runners forward and locate the drawer sides 9 and 10 between them, lining up the holes in the drawer wrap with the 2nd 'threaded' holes in the runners **J**.


Working from the inside of the drawer, insert 2 screws (H) through the drawer sides and out into the 2nd threaded hole in the runner.

**Note:** Do not overtighten the screws **H**. If they catch on the runner you may need to loosen them slightly.

#### **Assembly is complete**



Warning: The unit is heavy. Lift with care.



If you need help or have damaged or missing parts, please visit www.argos-support.co.uk or email: Help@ClickSpares.co.uk (quoting your original order number)

Alternatively, call the Spares Helpline on: 0370 112 1928.

For any other queries please contact the Customer Helpline on: 0345 640 2020