# Wow Parker Hi Back Leather Managers Chair

**Assembly Instructions** - Please keep for future reference | 6172633



**Dimensions**

Width - 60cm

Depth - 63.5cm

Height -104-113.5cm

**Important** - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts,call the **Customer Helpline:08456 400 800**

# Safety and Care Advice

**Important -** Please read these instructions fully before starting assembly

- Check you have all the components and fittings listed on pages 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area,small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product,this could cause damage.
- Assemble the item as close to its final position(in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 pepole.



• We do not recommend the use of power drill/drivers ***for inserting screws,*** as this could damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

## Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

## Safety during use

• Do not stand on this chair.do not use this chair as a step ladder.

• Atleast every 4 months,check all bolts,screws and knobs,to be sure they are tight.

• Use this product only for seating one person at a time.


• If parts are missing,broken or damaged or worn,stop use of this product until repairs are made& using factory authorized parts.

• Do not use this chair unless all bolts, screws and knobs are firmly secured.


• Failure to follow these warnings could result in serious injury.

# Component - Parts


## Please check you have all the components listed below




1 Backrest (50x 69cm)



2 Seat Cushion (50 x 50cm)




3 Seat Support




4 Base



5 Castor (R50mm)




6 Left Armrest



7 Cover



8 Gas lift (100mm)/400NT



9 Right Armrest



10 Plastic plug

# Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400 800**

## Please check you have all the fittings listed below

***Note:*** The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

| | | | | |
|---|---|---|---|---|
| A  19.05mm Screw x 12 | B  M4*35mm / 65mm Allen key | | | |

**Ruler**- Use this ruler to help correctly identify the screws



# Assembly Instructions

***NOTE***: It would be useful to ask someone to help you assemble the chair.

## Step 1

**Fitting the base**


**a:** Push all the five castors [5] onto the base [4] .

***NOTE***: Ensure all the castors are firmly located on the base.


**b:** Insert the gas lift [8] into the base,then slide the cover [7] over the top.

***NOTE***: Ensure the gas lift is fully inserted and well fitted.

**a:**





**b:**




## Step 2

**Fitting the seat cushion**


Use screw Ⓐ to fix seat support [3] into the seat cushion [2] .




## Step 3

**Fitting the armrests**

Use screw Ⓐ to fix the left armrest [6] and the right armrest [9] into the seat cushion,then use plastic plug [10] to cover the screws.




# Assembly Instructions

## Step 4

**Fitting the backrest**

Use screw Ⓐ to fix the backrest 1 in the armrest, then use the plastic plug 10 to cover the screws.

**Warning: the screw Ⓐ must be fully inserted and must be tightened up to eyelet of the backrest.**






## Step 5

**Fitting the unit**

Carefully locate the seat cushion 2 onto the base unit.

***NOTE*:** Take care during assembly as the parts can not be disassembled after fitting.





**Assembly is complete.**

If you need help or have damaged or missing parts, call the **Customer Helpline:08456 400 800**
Avebury Milton Keynes MK9 2NW www. argos.co.uk

# Parker Hi Back Leather Manager Chair

## Assembly Instructions - Please keep for future reference

617/2633



## Dimensions

Width-59cm
Depth-63cm
Height-102-104cm

## Important - Please read these instruction fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 0845 640 0800**

**Issue 1 -** 06/03/14

# Safety and Care Advice

## Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on pages 2 and 3.

•Remove all fittings from the plastic bags and separate them into their groups.

•Keep children and animals away from the work area, small parts could choke if swallowed.

•Make sure you have enough space to layout the parts before starting.


•Retain these instructions for future reference

•Do not stand or put weight on the product during assembly, this could cause damage.

•Assemble the item as close to its final position (in the same room) as possible.

•Assemble on a soft level surface to avoid damaging the unit or your floor.

•Parts of the assembly will be easier with 2 people.



•We do not recommend the use of power drill/drivers ***for inserting screws,*** as this could damage the unit. Only use hand screwdrivers.

•Dispose of all packaging carefully and responsibly.

•Do not use this item if any components are missing or damaged

## Care and maintenance

•Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

•From time to time check that there are no loose screws on this unit.

•This product should not be discarded with household waste. Take to your local authority waste disposal centre.

## Safety during use

• Do not stand on chair. Do not use this chair as a step ladder.

• At least every 4 months, check all bolts, screws and knobs, to be sure they are tight.

• Use this product only for seating one person at a time

• If parts are missing, broken, damaged or worn, stop using this product until repairs are made. Use only factory authorised parts.


• Do not use this chair unless all bolts, screws and knobs are firmly secured.

• Failure to follow these warnings could result in serious injury.


# Components - Parts

If you have damaged or missing components, call the **Customer Helpline: 0845 6400800**


## Please check you have all the parts listed below




1 Backrest
(485x690x65mm)




2 Armrest x2
(430x250x60mm)




3 Seat
(490x495x60mm)




4 Mechanism
(248x173mm)




5 Telescoping cover
(Φ75x320mm)




6 Gas lift
(Φ50x210mm)



7 Star base
(R320mm)



8 Normal castor x3
(Φ50mm)





9 Brake castor x2
(Φ50mm)


# Components - Fittings

## Please check you have all the fittings listed below

***Note:*** **The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.**


| | | |
|---|---|---|
| Ⓐ  M6x16mm bolt x4 | Ⓑ  M6x20mm bolt x8 | Ⓒ  Φ15x9mm cap x8 |
| Ⓓ  5mm Allen key x1 | | |

## Tools required



Ruler/tape measure

## **Ruler** - Use this ruler to help correctly identify the screws




# Assembly Instructions

## Step 1

**Attaching castors**


**a**:Insert castors 8 and 9 into star base 7. Making sure they are in alternate positions on the base.

**a:**





**b**:Turn star base 7 over and place it on the floor. Insert gas lift 6 into the center hole of star base 7.

**b:**




**c**:Place telescoping cover 5 over the gas lift 6.

**c:**




# Assembly Instructions

## Step 2

### Attaching armrests


Attach two armrests 2 to seat 3 with bolts B using allen key D.




## Step 3

### Assembling the backrest


Assemble armrests 2 to backrest 1 with bolts B .



# Assembly Instructions

## Step 4


Use cap C to cover the hole of arms 2.




## Step 5

**Attaching mechanism**

Attach mechanism 4 to seat 3 with bolts A .




# Assembly Instructions

## Step 6

Place the seat unit onto the top of the gas lift [6].

.




## Step 7

Assembly is complete.





If you need help or have damaged or missing parts, call the **Customer Helpline: 0845 640 0800**