Mid Back G/Lift Chair W/Arms Black

Simple Assembly Instructions - Please keep for future reference




Components

Ⓐ 1 x Backrest



Ⓒ 1 x Seat Support



Ⓔ 5 x Castor





According to the arrow shown,pls seperate Ⓕ and Ⓙ in the instructon frist

Ⓑ 1 x Seat Cushion



Ⓓ 1 x Base




Ⓕ 1 x Back support



Ⓙ 1 x Locking Screw with spring washer and flat washer



Ⓗ 1 x Connector



Ⓖ 2 x Armrest



Ⓘ 1 x Cover



Ⓚ 1 x Gas Lift



Fittings

Ⓐ 8 x Long Bolt



Ⓑ 4 x Bolt



Ⓒ 6 x Washer



9-04

IMPORTANT

1. *Read these instructions carefully and familiarise yourself with the procedure before assembling the unit.*
2. *Check that you have all the component parts following the list on the back cover and familiarise yourself with each part before proceeding.*
3. *Take all the fittings out of the plastic bag and separate them into their groups.*
4. *Ensure you have enough space to lay out all the parts before assembly.*
5. *To avoid scratching it is recommended that you assemble the unit on a soft level surface.*

After sales telephone number for spare parts - 0870 600 89 90

Assembly Instructions

Stage 1 – Fitting the Base

NOTE: It would be useful to ask someone to help you at this stage.

1. Push all the five Casters Ⓔ onto the Base Ⓓ.
   See fig. 1.




fig. 1

NOTE: Ensure all the Casters are firmly located on the Base.

2. Insert the Gas lift Ⓚ into the Base. Then slide the Cover Ⓘ over the top.
   See fig. 2.




fig. 2

NOTE: Ensure the Gas Lift is fully inserted and well fitted.

Assembly Instructions

Stage 2 – Fitting the Seat Cushion

NOTE: It would be useful to ask someone to help you at this stage.

1. Use Bolts Ⓑ to fix the Seat Support Ⓒ onto the Seat Cushion Ⓑ. Ensure the Support is fitted to the correct orientation with the Seat Cushion.
   See fig. 3.




fig. 3

2. Carefully locate the Seat Cushion Ⓑ onto the base unit.
   See fig. 4.




fig. 4

NOTE:

Take care during assembly as the parts can not be disassembled after fitting.

Assembly Instructions

Stage 3 – Fitting the Armrests

NOTE: It would be useful to ask someone to help you at this stage.

1. Use Long Bolts Ⓐ to fix the Back Support Ⓕ and Connector Ⓗ onto Backrest Ⓐ.
   See fig. 5.




fig. 5

2. Use Long Bolts Ⓐ and flat washer Ⓒ to fix the Armrests Ⓖ onto the unit.
   See fig. 6.




fig. 6

Assembly Instructions

Stage 4 – Finishing the Unit

1. Release the Locking Screw Ⓙ from Back Support Ⓕ. Then fit the Back Support Ⓕ onto the Base Unit and screw in the Locking Screw Ⓙ
   See fig. 6.

NOTE: Make sure the Locking Screw and Bolts are tightly fitted.

1. Carefully place the unit in the desired location.
   See fig. 7.

WARNING:

- **Do not stand on this chair. Do not use this chair as a step ladder.**
- **Use this product only for seating one person at a time.**
- **Do not use this chair unless all bolts, screws and knobs are firmly secured.**
- **At least every 4 months, check all bolts, screws and knobs, to be sure they are tight.**
- **If parts are missing, broken or damaged or worn, stop use of this product until repairs are made & using factory authorized parts.**
- **Failure to follow these warnings could result in serious injury.**




fig. 6

Care and Maintenance

Safety
To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.


Cleaning
As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.

Fitting
From time to time please ensure there are no loose screws on the product.

6179296

Mid Back Fabric Chair W Arms Black

Assembly Instructions - Please keep for future reference | **60798**



Dimensions

Width - 56.5cm

Depth - 54.5cm

Height - 84.5-96.5cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts call the **Customer Helpline 0845 0778888**

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and fittings listed on pages 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area,small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product,this could cause damage.
- Assemble the item as close to its final position(in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 pepole.



- We do not recommend the use of power drill/drivers ***for inserting screws,*** as this could damage the unit. Only use hand screwdrivers.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Safety during use


- Do not stand on this chair,do not use this chair as a step ladder.
- Use this product only for seating one person at a time.
- Do not use this chair unless all bolts, screws and knobs are firmly secured.
- Atleast every 4 months,check all bolts,screws and knobs,to be sure they are tight.
- If parts are missing,broken or damaged or worn,stop use of this product until repairs are made& using factory authorized parts.
- Failure to follow these warnings could result in serious injury.

Component - Parts

Please check you have all the components listed below




1 Backrest (42 x 42cm)



2 Seat Cushion (45.5 x 43cm)




3 Seat Support



4 Base (300mm)



5 Castor (R50mm)




6 Back support



7 Armrest x 2



8 Connector



9 Gas lift (120mm)/400NT





10 Cover

Components - Fittings


If you have damaged or missing components, call the Customer Helpline: 0845 0778888

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A 	B 	C 	
31.7mm Screw x 8	19mm Screw x 4	Washer x 6	Tools required

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions

NOTE: It would be useful to ask someone to help you assemble the chair.

Step 1

Fitting the base

a: Push all the five castors [5] onto the base [4].

NOTE: Ensure all the castors are firmly located on the base.

b: Insert the gas lift [9] into the base then slide the cover [10] over the top.

NOTE: Ensure the gas lift is fully inserted and well fitted.

Step 2


Fitting the seat cushion

a: Use screw Ⓑ to fix seat support [3] onto the seat cushion [2], ensure the support is fitted to the seat cushion with correct orientation.


b: Carefully locate the seat cushion [2] onto the base unit.

NOTE: Take care during assembly as the parts can not be disassembled after fitting.


a:



b:



a:



b:




Assembly Instructions

Step 3

Fitting the backrest


Use 5 new Ⓐ to fix the back support 6 and connector 8 onto backrest 1.



Step 4

Fitting the armrests


Use long screw Ⓐ and flat washer Ⓒ to fix the armrests 7 on the unit.



Step 5

Fitting the unit

Release the locking Screw from back support 6, then fit the back support 6 onto the base unit and tighten the locking screw.



NOTE: Make sure all the screws are tightly fitted.

Assembly is complete.

If you need help or have damaged or missing parts, call the **Customer Helpline:0845 0778888**
Avebury Milton Keynes MK9 2NW www. homebase.co.uk