
Doublebed White - 4Ft

Assembly Instructions - Please keep for future reference

7037076





Dimensions

Length - 195,3cm

Depth - 126,3cm

Height - 92,6cm

Weight - 22kg

Important – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline:

0045 7668 8055 or e-mail: order@flexa.dk



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



• We do not recommend the use of power drill/drivers *for inserting screws*, as this could

damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste.
 Take to your local authority waste disposal centre.

Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Parts

If you have damaged or missing components, call the **Customer Helpline: 0045 7668 8055**

Please check you have all the parts listed below







Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.





Step 1

Insert the Ø10 dowels **D** into the holes in bedsides **4** and endrails **7** and **8**.

It may be necessary to tap the dowels in very gently with a small hammer.

Apply glue to the list and attach it to the bedside using screws. Repeat for all four bedsides.

Step 2

Apply a small amount of glue into the 2 small holes in legs before the small dowels are gently hammered in.

Step 3


Attach endrails 7, 8 and 9 between legs 1 using screws **G**.

Don't overtighten.

Step 4

Attach endrail 9 between legs 3 using screws **6**.

Don't overtighten.



Step 5

Push the threaded pin
through the middle
hole in leg 2. Attach
connecting bolts to the
pin.

Note the position of the holes in connecting bolt **①**.

Step 6

Insert threaded bushes

into the holes in the bedsides


Connect the bedsides

to the leg

Fasten the bedsides by tightening the grub screws

threaded bushes


.



Step 7

Attach the assembled bedsides by placing the dowels into the holes in legs 1 and 3.

Push barrel nuts B into the holes in bedsides 4. Put the washer O on the 2 connecting bolts A which are used to attach the headboard. Push connecting bolt A through legs 1 and 3 to meet the barrel nuts B and fasten with the allen key.



Step 8

Attach angles **P** to the lower endrails using screws **O**.

Step 9

Attach midsupports


10 to the angles using screws

0. Attach the midsupports

10 to the leg


11 using screws

0.



Step 10


Position three slats 6 into the bed with the distances shown. Push the bedsides together and fasten the slats using screws **6**.



Step 11

Position the remaining slats 6 into the bed with the distance of 65 mm between one another. Fasten the slats using screws 6.

Assembly is complete.



If you need help or have damaged or missing parts, call the **Customer Helpline: 0045 7668 8055** E-mail: order@flexa.dk