Metal High Sleeper

Assembly Instructions – Please keep for future reference | 656/0159





Dimensions

Length - 200cm

Width - 97.5cm

Height - 185cm

Important – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 1 - 06/01/10

Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.
- Make sure you have enough space to layout the parts before starting.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Dispose of all packaging carefully and responsibly.
- Place the product on flat and steady surface during use.
- Keep these instructions for further use.
- To ensure an easier assembly, we strongly advise that all fittings are only finger tightened during initial assembly. Only upon completion of the assembly should all fixing points be fully tightened.

Mattress height safety notice

Important

1) Please note the maximum mattress height is indicated on the corner post inside the opening at the top of the ladder.
2) This is legal requirement and it is vital that the mattress does not exceed this mark.
3) Maximum thickness of the mattress is 20cm:The top of the mattress shall not come above the line marked on the bed.
4) All assembly fixings should always be tightened properly.Take care to ensure that no fixings are loose.
5) Recommended size of the mattress for the top bunk is 90×190cm.
6) The bunk bed should not be used if any structural part is broken or missing.
7) The upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.
8) Children can strangle in items such as ropes, strings, cords, harnesses and belts attached to or hung on a bunk bed.

Warning

1) Children can become trapped between the bed and wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75mm or shall be more than 230mm.
2) The bed complies with EN747-1:2007


Care and maintenance

- Safety: To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.
- Cleaning: As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Components - Parts

Please check you have all the parts listed below




1 Corner post x 4 (Ø4.5 x 184.7cm)






3 Lower stretcher (short) x 2 (Ø1.9 x 88.5cm)




2 End panel x 2 (97 x 39.8cm)

7 Support x 2 (Ø1.3 x 90cm)




4 Rear guard (191 x 42cm)


5 Lower stretcher (long) (190.4 x 3cm)



6 Front guard (191 x 42cm)



8 Ladder (151 x 35.7cm)
















9 Slats x 24 (Ø1.6 x 95cm)

Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  M6 x 15mm Allen screw x 8	**B**  M6 x 65mm Allen screw x 9	**C**  Curved washer(small) x 19
D  Plastic cap x 4	**E**  Curved washer(large) x 8	**F**  Rubber washer x 8
G  M6 x 45mm Screw x 4	**H**  M8 x 65mm Allen screw x 4	**J**  Nut x 6
K  M6 x 35mm Allen screw x 2	**L**  M6 x 10mm Screw x 52	**M**  Plastic plug x 6
N  Allen key x 2	**P**  Allen key x 1	

Ruler – Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1

Assembling side frames

Lay two corner posts [1], end panel [2] and short lower stretcher [3] flat on the floor as shown.

Note: The holes in end panel [2] must be at the top.

Insert end panel [2] into the large holes in posts [1].

Secure using fixings Ⓐ and Ⓒ.


Note: Do not fully tighten screws Ⓐ.


Assemble short lower stretcher [3] in between the corner posts using fixings Ⓑ and Ⓒ.

Note: Do not fully tighten screws Ⓑ.

Insert end caps Ⓓ into the top of the corner posts.

Repeat for the other side frame.





Step 2

Assembling rear guard

Two people are needed here.

With help, stand both side frames upright.

Assemble rear guard [4] in between the side frames as shown.

Note: Do not fully tighten any screws during the assembly.


Secure at the top using fixings Ⓑ and Ⓒ as shown.

Secure at the bottom using fixings Ⓔ Ⓕ Ⓖ Ⓗ and Ⓙ as shown.

Note: Plastic washers Ⓕ are located in between the rear guard and the side frames.

Assemble long lower stretcher [5] in between the side frames using fixings Ⓑ and Ⓒ.

Assemble supports [7] in between rear guard [4] and long stretcher [5] using screws Ⓛ.



Step 3


Assembling front guard

At this stage, choose if you want the ladder on the right hand side or left hand side.

According to which side you want the ladder, assemble front guard 6 in between the side frames as shown.

Secure at the top using fixings B and C.

Secure at the bottom using fixings E F G H and J.




Step 4

Attaching ladder

Assemble ladder 8 to front guard 6 using fixings C J and K.

Note: fixings J are located inside the frame as shown.




Assembly Instructions

Step 5

Assembling slats

Assemble slats [9] using screws (L) as shown.

Plastic plugs (M) can be used to cover the un-used holes in corner posts [1] as shown.



Assembly is complete.

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**
Home Retail Group. 489-499 Avebury Boulevard. Saxon Gate West. Central Milton Keynes. MK9 2NW

Metal High Sleeper

Assembly Instructions – Please keep for future reference | 656/0159





Dimensions

Length - 200cm

Width - 97.5cm

Height - 185cm

Important – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 2 - 26/06/13

Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.
- Make sure you have enough space to layout the parts before starting.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Dispose of all packaging carefully and responsibly.
- Place the product on flat and steady surface during use.
- Keep these instructions for further use.
- To ensure an easier assembly, we strongly advise that all fittings are only finger tightened during initial assembly. Only upon completion of the assembly should all fixing points be fully tightened.

Mattress height safety notice

Important

1) Please note the maximum mattress height is indicated on the corner post inside the opening at the top of the ladder.
2) This is legal requirement and it is vital that the mattress does not exceed this mark.
3) Maximum thickness of the mattress is 20cm:The top of the mattress shall not come above the line marked on the bed.
4) All assembly fixings should always be tightened properly.Take care to ensure that no fixings are loose.
5) Recommended size of the mattress for the top bunk is 90×190cm.
6) The bunk bed should not be used if any structural part is broken or missing.
7) Warning: High beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.
8) Children can strangle in items such as ropes, strings, cords, harnesses and belts attached to or hung on a bunk bed.

Warning


1) Children can become trapped between the bed and wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75mm or shall be more than 230mm.
2) The bed complies with EN747-1:2012

Care and maintenance


- Safety: To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.
- Cleaning: As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.
- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Components - Parts

Please check you have all the parts listed below




1 Corner post x 2 (Ø4.5 x 184.7cm)




2 Corner post x 2 (Ø4.5 x 184.7cm)




4 Lower stretcher (short) x 2 (Ø1.9 x 88.5cm)




3 End panel x 2 (97 x 39.8cm)




8 Support x 2 (Ø1.3 x 90cm)



5 Rear guard (191 x 42cm)




6 Lower stretcher (long) (190.4 x 3cm)



7 Front guard (191 x 42cm)

9 Slats x 2 (□2 x 1 x 95cm)

10 Slats x 22 ((□2 x 1 x 95cm)

















11 Ladder (151 x 35.7cm)

Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.


A  M6 x 15mm Allen screw x 8	**B**  M6 x 65mm Allen screw x 9	**C**  Curved washer(small) x 19
D  Plastic cap x 4	**E**  Curved washer(large) x 8	**F**  Rubber washer x 8
G  M6 x 45mm Screw x 4	**H**  M8 x 65mm Allen screw x 4	**J**  Nut x 6
K  M6 x 35mm Allen screw x 2	**L**  M6 x 10mm Screw x 52	**M**  Plastic plug x 6
N  Foot x 2	**P**  Allen key x 2	**Q**  Allen key x 1

Tools required



Ruler/tape measure

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1

Assembling side frames

Lay front corner post 1 ,rear corner post 2, end panel 3 and lower stretcher 4 flat on the floor as shown.

Note: The holes in end panel 3 must be at the top.

Note: The bottom of rear corner post 2 is smaller diameter.

Insert end panel 3 into the large holes in posts 2.

Secure using fixings A and C.


Note: Do not fully tighten screws A.


Assemble short lower stretcher 4 in between the corner posts using fixings B and C.


Note: Do not fully tighten screws B.

Insert end caps D into the top of the corner posts.

Repeat for the other side frame.







Step 2

Assembling rear guard

Two people are needed here.

With help, stand both side frames upright.

Assemble rear guard [5] in between the side frames as shown.

Note: Do not fully tighten any screws during the assembly.

Secure at the top using fixings Ⓑ and Ⓒ as shown.


Secure at the bottom using fixings Ⓔ Ⓕ Ⓖ Ⓗ and Ⓙ as shown.

Note: Plastic washers Ⓕ are located in between the rear guard and the side frames.

Assemble long lower stretcher [6] in between the side frames using fixings Ⓑ and Ⓒ.

Assemble supports [8] in between rear guard [5] and long stretcher [6] using screws Ⓛ.

With help, fit feet Ⓝ to corner posts [2] at the rear of the bunk.



Step 3


Assembling front guard

At this stage, choose if you want the ladder on the right hand side or left hand side.

According to which side you want the ladder, assemble front guard 7 in between the side frames as shown.

Secure at the top using fixings B and C.

Secure at the bottom using fixings E F G H and J.




Step 4

Attaching ladder

Assemble ladder 11 to front guard 7 using fixings C J and K.

Note: fixings J are located inside the frame as shown.



Assembly Instructions

Step 5

Assembling slats

Fit slats [9] in the very last fixing holes at each end of the bed.


Note: **The arrow labels on slats [9] must point outside.**


Note: Slats [9] have been labelled for easier identification.

Assemble slats [10] using screws (L) as shown.

Plastic plugs (M) can be used to cover the un-used holes in corner posts [1] as shown.

Assembly is complete.





If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**
Home Retail Group. 489-499 Avebury Boulevard. Saxon Gate West. Central Milton Keynes. MK9 2NW