09 SITNSLEEP METAL HIGHSLEEPER FRAME

Assembly Instructions - Please keep for future reference

758/5401

758/5418



Bed unit dimensions
Width - 201cm
Depth - 154cm
Height - 179cm

Sofa unit dimensions
Width - 202cm
Depth - 85.5cm
Height - 25.5cm

Important - Please read these instruction fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 1 - 2/01/10

Safety and Care Advice

IMPORTANT – READ CAREFULLY – RETAIN FOR FUTURE REFERENCE

• Check you have all the components and tools listed on pages 2, 3 and 4.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• All assembly fastenings should always be tightened properly and that care should be taken that no fittings are loose.

• Recommended size of the mattress(es):
W90 x L190 x D18cm.

• Do not stand on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.

• The bunk bed or high bed should not be used if any structural part is broken or missing.

• The high beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.



• We do not recommend the use of power drill/drivers ***for inserting screws,*** as this could damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

• Children can strangle in items such as ropes, strings, cords, harnesses and belts attached to or hung on a bunk bed/ high bed.

• Warning: “Children can become trapped between the bed and the wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75 mm or shall be more than 230mm”.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Keep These Instructions For Future Reference

• This product complies with EN 747-1:2007

• Argos plc
489-499 Avebury Boulevard
Central Milton Keynes
MK9 2NW

Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components


Please check you have all the panels listed below




1 Metal leg X 1 (179 x 4.8cm)




2 Metal leg X 1 **(179 x 4.8cm)**



3 Metal leg X 1 (179 x 4.8cm)



4 Metal leg X 1 (179 x 4.8cm)



5 Headboard X 2 (89.9 x 39.4cm)

6 Base frame X 2 (88.7 x 2cm)

7 Base frame X 2 (88.7 x 2cm)


8 Filler bar X 2 (91 x 3cm)

9 Base frame X 1 (129 x 3cm)

10 Side rail X 1 (190.7 x 4cm)


11 Side rail X 1 **(191.3 x 1.9cm)**

12 Side rail X 1 (190.7 x 4cm)



13 Desk frame X 2 (57.3 x 30.8cm)

14 Base frame X 4 (70.4 x 1.6cm)




15 Upper desk panel X 1 (70 x 28cm)

Components


Please check you have all the panels listed below




16 Lower desk panel X 1(70 x 40cm)




17 Bed slat X 1 (190.7 x 93.4cm)



18 Back safety barrier X 1
(190.3 x 37cm)




19 Front safety barrier X 1
(154 x 37cm)




20 Ladder X 1 (152 x 37.5cm)


21 Base frame X 2(75.3 x 4cm)




22 Side frame X 2(96.8 x 25cm)




23 Spring hinge X 1 (46 x 16cm)



24 Spring hinge X 1 (46 x 16cm)



25 Sofa slat X 1 (71.5 x 64.5cm)



26 Sofa slat X 1 (130.9 x 71.5cm)



27 Foot steel X 1 (64.6 x 23.5cm)





28 Foot steel X 1 (18.7 x 7cm)

Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  M6 x 20mm Bolts x 8	**B**  M6 x 70mm Bolts x 16	**C**  Ø16 Washers x 22
D  M6 x 45mm Bolts x 6	**E**  M6 x 61mm Bolts x 2	**F**  M6 Nuts x 4
G  M6 x 18mm Bolts x 4	**H**  M6 x 35mm Bolts x 14	**I**  Ø18 Washers x 19
J  25mm Self-tapping screw x 8	**K**  M8 x 75mm Bolts x 3	**L**  Ø19 Washers x 3
M  M6 x 55mm Bolts x 5	**N**  M8 x 55mm Bolts x 1	**O**  Ø20 Washers x 20
P  Plastic cover x 22	**Q**  Sticky pad x 4	**R**  M8 x 70mm Bolts x 4
S  M8 x 32mm Bolts x 4	**T**  M8 Nuts x 12	**U**  M8 x 38mm Bolts x 10
V  M8 x 45mm Bolts x 1		

Tools required


 Allen key M4 (included)

 Spanner M6 (included)


 Screwdriver (not included)

 Allen key M5 (included)

 Spanner M8 (included)

 Rubber mallet (not included)


Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1


Note: Please ensure the WASHER is curving in facing the hole before assembling.



Step 2 - Bed unit

Preparing metal leg


Please be careful to select metal leg 1 2 , 3 & 4 for assmbling.



Step 3

Attaching headboard


Attach 1 pc of metal leg 1 to headboard 5 by using 2 pcs of bolts A .



Step 4

Attaching base frame

Attach 2 pcs of base frames 6 and 1 pc of base frame 7 to the metal leg 1 by using 3 pcs of bolts B and washers C .




Assembly Instructions

Step 5

Attaching metal leg

Two people are required here.


Attach metal leg [2] to the unit by using 2 pcs of bolts Ⓐ and 3 pcs of bolts Ⓑ and washers Ⓒ.



Step 6

Attaching filler bar


Attach filler bar [8] to headboard [5] by using 3 pcs of bolts Ⓓ.



Step 7

Attaching headboard

Attach 1 pc of metal leg [3] to headboard [5] by using 2 pcs of bolts Ⓐ.



Assembly Instructions


Step 8

Attaching base frame

Two people are required here.

a: Attach 1 pc of base frame [7] to metal leg [3] by using 1 pc of bolt (B) and washer (C) .

b: Attach 1 pc of base frame [9] to metal leg [3] by using 1 pc of bolt (E), washer (C) and nut (F) .




Step 9

Attaching metal leg

Two people are required here.


Attach metal leg [4] to the unit by using 2 pcs of bolts (A) and 1pc of bolt (E) , washer (C) and nut (F) and 1 pc of bolt (B) and washer (C) from top to the end.



Step 10

Attaching filler bar

Attach filler bar [8] to headboard [5] by using 3 pcs of bolts (D).




Step 11

Fitting side rail

Two people are required here.

Fix side rail 10 to the unit by using 4 pcs of bolts B and washers C .




Step 12

Fitting side rail

Two people are required here.

Fix side rail 11 to the unit by using 4 pcs of bolts G and washers C .




Assembly Instructions

Step 13

Fitting side rail

Two people are required here.


Fix side rail 12 to the unit by using 4 pcs of bolts B and washers C.




Step 14

Attaching base frame

Attach 4 pcs of base frames 14 to the desk frame 13 by using 4 pcs of bolts H and washers I.





Step 15


Attaching desk frame

Attach the desk frame 13 to the unit by using 4 pcs of bolts H and washers I.

Step 16

Fitting upper desk panel


Fix the upper desk panel 15 to the unit by using 4 pcs of screws J.



Step 17

Fitting lower desk panel

Fix the lower desk panel 16 to the unit by using 4 pcs of screws J.




Step 18

Attaching bookshelf

Two people are required here.

Attach the bookshelf unit to the bedframe by using 4 pcs of bolts H and washers I .




Assembly Instructions

Step 19

Preparing bed slat

Spread out the bed slat 17, each hook should be pointed downwards as shown.




Step 20

Attaching bed slat

Two people are required here.

Insert each hook of bed slat 17 into the corresponding holes of the side rails 10 and 12.




Step 21

Attaching side frame

Two people are required here.

Attach back barrier 18 to the unit by using 2 pcs of bolts K and washers L.




Assembly Instructions

Step 22

Fixing back safety barrier

Fix back barrier 18 to the unit by using 3 pcs of bolts M and washers I.




Step 23

Fixing front safety barrier

Two people are required here.


Fix front barrier 19 to the unit by using 1 pc of bolt K and washer L and 2 pcs of bolts M and washers I and 1 pc of bolt N and washer O from right side to left side.



Step 24

Inserting plastic cover

Insert 22 pcs of plastic covers (P) into unit by hand.




Step 25

Attaching ladder

Two people are required here.

a: Attach ladder 20 to the side rail 12.

b: Attach ladder 20 to the unit by using 2 pcs of bolts (H), washers (I) and nuts (F).




Step 26

Assembly is complete for the bed unit.


There are two option to choose for assembling the ladder and bookshelf.

Warning:
Top of the mattress shall not come above the line marked on the bed.

OPTION 1




OPTION 2



Step 27 - Sofa unit

Attaching sticky pad

Attach the sticky pad Q onto both end of base frames 21 against the friction between metal frame.




Step 28

Attaching base frame

Two people are required here.

Fix the base frames 21 to the side frames 22 by using 4 pcs of bolts R and washers O .




Step 29

Attaching spring hinge

Two people are required here.

Attach the spring hinge 23 to the unit by using 2 pcs of bolts S, washers O and nuts T .




Assembly Instructions

Step 30

Attaching spring hinge

Two people are required here.


Attach the spring hinge 24 to the unit by using 2 pcs of bolts S, washers O and nuts T .



Step 31

Attaching sofa slat


Attach the sofa slat 25 onto the spring hinge on the unit by using 4 pcs of bolts U, washers O and nuts T .



Step 32

Attaching foot steel

Fix the foot steel 27 to the sofa slat 26 by using 2 pcs of bolts U and washers O .




Step 33

Attaching foot steel

Two people are required here.

Fix the foot steel 28 to the unit by using 1 pc of bolt V and washer O.





Step 34

Attaching sofa slat

Two people are required here.

Attach the sofa slat 26 onto the spring hinge on the unit by using 4 pcs of bolts U, washers O and nuts T.






Step 35

Adjusting sofa seat


a: Fold sofa slat **26** as shown.

a:




b: Lift sofa slat **26** as shown.

b:




c: Lift sofa slat **25** as shown.

c:



d: Move simultaneously sections **25** and **26** to adjust the sofa seat.


d:



Assembly Instructions

Step 36

Assembly is complete for the sofa seat unit.



Step 37

Assembly is complete.



If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

Sit N' Sleep Bed

Assembly Instructions - Please keep for future reference

7585418

7585401



Dimensions

Width - 200cm
Depth - 99/143cm
Height - 170.5cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 1 - 21/08/12

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Because of the size of this unit, it is recommended to assemble it in the room intended for use.

• Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.

• Discard all extra fittings and keep fittings out of reach of children.

• Assemble this product on a flat surface.

• Assemble all parts loosely before tightening any bolts.

• At least 2 people are required to assemble this product.

• Unit weight: 38.6kgs.

• Retain Assembly Instructions for future reference.



• We do not recommend the use of power drill/drivers ***for inserting screws***, as this could damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

Warnings

• **READ CAREFULLY - RETAIN FOR FUTURE REFERENCE**

• Regularly check and ensure that all bolts and fittings are tightened properly.

• Always use the ladder for entering and leaving the upper bunk.

• The recommended mattress size is L1900 x W910 mm.

• Ensure thickness of mattress does not exceed 220 mm.

• Refrain from using the bunk bed if any structural part is broken or missing.

• Please advise your children to only enter and leave the upper bunk by using the ladder.

• Please prohibit more that one person on the upper bunk.

• Please prohibit children from jumping on the upper and lower beds.

• **WARNING:** Do not allow children under 6 years of age to use the upper bunk due to risk of injury and falls.

• **STRANGULATION HAZARD** - Never attach or hang items such as ropes, strings, cords, harnesses and belts to any part of the bunk bed.

• **WARNING:** Children can become trapped between the bed and the wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75 mm or shall be more than 230 mm.

• **THIS BED COMPLIES WITH EN747-1:2012 / EN747-2:2012**

Care and maintenance

• Please clean the unit surface using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.


• Do not use any abrasive materials when cleaning.

• From time to time check that there are no loose bolts on this unit.


Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Parts


Please check you have all the parts listed below




1 Front right-hand endpost
(Ø5 x 170.5cm)




2 Back right-hand end post
(Ø5 x 170.5cm)




3 Back left-hand end post
(Ø5 x 170.5cm)




4 Front left-hand end post
(Ø5 x 170.5cm)




5 Upper side safety rail x 2
(91 x 36 x 4cm)




6 Lower side rail x 2
(91 x 4 x 2cm)




7 Middle side rail x 2
(89 x 2 x 2cm)




8 Lower rail
(190 x 6.5 x 2.5cm)



9 Upper back safety rail
(190 x 41.5 x 2.5cm)




10 Upper front safety rail
(190 x 41.5 x 2.5cm)




11 Slats (with webbing attached) x 24
(94 x 2.5 x 2.6cm)

Components - Parts (cont.)

Please check you have all the parts listed below




12 Left ladder side rail
(Ø2.5 x 141cm)




13 Right ladder side rail
(Ø2.5 x 141cm)




14 Ladder step x 4
(Ø2.5 x 29 cm)




15 Ladder brace
(45.5 x 1.5 x Ø1cm)




16 Shelf side frame x 2
(52 x 33 x 1.6cm)




17 Shelf brace x 4
(Ø1.3 x 72cm)



18 Small shelf panel
(72 x 24 x 1.2cm)



19 Big shelf panel
(72 x 33 x 1.2cm)












20 Back brace x 2
(135.5 x 2 x Ø1.3cm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  M6 x 80mm Bolt x 11	**B**  M6 x 50mm Bolt x 8	**C**  M6 x 35mm Bolt x 2
D  M6 x 27mm Bolt x 12	**E**  M6 x 20mm Bolt x 11	**F**  M8 x 60 mm Bolt x 12
G  Big screw x 8	**H**  Small screw x 2	**I**  M8 Curved washer x 12
J  M6 Curved washer x 19	**K**  Plastic washer x 8	**L**  Wall strap x 1
M  M8 Lock nut x 6	**N**  Spring washer x 8	**O**  Plastic cap x 8
P  Spanner x 1	**Q**  Allen key x 1	

Tools required

 Crosshead screwdriver

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1

Assembling end panels

Lay all parts flat on a soft surface on the floor to avoid damaging any of the parts.

Note: Identify and correctly position end posts 1, 2, 3 and 4 by looking for the sticker label pasted on the posts.

Note: Determine your preferred shelf position. Then attach the middle side rails 7 either on the left or right.

a: Attach the lower side rail 6 to end posts 1 and 2 then secure using washers J and bolts A.


Note: Do not fully tighten bolts at this stage.

b: Attach the upper side safety rail 5 into position and secure using bolts E.


Note: Fully tighten all bolts using allen key Q.

Repeat above steps to assemble the left-hand end panel as shown in the diagram.


a:




b:



RIGHT-HAND END PANEL



LEFT-HAND END PANEL



Assembly Instructions

Step 2

Attaching rails

Note: Determine your preferred bunk bed entry position. Then attach the front safety rail 10 with the entry space positioned either on the left or right.

a: Identify the correct rails for assembly and with the help of an assistant attach the lower tubes of upper back safety rail 9, upper front safety rail 10 and lower rail 8 to end posts using bolts F, washers I and nuts M.

Note:
Do not fix bolts on lower holes of back safety rail 9 at this stage.


Locate hole on centre of lower rail 8 and make sure to position it up.


Do not fully tighten bolts at this stage.


b: Attach the top tubes of upper back safety rail 9 and upper front safety rail 10 to end posts using bolts A and washers J.

Note: Do not fully tighten bolts at this stage.

c: Insert plastic caps O into holes on the right end posts 1 & 2 and fix by pushing firmly as shown.







Assembly Instructions


Step 3

Attaching back braces


a: Position the back braces [20] as shown and attach it to upper back safety rail [9] using bolts (F), washers (I) and nuts (M).

b: Attach the back braces [20] to lower rail [8] using bolt (E) as shown.


Note: After all bolts in step 2 and 3 are positioned, fully tighten all bolts and nuts using allen key (Q) and spanner (P).



a:



b:



Step 4


Assembling shelf

a: Attach the shelf braces [17] to shelf side frames [16] using bolts (D) as shown.


Note: Do not fully tighten bolts at this stage.


b: Position the shelf panels [18] and [19] as shown and attach it to shelf braces [17] using screws (G). Tighten screws using a crosshead screwdriver.

Note: After all bolts and screws are positioned, fully tighten all bolts using allen key (Q).




a:





b:




Assembly Instructions

Step 5

Attaching shelf

Position the shelf on the bed as shown and attach the side frames 16 to middle right side rails 7 using bolts D. Tighten bolts using allen key Q.




Step 6

Attaching slats


a: With the help of an assistant, line up the slats 11 onto upper rails 9 and 10. Push firmly down to lock it into position. Check that they cannot be removed by slightly pulling upwards.

b: Extend the end of the webbing on the slats 11 and secure to bottom edge of side safety rails 5 using screws H. Tighten screws using a crosshead screwdriver.



a:

b:




Assembly Instructions


Step 7

Assembling ladder

Referring to diagram, attach the ladder steps 14 to ladder side rails 12 and 13 using bolts B, spring washers N, curved washers J and plastic washers K. Tighten all bolts using allen key Q.

Note: Identify and correctly position the ladder side rails 12 and 13 by looking for the sticker labels pasted on the rails.







Step 8

Attaching ladder

Attach the ladder to the upper front safety rail 10 using bolts C as shown. Tighten bolts using allen key Q.






Assembly Instructions

Step 9

Securing the ladder

Attach the ladder brace 15 to ladder side rail 12 and front right-hand post 4 using bolts E. Tighten bolts using allen key Q.



Step 10


Fixing to wall

This unit must be fixed to a wall.

Move the bunk bed into position on the wall. Position the wall strap L to the top post of upper back safety rail 9 to mark fixing holes on the wall. Remove the wall strap then drill holes and insert appropriate wall plugs. Reposition wall strap L and fix using appropriate screws.

Warning:
Before drilling, check wall for hidden pipes and cables. Consult a qualified specialist if unsure.

Assembly is complete.



If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Single Metal Futon

Assembly Instructions - Please keep for future reference

7585418

7585401



Dimensions

Width - 82cm

Depth - 80-170cm

Height - 30-69.5cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 1 - 21/08/12

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Because of the size of this unit, it is recommended to assemble it in the room intended for use.

• Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.

• Assemble this product on a flat surface.

• Assemble all parts loosely before tightening any bolts.

• Discard all extra fittings and keep fittings out of reach of children.

• Unit weight: 45kgs.

• At least 2 people are required to assemble this product.

• Retain Assembly Instructions for future reference.



• We do not recommend the use of power drill/drivers ***for inserting screws***, as this could damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

Warnings

• This product should only be used on firm, level ground.

• Make sure the legs remain in contact with the ground.

• Do not stand on the product.

• Keep hands away from folding mechanisms to prevent possible entrapment or injury.

• Do not allow children to jump on the unit as this could cause damage to the frame.

• Folding and unfolding this product should only be carried out under adult supervision.

Care and maintenance


• Please clean the unit surface using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.

• Do not use any abrasive materials when cleaning.


• From time to time check that there are no loose bolts on this unit.

Components - Parts


Please check you have all the parts listed below




1 Futon side frame x 2
(70 x 30 x 3.2cm)




2 Front / back rail x 2
(76 x 8.5 x 2.5cm)




3 Back frame
(70 x 55 x 2cm)




4 Seat frame
(110 x 70 x 2cm)




5 Front leg
(63 x 26 x 2.4cm)



6 Flap stay
(23.5 x 1.5 x 1cm)




7 Centre leg
(23 x 7.5 x 2.2cm)



Sticker “8”

8 Left futon mechanism
(42.5 x 18 x 5.5cm)



Sticker “9”










9 Right futon mechanism
(42.5 x 18 x 5.5cm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  M8 x 40mm Bolt x 8	**B**  M8 x 30mm Bolt x 12	**C**  M6 x 60mm Bolt x 1
D  M6 x 50mm Bolt x 1	**E**  M6 x 30 mm Bolt x 2	**F**  M6 x 15 mm Bolt x 2
G  M8 Lock nut x 20	**H**  M6 Lock nut x 4	**I**  Curved metal washer x 8
J  Spacer x 2	**K**  Flat metal washer x 3	**L**  Plastic washer x 1
M  Adhesive pad x 8	**N**  Allen key x 1	**O**  Small spanner x 1
P  Big spanner x 1		

Ruler - Use this ruler to help correctly identify the screws




Assembly Instructions

Step 1

Attaching side frames

Position the side frames 1 as shown and attach the front/back rails 2 using bolts A, washers I and nuts G. Tighten bolts and nuts using allen key N and big spanner P.





Step 2

Attaching futon mechanisms

Correctly position the left 8 and right 9 futon mechanisms and attach it to side frames 1 using bolts B and nuts G. Tighten bolts and nuts using allen key N and big spanner P.

Note: Identify and correctly position the futon mechanisms 8 and 9 by looking for the sticker labels pasted on the rails.







Step 3

Attaching back frame

Position the back frame 3 as shown and attach it to futon mechanisms 8 and 9 using bolts B and nuts G. Tighten bolts and nuts using allen key N and big spanner P.






Assembly Instructions

Step 4

Attaching centre leg


Carefully lay the seat frame 4 face down on a flat protected surface. Position the centre leg 7 as shown and attach it to seat frame using bolts F. Tighten bolts using allen key N.




Step 5

Attaching front leg

Position the front leg 5 and attach it to seat frame 4 using bolt C, spacers J and nut H on one side then using bolt D, washers K & L and nut H on the other side as shown. Tighten bolts and nuts using allen key N and small spanner O.







Step 6

Attaching flap stay

Position the flap stay 6 as shown and attach it to front leg 5 and seat frame 4 using bolts E, washers K and nuts H. Tighten bolts and nuts using allen key N and small spanner O.







Assembly Instructions

Step 7

Attaching seat frame

Position the seat frame 4 as shown and attach it to futon mechanisms 8 and 9 using bolts B and nuts G. Tighten bolts and nuts using allen key N and big spanner P.







Step 8

Attaching adhesive pads

Remove backing from adhesive pads M then carefully position it on the top surface of front & back rails 2 and under the four middle rails of seat frames 4 and back frame 3 as shown.





Assembly is complete.

Operation Instructions


Step 1

Folding the futon

a: Carefully pull up the front leg and fold down the front seat frame.

b: Fold down the front leg.

c: Then carefully push in the seat frame and pull up the back rest.




Step 2

Opening the futon

a: Carefully pull out the front seat frame and fold down the back frame.

b: Pull up the front leg.

c: Then carefully open the seat frame as shown.



Warning:
Keep hands away from hinges and folding mechanisms to prevent possible entarpment or injury.

Warning:
This futon can be used only as bed and seat. The recilining position as shown on the right is prohibited for this unit.



Bed position | Seat position | Recilining position

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**