
FUTON BUNK BED

Assembly Instructions - Please keep for future reference

656/0032



Open Dimensions	Close Dimensions
Width - 201cm	Width - 201cm
Depth - 177.5cm	Depth - 164cm
Height - 165cm	Height - 165cm

Important - Please read these instruction fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 1 - 02/01/10

Safety and Care Advice

IMPORTANT – READ CAREFULLY – RETAIN FOR FUTURE REFERENCE

• Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• All assembly fastenings should always be tightened properly and that care should be taken that no fittings are loose.

• Recommended size of the mattress(es):
W75 x L175 x D18cm.

• Do not stand on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.

• The bunk bed or high bed should not be used if any structural part is broken or missing.

• The high beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.



• We do not recommend the use of power drill/drivers ***for inserting screws,*** as this could damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

• Children can strangle in items such as ropes, strings, cords, harnesses and belts attached to or hung on a bunk bed/ high bed.

• Warning: “Children can become trapped between the bed and the wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75 mm or shall be more than 230mm”.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Keep These Instructions For Future Reference

• This product complies with EN 747-1:2007


• Argos plc
489-499 Avebury Boulevard
Central Milton Keynes
MK9 2NW

Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

Please check you have all the panels listed below


1 Metal leg x 4
(Ø4.8 x 165cm)



2 Headboard x 2
(89.9 x 39.3cm)



3 Lower footboard x 1
(88.7 x 20cm)




4 Lower footboard x 1
(88.7 x 20cm)

5 Filler bar x 2
(90.1 x 3cm)



6 Top cross bar x 1
(190.7 x 4cm)






7 Bottom cross bar x 2
(190.7 x 4cm)




8 Top cross bar x 1
(190.7 x 4cm)


9 Bed slats x 1
(190 x 93.4cm)




10 Back safety barrier x 1
(190.4 x 37cm)




11 Front safety barrier x 1
(154 x 37cm)




12 Spring hinge X 1
(46 x 16cm)




13 Spring hinge X 1
(46 x 16cm)



14 Futon frame X 1
(190 x 69.8cm)



15 Futon frame X 1
(190 x 69.8cm)



16 Ladder X 1
(144 x 34.7cm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  M6 x 20mm Bolt x 8	**B**  M6 x 65mm Bolt x 24	**C**  16mm Washer x 24
D  M6 x 55mm Bolt x 11	**E**  M8 x 65mm Bolt x 4	**F**  19mm Washer x 11
G  18mm Washer x 18	**H**  M8 x 20mm Bolt x 4	**I**  M8 x 50mm Bolt x 8
J  M8 Nuts x 8	**K**  M6 x 35mm Bolt x 2	**L**  M6 Nuts x 2
M  Plastic cover x 14		

Tools required



Allen key M4 (included)


Spanner M6 (included)



Screwdriver (not included)


Allen key M5 (included)


Spanner M8 (included)


Rubber Mallet (not included)


Ruler - Use this ruler to help correctly identify the screws




Assembly Instructions

Step 1

Note: **Please ensure the WASHER is curving in facing the hole before assembling.**






Step 2

Attaching headboard

Attach headboard [2] to metal leg [1] by using 2 pcs of bolts (A).

Headboard [2] should be faced toward to other side.




Step 3

Attaching lower headboard

Attach lower headboard [3] to metal leg [1] by using 2 pcs of bolts (B) and 2 pcs of washers (C).


Headboard [3] should be faced toward to other side.



Step 4

Attaching metal leg

Attaching the other metal leg [1] to the headboard [2] by using 2 pcs of bolts (A).




Assembly Instructions

Step 5

Attaching metal leg


Attach metal leg [1] to the lower footboard [3] by using 2 pcs of screws Ⓑ and 2 pcs washers Ⓒ



Step 6

Attaching Filler bar


Attach filler bar [5] to headboard [2] by using 3 pcs of bolts Ⓓ.



Step 7

Attaching headboard

Attach headboard [2] to metal leg [1] by using 2 pcs of bolts Ⓐ.




Assembly Instructions

Step 8

Attaching lower footboard

Attach lower footboard 4 to metal leg 1 by using 2 pcs of bolts B and 2 pcs of washers C.


Footboard 4 should be faced toward to other side.



Step 9

Attaching metal leg


Attaching the other metal leg 1 to the headboard 2 by using 2 pcs of bolts A.



Step 10

Attaching lower footboard

Attach lower footboard 4 to metal leg 1 by using 2 pcs of bolts B and 2 pcs of washers C.




Assembly Instructions

Step 11

Attaching filler bar

Attach filler bar 5 to headboard 2 by using 3 pcs of bolts D.




Step 12

Attaching top cross bar

Two people are required here.

Attach top cross bar 6 to the unit by using 2 pcs of bolts B and 2 pcs of washers C.

Warning:
The unit is heavy.
Lift with care.




Step 13

Attaching bottom cross bar

Two people are required here.

Attach bottom cross bar 7 to the unit by using 2 pcs of bolts B and 2 pcs of washers C.

Warning:
The unit is heavy.
Lift with care.



Assembly Instructions


Step 14

Join both cross bars

Two people are required here.

Join both cross bars 6 and 7 to the completed units by using 4 pcs of bolts B and 4 pcs of washers C.

Warning:
The unit is heavy.
Lift with care.




Step 15

Join another cross bars

Two people are required here.

Join another 2 pcs of cross bar 7 and 8 to the unit by using 4 pcs of bolts B and 4 pcs of washers C.


Warning:
The unit is heavy.
Lift with care.



Step 16

Attaching bed slats

Spread out the bed slats [9] ,make sure each hook of slat point downwards as shown.




Step 17

Attaching bed slats

Two people are required here.

Use a rubber mallet(not supplied) gently tap each slat lock onto cross bars [8] and [6] . Recommend 2 persons for assembly.




Step 18

Attaching safety barrier

Two people are required here.

Attach safety barrier 10 to this unit through 2 pcs of bolts E and 2 pcs of washers F.


Fix 3 pcs of bolts D and washers G to this safety barrier 10 through top cross bar 8 .



Step 19

Fixing safety barrier

Fix safety barrier 10 to the unit throush 3 pcs of bolts D with tool.




Step 20

Attaching ladders

Ladder can be fixed to either left or right side.

OPTION 1



OPTION 2




Step 21

Attaching front safety barrier

Two people are required here.


Attach front safety barrier 11 to top bunk by using one of bolt E and washer F from side and 1 pcs of bolt E and washer G from bottom with tool as shown.



Step 22

Attaching front safety barrier


Secure safety barrier 11 underside by using 2 pcs of bolts D and 2 pcs of washers G with tool as shown.



Step 23

Attaching spring hinge


Attach 1 pc of spring hinge 12 by using 2 pcs of bolts H and washer G with tool.



Step 24

Attaching spring hinge


Attach 1 pc of spring hinge 13 by using 2 pcs of bolts H and washer G with tool.



Step 25

Attaching futon frame


Lay down futon frame 14 on spring hinge 13 by using 2 pcs of bolts I , washers F , G and nuts J with spanner and tool.



Step 26

Attaching futon frame


Fix another side of the futon frame 14 through spring hinge 12 by using 2 pcs of bolts I , washers F , G and nuts J with spanner and tool.



Step 27

Attaching futon frame


Lay down futon frame 15 on spring hinge 12 by using 2 pcs of bolts I, washers F, G and nuts J with spanner and tool.



Step 28

Attaching futon frame

Fix another side of the futon frame 15 through spring hinge 12 by using 2 pcs of bolts I, washers F, G and nuts J with spanner and tool.




Step 29

Fixing ladder (for right side)


a: Attach the ladder onto this unit as shown.

a:



b: Fix the ladder 16 to the unit by using 2 pcs of bolts K and nuts L with tool.


b:



Step 30

Attaching plastic covers

Attach 14 pcs of plastic covers M as shown.




Step 31

Putting futon frame in positon


a: Lift up the front futon frame.

a:




b: Push it inward.

b:



c: Put down the futon frame front to lock in position.

c:




Assembly Instructions

Step 32

Assembly is complete.


For safety reason,please ensure the top of the mattress shall not come above the line marked on the top bunk.

WARNING:
TOP OF THE MATTRESS SHALL NOT COME ABOVE THE LABEL MARKED ON THE BED.



Step 33

Assembly is complete.



If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Futon Bunk Bed

Assembly Instructions - Please keep for future reference

758/4512



Dimensions

Width - 200cm
Depth - 99/174cm
Height - 165cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 1 - 06/11/13

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Because of the size of this unit, it is recommended to assemble it in the room intended for use.

• Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.

• Discard all extra fittings and keep fittings out of reach of children.

• Assemble this product on a flat surface.

• Assemble all parts loosely before tightening any bolts.

• At least 2 people are required to assemble this product.

• Unit weight: 54kgs.

• Retain Assembly Instructions for future reference.



• We do not recommend the use of power drill/drivers ***for inserting screws***, as this could damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

Warnings

• **READ CAREFULLY - RETAIN FOR FUTURE REFERENCE**

• Regularly check and ensure that all bolts and fittings are tightened properly.

• Always use the ladder for entering and leaving the upper bunk.

• The recommended mattress size is L1900 x W910 mm.

• Ensure thickness of mattress does not exceed 220 mm.

• Refrain from using the bunk bed if any structural part is broken or missing.

• Please advise your children to only enter and leave the upper bunk by using the ladder.

• Please prohibit more that one person on the upper bunk.

• Please prohibit children from jumping on the upper and lower beds.

• **WARNING:** Do not allow children under 6 years of age to use the upper bunk due to risk of injury and falls.

• **STRANGULATION HAZARD** - Never attach or hang items such as ropes, strings, cords, harnesses and belts to any part of the bunk bed.

• **WARNING:** Children can become trapped between the bed and the wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75 mm or shall be more than 230 mm.

• Folding and unfolding the futon should only be carried out under adult supervision.

• **THIS BED COMPLIES WITH EN747-1:2012 / EN747-2:2012**

Care and maintenance

• Please clean the unit surface using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.


• Do not use any abrasive materials when cleaning.

• From time to time check that there are no loose bolts on this unit.


Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Parts


Please check you have all the parts listed below




1 Back end post x 2
(Ø5 x 165cm)




2 Front left-hand end post
(Ø5 x 165cm)




3 Front right-hand end post
(Ø5 x 165cm)




4 Lower left side rail
(89.5 x 24 x 2.5cm)




5 Lower right side rail
(89.5 x 24 x 2.5cm)




6 Upper side safety rail x 2
(91 x 36 x 4cm)




7 Upper back safety rail
(190.5 x 41.5 x 2.5cm)




8 Upper front safety rail
(190.5 x 41.5 x 2.5cm)



9 Lower rail x 2
(190.5 x 6.5 x 2.5cm)




10 Left futon mechanism
(43 x 17.5 x 5.5cm)




11 Right futon mechanism
(43 x 17.5 x 5.5cm)

Components - Parts (cont.)


Please check you have all the parts listed below



12 Slats (with webbing attached) x 24
(94 x 1.6 x 2.5cm)




13 Left ladder side rail
(150 x Ø2.5cm)



14 Right ladder side rail
(150 x Ø2.5cm)




15 Ladder step x 4
(Ø2.5 x 29 cm)




16 Ladder brace
(76.5 x 1.5 x Ø1cm)



17 Futon clamp x 2
(13 x 4 x Ø0.5cm)



18 Back futon frame
(188 x 69.5 x 2.5cm)












19 Front futon frame
(188 x 69.5 x 6cm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  M8 x 60mm Bolt x 24	**B**  M6 x 80mm Bolt x 7	**C**  M6 x 50mm Bolt x 8
D  M8 x 40mm Bolt x 8	**E**  M8 x 30 mm Bolt x 4	**F**  M6 x 20 mm Bolt x 10
G  M6 x 35mm Bolt x 2	**H**  Screw x 2	**I**  M8 Lock nut x 24
J  M8 Curved washer x 32	**K**  M6 Curved washer x 15	**L**  Plastic washer x 8
M  Adhesive pad x 4	**N**  Wall strap x 1	**O**  Spring washer x 8
P  Allen key x 1	**Q**  Spanner x 1	

Tools required

 Crosshead screwdriver

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions

Step 1

Assembling end panels

Lay all parts flat on a soft surface on the floor to avoid damaging any of the parts.

Note: Identify and correctly position the end posts 1, 2 & 3 by looking for the sticker labels pasted on the post.

a: Attach the lower right side rail 5 to back end post 1 and front right-hand end post 3 & secure using washers J & K, bolts A & B and nuts I as shown.


Note: Do not fully tighten bolts at this stage.

b: Attach the upper side safety rail 6 into position & secure using bolts F.


Note: Fully tighten bolts all bolts using allen key P.

Repeat above steps to assemble the left-hand end panel using end posts 1 and 2, upper side safety rail 6, lower left side rail 4 as shown in the diagram.


a:




b:



RIGHT-HAND END PANEL



LEFT-HAND END PANEL



Assembly Instructions

Step 2

Attaching rails

Note: Determine your preferred bunk bed entry position. Then attach the front safety rail [8] with the entry space positioned on the left or right.


a: Identify the correct rails for assembly and with the help of an assistant attach the lower tubes of upper back safety rail [7], upper front safety rail [8] and lower rails [9] to end posts using bolts Ⓐ, washers Ⓙ and nuts Ⓘ.

Note: Do not fully tighten bolts at this stage.


b: Attach the top tubes of upper back safety rail [7] and upper front safety rail [8] to end posts using bolts Ⓑ and washers Ⓚ.


Note: After all bolts are positioned, fully tighten all bolts & nuts using allen key Ⓟ and spanner Ⓠ.

a:




b:






Option for right upper bunk entry



Option for left upper bunk entry




Assembly Instructions


Step 3

Attaching slats

a: With the help of an assistant, line up the slats 12 onto upper rails 7 & 8. Push firmly down to lock it into position. Check that they cannot be removed by slightly pulling upwards.

b: Extend the end of the webbing on the slats 12 and secure to bottom edge of side safety rails 6 using screws H. Tighten screws using a crosshead screwdriver.







Step 4

Assembling futon mechanisms

Correctly position the left 10 & right 11 futon mechanisms and attach to lower side rails 4 & 5 using bolts E and nuts I. Tighten bolts & nuts using allen key P and spanner Q.






Assembly Instructions

Step 5


Assembling front futon frame

a: Position the front futon frame 19 as shown and secure it to futon mechanisms 10 & 11 with bolts D, washers J and nuts I. Tighten bolts and nuts using allen key P and spanner Q.


b: Position the futon clamps 17 as shown and carefully hook one end on front futon frame 19.



a:



b:




Step 6

Assembling back futon frame


a: Position the back futon frame 18 and carefully hook the other end of futon clamps 17 as shown.

b: Fix the back futon frame 18 to futon mechanisms 10 & 11 with bolts D, washers J and nuts I. Tighten bolts and nuts using allen key P and spanner Q.


c: Remove backing from adhesive pads M and carefully position at the four corners between the lower rails 9 and futon frames 18 & 19.




a:



b:



c:




Assembly Instructions


Step 7

Assembling ladder

Referring to diagram, attach the ladder steps 15 to ladder side rails 13 & 14 using bolts C, spring washers O, curved washers K and plastic washers L . Tighten all bolts using allen key P.

Note: Identify and correctly position the ladder side rails 13 & 14 by looking for the sticker labels pasted on the parts.







Step 8

Attaching ladder

Attach the ladder to the upper front safety rail 8 using bolts G as shown. Tighten bolts using allen key P.







Assembly Instructions

Step 9

Securing the ladder

Attach the ladder brace 16 to ladder side rail 14 & front right-hand post 3 using bolts F. Tighten bolts using allen key P.





Step 10

Fixing to wall


This unit must be fixed to a wall.

Move the bunk bed into position on the wall. Position the wall strap N to the top post of upper back safety rail 7 to mark fixing holes on the wall. Remove the wall strap then drill holes and insert appropriate wall plugs. Reposition wall strap N & fix using appropriate screws.

Warning:
Before drilling, check wall for hidden pipes and cables. Consult a qualified specialist if unsure.

Assembly is complete.





Operation Instructions

Step 1

Folding the futon

a: Slightly pull up the futon from the front edge.

b: Push it in to fold the futon frame.


c: Then carefully put down the futon as shown.

Warning: Keep hands away from hinges, folding mechanisms & edges to prevent possible entarpment or injury.


a:



b:



c:



Risk of trapping finger.

Step 2

Opening the futon


a: Slightly pull up the futon from the front edge.

b: Pull it out to unfold the futon frame.


c: Then carefully put down the futon as shown.

Warning: Keep hands away from hinges, folding mechanisms & edges to prevent possible entarpment or injury.


a:



b:



c:



Risk of trapping finger.

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**