


(Item name)	(Article NO)	(Colour No)
Large white wood 3 door medicine cabinet	832/7149(D)	white















A	Top panel	1
B	Base panel	1
C	Left side panel	1
D	Right side panel	1
E1	Left door panel	1
E2	Right door panel	1
E3	Middle door panel	1
F	Back panel	1
G1	Left clapboard	1
G2	Right clapboard	1
H	Fixed shelf	1
I1	Glass shelf	4
I2	Glass shelf	1




a Ø8*30=4X	b 8X	c 8X	d 6X	e M3*12=12X	f 3X	g M4*20=3X
h M4*31=8X	i 8X	j 20X	k 3X	o 3X	p S8=4X	q M5*50=4X




ARGOS
Large white wood 3 door medicine cabinet
832/7149(D)

A	 1X	F	 1X	a	 Ø8*30=4X
B	 1X	G1	 1X	b	 8X
C	 1X	G2	 1X	c	 8X
D	 1X	H	 1X	d	 6X
E1	 1X	I1	 4X	e	 M3*12=12X
E2	 1X	I2	 1X	f	 3X
E3	 1X			g	 M4*20=3X
				h	 M4*31=8X
				i	 8X
				j	 20X
				k	 3X
				o	 3X
				p	 S8=4X
				q	 M5*50=4X


#1




#2




#3




#4




#5




#6




#7




#8




#9




#10



#11



#12



SAFETY WARNING INFORMATION

Keep these instructions for future use:

BS7449 : 1991

Catalogue Number: 832/7149(D)

Manufacture date: _____

Retailer: **ARGOS**

Retailer address: **489-499 Avebury Boulevard**
Saxon Gate West
Central Milton Keynes
Bucks, MK9 2NW

WARNINGS

*It is essential that this unit is fixed to a wall with the fixings provided.

*Do not place very hot or very cold items against or in close proximity to glass surface unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.

*Do not strike the glass with hard or pointed items.

*Do not sit ot stand upon horizontal glass surface.

*When cleaning glass panels or mirrors use a damp or leather with washing up liquid or soft soap if necessary; do not use washing powders or any other substance containing abrasive since these substances scratch glass.


The Maximum Safe Load for the cabinet is 3 kg, evenly distributed.

This unit contains toughened glass shelves of nominal thickness of 5 mm,which complies with Class C of BS6206.

If a glass is chipped or broken replace with glass of the type described on this label. Consult the manufacturer, retailer, or agent with regard to obtaining a manufacturing specification and shape for replacement glass quoting the model number, and batch number or date of manufacture.

A Guide to

Wall Mounting & Fixings



IMPORTANT:
When drilling into walls always check that there are no hidden wires or pipes etc. Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.


HINTS:

1) General Rule ⚠ Always use a larger screw and wall plug if you are not sure.
2) Ensure you use the recommended drill bit to match the wall plug and hole size.
3) Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
4) Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure the plug is fitting below the ceramic tile to avoid splitting or cracking.
5) Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types Of Walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone, wood or plaster board.

No.1 "Standard" Wall Plug
General Wall Materials




These come in various sizes and are made from plastic or sometimes wood fiber.

No.2 "General Purpose" Wall Plug
Aerated / Breeze Block




Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case.
For light loads, a General Purpose Plug can be used.

No.3 "Shield Anchor" Wall Plug
Heavy Loads




For use with heavier loads such as TV & HiFi Speakers and Satellite Dishes etc.

No.4 "Cavity Fixing" Wall Plug




For use with plaster board partitions or hollow wooden doors.

No.5 "Cavity Fixing - Heavy Duty" Wall Plug



For use when fitting or supporting heavy loads such as shelving, wall cabinets, coat racks.

No.6 "Hammer Fixing" Wall Plug



For use with walls stuck with plaster board. The hammer fixing allows it to be fixed to the wall rather than the plaster board. Always check the fixing is secure to the retaining wall.


CARE & MAINTENANCE

⚠ **SAFETY**
Always check the fitting and location to ensure your safety in and around the home.

⚠ **FITTING**
From time to time check the fitting to ensure the wall plugs or screws do not become loose.

Large White Wood 3 Door Medicine Cabinet

Assembly Instructions – Please keep for future reference | 832/7149



Dimensions

Width - 65cm
Depth - 12.7cm
Height - 45cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

Safety and care advice

Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• Do not stand or put weight on the panels, this could cause damage.

• Assemble the unit as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• ***Note:*** Only apply the glue once you are sure of the assembly.

• The wall plugs supplied are suitable for solid walls only. It is important that the correct type of fixing is used for your wall, seek professional advice if in doubt.

• Parts of the assembly will be easier with 2 people.

• If using power tools, please follow the safety instructions supplied with the tools.



• We do not recommend the use of power drill/ drivers for inserting screws, as this could damage the unit. Only use hand screwdrivers.

• ***Warning:*** Before drilling, check the wall for hidden pipes and cables.

• Dispose of all packaging carefully and responsibly.

Glue safety - Take care when using glue, please follow the advice below

Skin contact: Remove contamination by washing with soap and water. This procedure should also be followed prior to eating and drinking.

Eye contact: Rinse immediately with clean water for 15 minutes and seek medical advice.

If swallowed: Seek medical advice immediately. If possible show product information or label to the medical advisor.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.


• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Note: if required the next page can be cut out and used as a reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels


Please check you have all the panels listed below




1 Top




2 Bottom




3 Left & right side x 2




4 Left & right door x 2




5 Middle door




6 Back




7 Left clapboard




8 Right clapboard



9 Shelf



10 Glass shelf 1 x 4












11 Glass shelf 2

Components - Fittings


If you have damaged or missing components, call the Customer Helpline:08456 400800


Please check you have all the panels listed below

Note:The quantities below are the correct amount to complete the assembly .In some cases more fittings may be supplied than are required.


A  Wooden dowel x 4	B  Locking Pin x 8	C  Locking Nut x 8
D  Shaft x 6	E  Knob x 3	F  Knob Bolt x 3
G  35mm Screw x 12	H  Shelf Support x 20	I  Magnetic Catch x 3
J  Strike Plate x 3	K  12mm Screw x 9	L  Screw Cap x 8
M  Wall plug(for solid walls only) x 4		

Tools required


Phillips screwdriver (medium & large)



Flatblade screwdriver (medium)

7mm Suitable drill bit (for use with wall plug)



Drill


Small hammer


Ruler/tape measure


Eye protection (when using a hammer or glue)

Ruler - Use this ruler to help correctly identify the screws




Assembly Instruction

Step 1

Assembling clapboards and fixed shelf

NOTE:It would be useful to ask someone to help you at this stage.

Use dowels Ⓐ to fix left and right clapboards 7 and 8 with shelf 9 in the middle




Step 2

Assembling top and bottom panel

NOTE:It would be useful to ask someone to help you at this stage.

Screw locking pins Ⓑ into the top panel 1 and bottom panel 2

Use 12mm screws Ⓚ to fix magnetic catch Ⓘ onto top panel 1



Step 3


Assembling middle unit and left side panel

NOTE:It would be useful to ask someone to help you at this stage.

Carefully attach the middle unit onto bottom panel 2

Use a screw driver to turn the locking nuts Ⓒ clockwise to lock the unit

Use 35mm screws Ⓖ to fix left side panel 3 to bottom panel 2




Assembly Instruction

Step 4

Assembling back panel

NOTE:It would be useful to ask someone to help you at this stage.

Carefully slide the back panel 8 into the grooves




Step 5

Assembling right side panel

NOTE:It would be useful to ask someone to help you at this stage.

Use 35mm screws G to fix right side panel 3 to bottom panel 2



Assembly Instruction

Step 6

Assembling glass shelves

NOTE:It would be useful to ask someone to help you at this stage.


a:Insert shelf supports Ⓗ into panels holes as shown

b:Carefully input the glass shelves 10 and 11 in the middle


Turn the supports Ⓗ clockwise to lock the shelves

c:Repeat step a and b to input the other 2pcs glass shelves 10


a:



b:



c:



Assembly Instruction

Step 7

Finishing the unit

NOTE:It would be useful to ask someone to help you at this stage.

a: Use 12mm screws K to fix strike plate J onto door panels 4 and 5


Use knob bolt F to fix knobs E onto door panels

b: Insert door shafts D into door panels 4 and 5


Use 35mm screws G to fix top panel to the unit

C: Insert locking nuts C into the clapboards,turn clockwise to lock the unit


a:



b:



c:



Assembly Instruction


Step 8

Finishing the unit

NOTE:It would be useful to ask someone to help you at this stage.


a:Insert screw caps Ⓛ into screw holes

a:



b:Use 35mm screw Ⓖ and Wall Plug Ⓜ to fix the unit on the wall

b:



With help , place the unit in the intended position

NOTE: Please make sure the unit is secure before use

The assembly is now complete

NOTE:If you have damaged or missing components, call the Customer Helpline:08456 400800
Home Retail Group,489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

A Guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fixings is the responsibility of the installer.

Important: **When drilling into walls always check that there are no hidden wires or pipes etc.**

Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.

Hints:

1: General rule: Always use a larger screw and wall plug if you are not sure.

2: Ensure you use the recommended drill bit to match the wall plug and hole size.

3: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.


4: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.

5: Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

No.1 **"General Purpose" wall plug**




Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.

No.2 **"Plasterboard" wall plug**




For use when attaching light loads on to plasterboard partitions.

No.3 **"Cavity Fixing" wall plug**




For use with plasterboard partitions or hollow wooden doors.

No.4 **"Cavity Fixing-Heavy Duty" wall plug**




For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.

No.5 **"Hammer Fixing" wall plug**



For use with walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.

No.6 **"Shield Anchor" wall plug Heavy loads**



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.

Care & Maintenance

Safety: Always check the fitting and location to ensure your safety in and around the home.

Fitting: From time to time check the fitting to ensure the wall plugs or screws do not become loose.

SAFETY WARNING INFORMATION

Keep these instructions for future use:

WARNINGS

*Do not place very hot or very cold items against or in close proximity to glass surface unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.

*Do not strike the glass with hard or pointed items.

* Do not sit or stand upon horizontal glass surfaces.
*When cleaning glass panels or mirrors use a damp or leather with washing up liquid or soft soap if necessary do not use washing powders or any other substance containing abrasive since these substances scratch glass.
*It is essentail that this unit is fixed to a wall with the fixings provided.

BS7449 : 1991

Catalogue Number: 832/7149(D)

Manufacture date: May. 10th. 2010


Retailer: **Argos**

Retailer address: **489-499 Avebury Boulevard**
Saxon Gate West
Central Milton Keynes
Bucks, MK9 2NW

If a glass is chipped or broken replace with glass of the type described on this label. Consult the manufacturer, retailer, or agent with regard to obtaining a manufacturing specification and shape for replacement glass quoting the model number, and batch number or date of manufacture.

Large White Wood 3 Door Medicine Cabinet

Assembly Instructions – Please keep for future reference | 832/7149



Dimensions

Width - 65 cm
Depth - 12.7 cm
Height - 45 cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

Issue 4-12/11/12

Safety and care advice

Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• Do not stand or put weight on the panels, this could cause damage.

• Assemble the unit as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• ***Note:*** Only apply the glue once you are sure of the assembly.

• The wall plugs supplied are suitable for solid walls only. It is important that the correct type of fixing is used for your wall, seek professional advice if in doubt.

• Parts of the assembly will be easier with 2 people.

• If using power tools, please follow the safety instructions supplied with the tools.



• We do not recommend the use of power drill/ drivers for inserting screws, as this could damage the unit. Only use hand screwdrivers.

• ***Warning:*** Before drilling, check the wall for hidden pipes and cables.

• Dispose of all packaging carefully and responsibly.

Glue safety - Take care when using glue, please follow the advice below

Skin contact: Remove contamination by washing with soap and water. This procedure should also be followed prior to eating and drinking.

Eye contact: Rinse immediately with clean water for 15 minutes and seek medical advice.

If swallowed: Seek medical advice immediately. If possible show product information or label to the medical advisor.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.


• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: if required the next page can be cut out and used as a reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the Customer Helpline:08456 400800


Please check you have all the panels listed below




1 Top panel




2 Bottom panel




3 Left & right side x 2




4 Left clapboard




5 Right clapboard



6 Back panel




7 Glass shelf 1




8 Glass shelf 2 x 4




9 Shelf



10 Middle door



11 Left door














12 Right door


Components - Fittings


Please check you have all the fittings listed below

Note:The quantities below are the correct amount to complete the assembly .In some cases more fittings may be supplied than are required.


A  Wooden dowel x 4	B  35mm Screw x 16	C  Shaft x 6
D  Strike Plate x 3	E  Knob x 3	F  Knob Bolt x 3
G  Screw Cap x 16	H  Shelf Support x 20	I  Magnetic Catch x 3
J  10mm Screw x 3	K  12mm Screw x 6	L  45mm Screw x 4
M  Wall plug(for solid walls only) x 4		

Tools required


Phillips screwdriver (medium & large)



Flatblade screwdriver (medium)

7mm Suitable drill bit (for use with wall plug)



Drill


Small hammer


Ruler/tape measure


Eye protection (when using a hammer or glue)

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions


Step 1

Assembling clapboards and fixed shelf

NOTE:It would be useful to ask someone to help you at this stage.

a:Use dowels Ⓐ to fix left and right clapboards [4] and [5] with shelf [9] in the middle.

b:Use 35mm screws Ⓑ to fix bottom panel [2] to the middle unit.



Step 2


Assembling side and back panels

NOTE:It would be useful to ask someone to help you at this stage.

a:Use 35mm screws Ⓑ to fix left side panel [3] to bottom panel [2] .

b:Carefully slide the back panel [6] into the grooves.

Use 35mm screws Ⓑ to fix right side panel [3] to bottom panel [2] .



Assembly Instructions

Step 3

Assembling glass shelves

NOTE:It would be useful to ask someone to help you at this stage.


a:Insert shelf supports Ⓗ into panels holes as shown.


Carefully input the glass shelves 7 and 8 in the middle.

Turn the supports Ⓗ clockwise to lock the shelves.


b:Repeat step a to input the other 2pcs glass shelves 8.

a:





b:




Assembly Instructions

Step 4

Assembling door panels

Use 10mm screws J to fix strike plates D onto door panels 10 11 and 12.

Use knob bolts F to fix knobs E onto door panels.




Step 5

Assembling top panel and door panels

NOTE:It would be useful to ask someone to help you at this stage.

a:Use 12mm screws K to fix magnetic catchs I onto top panel 1

a:



Continued on next page

Step 5 - Continued

Assembling top panel and door panels


NOTE:It would be useful to ask someone to help you at this stage.

b: Insert door shafts Ⓒ into bottom panel [2] and shelf [9] .

Carefully insert left door panel [11] and right door panel [12] into bottom panel [2] .

Carefully insert middle door panel [10] into shelf [9] .


b:



c:Insert door shafts Ⓒ into door panels [10] [11] [12]


Attach top panel [1] onto the unit, make sure the groove of top panel match back panel .

c:



d:Use 35mm screws Ⓑ to fix top panel [1] to the unit.

d:




Assembly Instructions

Step 6

Finishing the unit


NOTE:It would be useful to ask someone to help you at this stage.

a:Insert the screw caps Ⓖ over the screw holes on the outside.



b:Use 45mm screw Ⓛ and Wall Plug Ⓜ to fix the unit on the wall.

With help , place the unit in the intended position.



NOTE: Please make sure the unit is secure before use

The assembly is now complete

NOTE:If you have damaged or missing components, call the Customer Helpline:08456 400800
Argos LTD,489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

A Guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fixings is the responsibility of the installer.

Important: **When drilling into walls always check that there are no hidden wires or pipes etc.**

Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.

Hints:

1: General rule: Always use a larger screw and wall plug if you are not sure.

2: Ensure you use the recommended drill bit to match the wall plug and hole size.

3: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.


4: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.

5: Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

No.1 **"General Purpose" wall plug**




Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.

No.2 **"Plasterboard" wall plug**




For use when attaching light loads on to plasterboard partitions.

No.3 **"Cavity Fixing" wall plug**




For use with plasterboard partitions or hollow wooden doors.

No.4 **"Cavity Fixing-Heavy Duty" wall plug**




For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.

No.5 **"Hammer Fixing" wall plug**



For use with walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.

No.6 **"Shield Anchor" wall plug Heavy loads**



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.

Care & Maintenance

Safety: Always check the fitting and location to ensure your safety in and around the home.

Fitting: From time to time check the fitting to ensure the wall plugs or screws do not become loose.

SAFETY WARNING INFORMATION

Keep these instructions for future use:

WARNINGS

*Do not place very hot or very cold items against or in close proximity to glass surface unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.

*Do not strike the glass with hard or pointed items.

* Do not sit or stand upon horizontal glass surfaces.
*When cleaning glass panels or mirrors use a damp or leather with washing up liquid or soft soap if necessary do not use washing powders or any other substance containing abrasive since these substances scratch glass.
*It is essentail that this unit is fixed to a wall with the fixings provided.

BS7449 : 1991

Catalogue Number: 832/7149(D)

Manufacture date: Dec. 11th. 2012

Retailer: **Argos**

Retailer address: **489-499 Avebury Boulevard**
Saxon Gate West
Central Milton Keynes
Bucks, MK9 2NW

This unit contains tempered glass of nominal thickness of 5 mm ,maximum safe load for glass shelves is 2kgs.

If a glass is chipped or broken replace with glass of the type described on this label. Consult the manufacturer, retailer, or agent with regard to obtaining a manufacturing specification and shape for replacement glass quoting the model number, and batch number or date of manufacture.