
3 Door Mirror Cabinet

Simple Assembly Instructions - **Please keep for future reference**



IMPORTANT

1. *Read these instructions carefully and familiarise yourself with the procedure before assembling the unit.*

2. *Check that you have all the component parts following the list on the back cover and familiarise yourself with each part before proceeding.*

3. *Take all the fittings out of the plastic bag and separate them into their groups.*


4. *Ensure you have enough space to lay out all the parts before assembly.*

5. *To avoid scratching it is recommended that you assemble the unit on a soft level surface.*


10-07

Components


Ⓐ 1 x Top Panel




Ⓑ 1 x Bottom Panel




Ⓒ 1 x Left Side Panel




Ⓓ 1 x Right Side Panel



Ⓔ 2 x Middle Panel



Ⓕ 3 x Glass Door




Ⓖ 2 x Back Support



Components

Ⓗ 2 x Side Back Panel




Ⓚ 3 x Shelf



Ⓛ 20 x Covering Sticker



Ⓙ 1 x Middle Back Panel



Ⓜ 12 x Shelf Support




Ⓝ 3 x Bush



Ⓞ 3 x Metal Plate



Ⓟ 3 x Door Stopper



Fittings

Ⓐ 8 x Dowel




Ⓑ 15 x Screw



Ⓒ 4 x Screw



Ⓓ 16 x Screw



Ⓔ 6 x Hinge



Ⓕ 12 x Plastic Plug



Ⓖ 4 x Wall Plug



Ⓗ 1 x Glue



Assembly Instructions

Stage 1 – Fitting the Back Supports

BS 7449:1991
Model / Catalogue Number: 832-8076
Retailer: ARGOS
Retailer address:
489-499 Avebury Boulevard, Saxon Gate West, Central Milton Keynes, Bucks, MK9 2NW

NOTE: This unit contains safety film backed mirror of a nominal thickness of 3 mm, which is not required to be classified to BS6206 Class C. If the mirror is chipped or broken, replace with mirror of the type described on this label. Consult the furniture retailer or agent with regard to obtaining a manufacturing specification of the shape for replacement mirror quoting the model number, and batch number or date of manufacture of this item.

CAUTION: Always check the assembly method is correct before applying Glue.

NOTE: It would be useful to ask someone to help you at this stage.

1. Place a small amount of Glue Ⓗ into the dowel holes. Insert Dowels Ⓐ into Back Support Ⓖ. **See fig. 1.**
2. Place a small amount of Glue Ⓗ into the dowel holes and onto the joints' surfaces. Attach Left Side Panel Ⓒ and Middle Panel Ⓔ onto the Back Support Ⓖ. **See fig. 2.**




fig. 1




fig. 2

Assembly Instructions

Stage 2 – Fitting the Bottom Panel

CAUTION: Always check the assembly method is correct before applying Glue.

NOTE: It would be useful to ask someone to help you at this stage.

1. Place a small amount of Glue Ⓗ into the groove on the unit. Carefully slide the Side Back Panel Ⓗ into the unit. **See fig. 3.**
2. Use the same method as in fig. 1-3 to assemble the other Back Support Ⓖ, Middle Panel Ⓔ and Right Side Panel Ⓓ. **See fig. 3.**
3. Place a small amount of Glue Ⓗ into the groove and onto the joints' surfaces. Use Screws Ⓓ to fix the Left Side Panel Ⓒ, Middle Panels Ⓔ and Right Side Panel Ⓓ onto Bottom Panel Ⓑ. **See fig. 4.**




fig. 3




fig. 4

Assembly Instructions

Stage 3 – Fitting the Middle Back Panel

CAUTION: Always check the assembly method is correct before applying Glue.

NOTE: It would be useful to ask someone to help you at this stage.

1. Insert Bushes Ⓝ into the unit.
   See fig. 5.




fig. 5

2. Place a small amount of Glue ❽ into the groove on the unit. Carefully slide the Middle Back Panel Ⓙ into the unit.
   See fig. 6.




fig. 6

Assembly Instructions

Stage 4 – Fitting the Shelves

NOTE: It would be useful to ask someone to help you at this stage.

1. Slide Plastic Plugs ❾ onto Shelf Supports Ⓜ.
   See fig. 7.




fig. 7

2. Insert Shelf Supports Ⓜ into the holes in the unit.
   See fig. 8.




fig. 8

NOTE: Adjust the shelf supports to the desired height.

3. Carefully insert the Shelves Ⓚ into the unit.
   See fig. 9.




fig. 9

Assembly Instructions

Stage 5 – Fitting the Glass Doors

NOTE: It would be useful to ask someone to help you at this stage.

CAUTION: When handling glass always take extra care. Ensure no children are in the assembly area.

1. Use Screw Ⓑ to fix the Metal Plates Ⓞ onto the Doors Ⓕ.
   See fig. 10.

2. Insert the Hinges Ⓔ into the Doors Ⓕ.
   See fig. 10.




fig. 10

3. Carefully place the Doors Ⓕ onto the unit, locating the Hinges Ⓔ into the Bushes Ⓝ.
   See fig. 11.




fig. 11

Assembly Instructions

Stage 6 – Fitting the Top Panel

CAUTION: Always check the assembly method is correct before applying Glue.

NOTE: It would be useful to ask someone to help you at this stage.

1. Use Screws Ⓑ to fix the Door Stoppers Ⓟ onto the Top Panel Ⓐ.
   See fig. 12.




fig. 12

2. Place a small amount of Glue Ⓗ into the dowel holes. Insert Dowels Ⓐ into the unit.
   See fig. 13.




fig. 13

3. Place a small amount of Glue Ⓗ into the dowel holes, groove and onto the joints' surfaces. Fit the Top Panel Ⓐ to the unit.
   See fig. 14.




fig. 14

Assembly Instructions

Stage 6 – Fitting the Top Panel

4. Use Screws Ⓓ to fix the Top Panel Ⓐ onto the unit.
   See fig. 15.

5. Use Covering Stickers Ⓛ to cover the screw heads, peel off the protective backings before applying.
   See fig. 16 and 17.




fig. 15




fig. 16




fig. 17

WARNING: Do not place very hot or very cold items against or in close proximity to glass surface unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.

Do not strike the glass with hard or pointed items.

Do not sit or stand on the glass surface, as this would be hazardous.

When cleaning the glass use a damp cloth or chamois leather with washing up liquid.

Do not use washing powders or any other substances containing abrasives since these substances will scratch the glass.

It is essential that this unit be fixed to a wall with the fixings provided.

Assembly Instructions

Stage 7 – Finishing the Unit

IMPORTANT: When drilling into walls always check that there are no hidden wires or pipes etc. Make sure that the screws and wall plugs supplied are suitable for supporting the unit. Consult a qualified tradesperson if you are not sure.

NOTE: It would be useful to ask someone to help you at this stage.

1. Carefully place the unit in the desired location. Mark the wall to indicate where to drill the holes.
   See fig. 18 and 19.

2. Drill four holes at the desired height and insert Wall Plugs Ⓖ into the holes.
   See fig. 18 and 19.

3. Use Screws Ⓒ to fix the unit to the wall. Then use Covering Stickers Ⓛ to cover the screw heads.
   See fig. 18 and 19.




fig. 18




fig. 19

Care and Maintenance

Safety
To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.


Cleaning
As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.

Fitting
From time to time please ensure there are no loose screws on the product.

A Guide to
Wall Mounting & Fixings

IMPORTANT:

When drilling into walls always check that there are no hidden wires or pipes etc. Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.




HINTS:

1) General Rule ⚠ Always use a larger screw and wall plug if you are not sure.
2) Ensure you use the recommended drill bit to match the wall plug and hole size.
3) Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
4) Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure the plug is fitting below the ceramic tile to avoid splitting or cracking.
5) Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types Of Walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone, wood or plaster board.

No.1 "Standard" Wall Plug
General Wall Materials



These come in various sizes and are made from plastic or sometimes wood fiber.


No.2 "General Purpose" Wall Plug
Aerated / Breeze Block



Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case.
For light loads, a General Purpose Plug can be used.


A Guide to
Wall Mounting & Fixings

No.3 "Shield Anchor" Wall Plug
Heavy Loads




For use with heavier loads such as TV & HiFi Speakers and Satellite Dishes etc.

No.4 "Cavity Fixing" Wall Plug




For use with plaster board partitions or hollow wooden doors.

No.5 "Cavity Fixing - Heavy Duty" Wall Plug



For use when fitting or supporting heavy loads such as shelving, wall cabinets, coat racks.

No.6 "Hammer Fixing" Wall Plug



For use with walls stuck with plaster board. The hammer fixing allows it to be fixed to the wall rather than the plaster board. Always check the fixing is secure to the retaining wall.

CARE & MAINTENANCE

⚠ **SAFETY**


Always check the fitting and location to ensure your safety in and around the home.

⚠ **FITTING**

From time to time check the fitting to ensure the wall plugs or screws do not become loose.

3 Door Mirror Cabinet

Assembly Instructions - Please keep for future reference | 832/8076



Dimensions

Width - 59.2cm

Depth - 14cm

Height - 37.4cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 6400800

Version 3 Date: 20/06/14

Warning

Important - Please read these instructions fully before starting assembly

BS 7449:1991
Model / Catalogue Number: 832/8076
Retailer: ARGOS
Retailer address:
489-499 Avebury Boulevard, Saxon Gate West, Central Milton Keynes, Bucks, MK9 2NW

WARNINGS

• Do not place very hot or very cold items against or in close proximity to glass surface unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.

• Do not strike the glass with hard or pointed items.

• Do not sit or stand on the glass surface, as this would be hazardous.

• When cleaning the glass use a damp cloth or chamois leather with washing up liquid.

• Do not use washing powders or any other substances containing abrasives since these substances will scratch the glass.

• It is essential that you follow the Wall Fitting Guide provided since houses have differing types of walls. Failure to follow this guide could result in a hazard. If in doubt consult a qualified tradesperson.

NOTE:
This unit contains safety film backed mirror of a nominal thickness of 3mm, which is not required to be classified to BS6206 Class C. If the mirror is chipped or broken, replace with mirror of the type described on this label. Consult the furniture retailer or agent with regard to obtaining a manufacturing specification of the shape for replacement mirror quoting the model number, and batch number or date of manufacture of this item.

Safety and Care Advice

Important – Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on the following pages.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• During assembly do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.



• To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Glue safety - Take care when using glue, please follow the advice below

Skin contact: Remove contamination by washing with soap and water. This procedure should also be followed prior to eating and drinking.

Eye contact: Rinse immediately with clean water for 15 minutes and seek medical advice.

If swallowed: Seek medical advice immediately.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints

• Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts


• Regularly check and ensure that all bolts and fittings are tightend properly.

Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: Argos = 0345 6400800**


Please check you have all the panels listed below




1 Top panel (59.1 x 14cm)




2 Bottom panel (59.1 x 14cm)




3 Left side panel (34.3 x 11.8cm)



4 Right side panel (34.3 x 11.8cm)



5 Middle left side panel (34.3 x 11.8cm)




6 Middle right side panel (34.3 x 11.8cm)



7 Side back panel x 2 (28.7 x 18.3cm)




8 Middle back panel (35 x 18.3cm)



9 Glass door x 3 (33.7 x 19.1cm)



10 Shelf x 3 (17.6 x 10.7cm)







11 Back support x 2 (17.6 x 6.3cm)

Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. in some cases more fittings may be supplied than are required.


A  30mm Dowel x 8	**B**  12mm Screw x 15	**C**  40mm Screw x 4
D  50mm Screw x 16	**E**  Door hinge x 6	**F**  Hinge plug x 3
G  Shelf support x 12	**H**  Support cover x 12	**I**  Door magnet x 3
J  Metal plate x 3	**K**  Glue x 1	**L**  Wall plug x 4
M  Screw cover x 20		

Tools required



Phillips screwdriver (medium & large)

7mm Suitable drill bit (for use with wall plug)




Drill



Small hammer




Ruler/tape measure



Eye protection (when using a hammer or glue)

Ruler - Use this ruler to help correctly identify the screws





The screws length is measured from the head to the point (30mm screw shown).


Assembly Instructions

Step 1

Attaching back supports

a: Insert Dowels (A) into the Back supports [11].

a:




X 2

b: Attach Middle right side panel [6] and Right side panel [4] onto the Back support [11].

Attach Middle left side panel [5] and Left side panel [3] onto the Back support [11].


b:



c: Place a small amount of Glue (K) into the grooves on the unit.

Carefully slide the Side back panels [7] into the unit.

c:



Assembly Instructions


Step 2

Attaching bottom panel

a: Insert Hinge plugs (F) into the Bottom panel [2] .

Place a small amount of Glue (K) into the groove of Bottom panel [2] .


a:



b: Use Screws (D) to fix the Left side panel [3], Middle left side panel [5], Middle right side panel [6] and Right side panel [4] onto the Bottom panel [2] .

Use Screw covers (M) to cover the screw heads.


b:



c: Place a small amount of Glue (K) into the grooves on the unit.

Carefully slide the Middle back panel [8] into the unit.

c:



Assembly Instructions

Step 3


Attaching shelves


a: Slide Support covers Ⓗ onto Shelf supports Ⓖ.

Insert Shelf supports Ⓖ (Support covers Ⓗ are included) into the unit. Ensure they are well fitted before inserting the Shelves.

Note: Set the shelf supports to the desired height.


a:





b: Slide the Shelves 10 into the unit.

b:





Step 4

Attaching top panel

a: Use Screws Ⓑ to fix the Door magnets Ⓘ onto the Top panel 1 .

a:





Continued on next page.

Assembly Instructions

Step 4 - continued

b: Use Screws Ⓑ to fix the Metal plates Ⓙ onto the Glass doors [9].

Insert the Door hinges Ⓔ into the Glass doors [9].

c: Carefully place the Glass doors [9] onto the unit, locating the Door hinges Ⓔ into the Hinge plugs Ⓕ.

WARNING:


- Do not place very hot or very cold items against or in close proximity to glass surface unless an adequately thick insulating material is used to prevent such items from coming into contact with the glass.
- Do not strike the glass with hard or pointed items.
- Do not sit or stand on the glass surface, as this would be hazardous.
- When cleaning the glass use a damp cloth or chamois leather with washing up liquid.
- Do not use washing powders or any other substances containing abrasives since these substances will scratch the glass.
- It is essential that you follow the Wall Fitting Guide provided since houses have differing types of walls. Failure to follow this guide could result in a hazard. If in doubt consult a qualified tradesperson.

d: Place a small amount of Glue Ⓚ into the groove of Top panel [1].


Use Screws Ⓓ to fix the Top panel [1] onto the unit.

Use Screw covers Ⓜ to cover the screw heads.


b:



c:



d:



Assembly Instructions

Step 5

Fixing to wall

It is recommended that the mirror cabinet is fixed to a wall.

With help, move mirror cabinet into position.

Warning:
The mirror cabinet is heavy.
Lift with care.

Mark fixing hole on wall and remove mirror cabinet .

Drill a hole and insert Wall plug **L**.


Warning:
Before drilling, check wall for hidden pipes and and cables.

Reposition mirror cabinet and use Screws **C** through the unit into the wall plug.


Use Screw covers **M** to cover the screw heads.


Note: Before use allow the Glue to dry for 24 hours and make sure the unit is secure.

Assembly is complete.



Note: Wall plugs supplied are for solid wall only.
The correct type of fixing must be used for your wall, seek professional advice if in doubt





If you need help or have damaged or missing parts, call the **Customer Helpline:**
Argos = 0345 6400800

A Guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fixings is the responsibility of the installer.

Important: **When drilling into walls always check that there are no hidden wires or pipes etc.**

Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.

Hints:

1: General rule: Always use a larger screw and wall plug if you are not sure.

2: Ensure you use the recommended drill bit to match the wall plug and hole size.

3: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.


4: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.

5: Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

No.1 **"General Purpose" wall plug**




Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.

No.2 **"Plasterboard" wall plug**




For use when attaching light loads on to plasterboard partitions.

No.3 **"Cavity Fixing" wall plug**




For use with plasterboard partitions or hollow wooden doors.

No.4 **"Cavity Fixing-Heavy Duty" wall plug**




For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.

No.5 **"Hammer Fixing" wall plug**



For use with walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.

No.6 **"Shield Anchor" wall plug Heavy loads**



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.

Care & Maintenance

Safety: Always check the fitting and location to ensure your safety in and around the home.

Fitting: From time to time check the fitting to ensure the wall plugs or screws do not become loose.