

Three Head Street Lamp

Simple Assembly Instructions - **Please keep for future reference**



Components

Ⓐ 1 x Head




Ⓑ 1 x Top Tube




Ⓒ 1 x Middle Tube




Ⓓ 1 x Base




Ⓔ 3 x Lamp



Ⓕ 3 x Lamp Head



Ⓖ 1 x Wires



Ⓗ 3 x Lamp Top



(Fitted to Lamp Head)

Fittings

Ⓐ 3 x Peg



Ⓑ 3 x Spring



Ⓒ 3 x Screw



Ⓓ 3 x Big Nut



11-08

Ⓔ 6 x Screw



Ⓕ 6 x Small Nut



Ⓖ 3 x Plastic Washer



(Fitted to Lamp Head)

Ⓗ 3 x Screw



(Fitted to Lamp Head)

Ⓙ 6 x Screw



(Fitted to Head)

Ⓚ 1 x Tool



Ⓛ 1 x Tool



Ⓜ 1 x Tool



IMPORTANT

1. *Read these instructions carefully and familiarise yourself with the procedure before assembling the unit.*
2. *Check that you have all the component parts following the list on the back cover and familiarise yourself with each part before proceeding.*
3. *Take all the fittings out of the plastic bag and separate them into their groups.*
4. *Ensure you have enough space to lay out all the parts before assembly.*
5. *To avoid scratching it is recommended that you assemble the unit on a soft level surface.*

Assembly Instructions

Stage 1 – Fitting the Pole Head

IMPORTANT:

Ensure the electricity is switched off at the mains before installing or maintaining the light fixture.

CAUTION:

We strongly recommend this light is fitted by a Qualified Electrician. If you are in any doubt please ask the retailer where you purchased this

1. Loosen the Fixing Screws on Head Ⓐ. Then remove the Top from the Pole Head.
   See fig. 1.
2. Connect Wires Ⓖ to the Lamp Connection Block.
   See fig. 2 and 3.
3. Remove Screws ❶ from Head Ⓐ.
   See fig. 4.
4. Feed the wires from Lamp Ⓔ through Head Ⓐ .
   See fig. 4.

CAUTION:

Glass is very fragile. Handle it carefully and keep away from children.

5. Use Screws ❶ to fix Lamp Ⓔ onto Head Ⓐ.
   See fig. 4.




fig. 1





fig. 2



Lamp Connection Block fig. 3




fig. 4

6. Connect the Lamp wires to the Lamp Connection Block .
   See fig. 5 and 6.
7. Refit the Top to Head Ⓐ.
8. Repeat Step 1-9 to assemble the other two Lamps Ⓔ.





fig. 5



Lamp Connection Block fig. 6

Assembly Instructions

Stage 2 – Fitting the Bulbs

IMPORTANT:

Ensure the electricity is switched off at the mains before installing or maintaining the light fixture.

1. Screw a Bulb (E27 Max. 60W, not included) into the unit.
   See fig. 7.




fig. 7

2. Unscrew Screw Ⓗ , Plastic Washer Ⓖ and Lamp Top Ⓗ from Lamp Head Ⓕ.
   See fig. 8.




fig. 8

3. Use Screw Ⓗ and Plastic Washer Ⓖ to fix Lamp Top Ⓗ onto Lamp Head Ⓕ.
   See fig. 9.




fig. 9

Assembly Instructions

Stage 2 – Fitting the Bulbs

4. Use Screws Ⓔ and Small Nuts Ⓕ to fix Lamp Head Ⓕ onto the unit.
   See fig. 10.




fig. 10

5. Repeat Steps 1-4 to assemble the other two Lamp Heads.
   See fig. 11.



fig. 11

Assembly Instructions

Stage 3 – Fitting the Tubes

NOTE: It would be useful to ask someone to help you at this stage.

1. Screw Top Tube Ⓑ onto Middle Tube Ⓒ.
   See fig. 12.

2. Carefully pass Wires Ⓖ through Top Tube Ⓑ and Middle Tube Ⓒ.
   See fig. 13.

3. Loosen the Fixing Screws on Pole Head Ⓐ . Then carefully fit the Pole Head onto the Top Tube. Secure the Pole Head using the fixing screws.
   See fig. 13 and 14.

NOTE: Ensure the unit is secure before attempting move it.




fig. 12

fig. 13

fig. 14

Fixing Screw

Assembly Instructions

Stage 4 – Fitting the Base

IMPORTANT:

Ensure the electricity is switched off at the mains before installing or maintaining the light fixture.

NOTE: It would be useful to ask someone to help you at this stage.

1. Fit Pegs Ⓐ into holes in the triangular plate in Base Ⓓ.
   See fig. 15.

2. Set Pegs Ⓐ into a secure base such as concrete, where it is to be located. Run a mains cable connected to a light switch to the lamp, bringing it up though the centre of pegs. Use appropriate sleeving to protect the cable. Ensure the concrete is set and the pegs are secure before proceeding.
   See fig. 16.

3. Pass Wires Ⓖ through Base Ⓓ. Then connect Wires Ⓖ to the mains.
   See fig. 17.




fig. 15





fig. 16



Mains Connection Block

fig. 17

Assembly Instructions

Stage 4 – Fitting the Base

4. Use Big Nuts Ⓓ and Spring Washers Ⓑ to fix Base Ⓓ onto Pegs Ⓐ .
   See fig. 18.

5. Use Screws Ⓒ to fix Middle Tube Ⓒ onto Base Ⓓ.
   See fig. 19.

NOTE: Ensure the unit is secure before use.




fig. 18




fig. 19

Assembly Instructions

Stage 5 – Bulb Replacement

1. Switch off the mains power supply.
2. Let the bulb cool down before replacing it - allow at least 10 minutes.
3. Never touch the bulb with your fingers directly, cover it with a cloth.
4. Loosen the bulb and remove it from the lamp.
5. Replace with a new bulb of the same voltage and wattage.





fig. 20

Caution

1. Connect to 230V/240V~, 50Hz.
2. If in doubt about fitting this product. Please consult a suitably qualified electrician.
3. The temperature of the spot lamp rises very quickly. Do not touch the metal parts or glass of the spot lamp after the light is turned on.
4. Never allow the light beam to point directly onto the ceiling.





Technical Data

Model No.	432/5217
Input Voltage	220-240V~, 50Hz
Max. Wattage	3 x Max.60W
Bulb	Max. 60W E27 230V-240V~