



# HP OfficeJet Pro 8718 All-in-One Printer (TOG48A)

## Overview



**This full-featured all-in-one delivers professional-quality, low-cost colour for the office.**

Stay productive and tackle high-volume jobs with print, fax, scan, and copy versatility. Save up to 70% on ink[2] with HP Instant Ink.

### Save up to 70% on ink with HP Instant Ink[2]

Save up to 70% on ink[2] and never run out ink. Original HP ink. Ordered by your printer, delivered to your door.[3]

### Everything you need to finish jobs fast

Get more done with print, fax, scan, and copy capabilities and a 50-page automatic document feeder.

### Remarkable value for professional, in-office colour

Manage your budget with professional-quality colour at up to 50% less cost per page than lasers.[1]

### Mobile printing that keeps your business covered

Print directly from your mobile device without accessing the company network, from anywhere in the office.[9]



## Features



On-the-go printing with HP ePrint<sup>[12]</sup>



2-sided printing



Automatic document feeder



Colour touchscreen (printer)



Ethernet (printer)



Print, scan, copy, and fax with ADF

---

[1] Compared with the majority of colour laser AiOs < €300, August 2015; market share as reported by IDC as of Q2 2015. Cost-per-page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges and long-life consumables. CPP comparisons for high-capacity HP ink supplies are based on published specifications of the manufacturers' highest-capacity cartridges. CPP based on high-capacity ink cartridges' estimated street price and page yield. ISO yield based on continuous printing in default mode. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[2] Based on HP Instant Ink service 300 page plan (savings for other plans will be lower). Based on use of all pages in plan without purchase of additional sets of pages compared to cost per page (CPP) to print ISO/IEC 24711 pages on market majority of colour inkjet printers less than £200 using original standard capacity cartridges as reported by IDC in Q2 2016. Survey based upon indicative manufacturers' supplies pricing as reported by SPIRE as of September 2016 and page yield listed on manufacturers' website as of September 2016. For further details please refer to [hp.com/go/ukcompare](http://hp.com/go/ukcompare). All prices include VAT. ISO yield based on continuous printing in default mode. Actual savings may vary depending on number of pages actually printed per month and content of pages printed. For more information on ISO standards: [hp.com/go/pageyield](http://hp.com/go/pageyield).

[3] Ordered by your printer when needed, subject to customer internet connection. Availability may vary in exceptional circumstances. Express deliveries available via Support Services, if you use more ink than anticipated. See [hp.com/go/instantinksupport](http://hp.com/go/instantinksupport) for troubleshooting assistance and contact support options.

[9] Mobile device needs to be connected directly to the Wi-Fi Direct® signal of a Wi-Fi Direct supported AiO or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see <http://www.hp.com/go/mobileprinting>. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®.

[12] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting).

## Specifications

|  |  |
|--|--|
| <b>Print Resolution Technologies</b>     | HP Thermal Inkjet  |
| <b>Print quality black (best)</b>        | 1200 x 1200 rendered dpi   |
| <b>Print quality color (best)</b>        | Up to 4800 x 1200 optimised dpi on HP Advance Photo Paper 1200 x 1200 dpi input  |
| <b>Print speed black (ISO, A4)</b>       | Up to 22 ppm   |
| <b>Print Speed Color (ISO)</b>           | Up to 18 ppm   |
| <b>Print speed</b>                       | Up to 22 ppm (black) and 18 ppm (colour)   |
| <b>Functions</b>                         | Print, copy, scan, fax   |
| <b>Duplex printing</b>                   | Automatic (standard)   |
| <b>Duty cycle (monthly, A4)</b>          | Up to 25,000 pages   |
| <b>Printer smart software features</b>   | Orientation: Portrait/Landscape; Print on Both Sides: None/Flip on Long Edge/Flip on Short Edge; Page Order: Front to Back/Back to Front; Pages per Sheet: 1, 2, 4, 6, 9, 16; Quality Settings: Draft/Normal/Best; Colour: Black & White/Colour; Printing Shortcuts; Print in Greyscale: Off/High Quality Greyscale/Black Ink Only; Pages per Sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left; Print in Max DPI: No/Yes; HP Real Life Technologies: Off/On; Booklet: None/Booklet-Left Binding/Booklet-Right Binding; Pages to Print: Print All Pages/Print Odd Pages Only/Print Even Pages Only; Borderless Printing: Off/On; Page Borders: Off/On; Preserve Layout: No/Yes |
| <b>Fax smart software features</b>       | Digital Fax-Fax to Mac/Fax to PC is available with Windows and Macintosh (please use: <a href="http://www.hp.com/support">http://www.hp.com/support</a> to download the latest software)   |
| <b>Energy savings feature technology</b> | Schedule On and Schedule Off   |
| <b>Replacement cartridges</b>            | HP 953 Black OfficeJet Ink Cartridge (~1,000 pages); HP 953 Cyan OfficeJet Ink Cartridge, HP 953 Magenta OfficeJet Ink Cartridge, HP 953 Yellow OfficeJet Ink Cartridge: composite yield (~700 pages); HP 953XL Black OfficeJet Ink Cartridge (~2,000 pages); HP 953XL Cyan OfficeJet Ink Cartridge, HP 953XL Magenta OfficeJet Ink Cartridge, HP 953XL Yellow OfficeJet Ink Cartridge: composite yield (~1,600 pages)   |
| <b>Connectivity, standard</b>            | 1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports   |
| <b>Connectivity, optional</b>            | Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 Peripherals (J7942G), HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100 Base-TX, 802.11b/g) (J7951G), HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport Time Capsule   |
| <b>Network capabilities</b>              | Yes, via built-in Ethernet, wireless 802.11b/g/n   |
| <b>Wireless capability</b>               | Yes, built-in Ethernet, Wi-Fi 802.11b/g/n  |
| <b>Mobile printing capability</b>        | HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing  |

|  |  |
|--|--|
| <b>Network protocols, supported</b>      | Supported Network Protocols configurations (IPv4, IPv6); ARP; BOOTP; SMTP client; LLNMR; Bonjour; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Custom Raw Port/Port9100; DNS Resolver; mDNS; SNMPv1/v3; Web Services Discovery; Web Services Print; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 wired authentication   |
| <b>Software included</b>                 | HP Dropbox, HP Google Drive, Microsoft DotNet  |
| <b>Compatible Operating Systems</b>      | Windows 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB Linux (for more information, see <a href="http://hplipopensource.com/hplip-web/index.html">http://hplipopensource.com/hplip-web/index.html</a> )<br>(Not supporting Windows Vista (64-bit)) |
| <b>ENERGY STAR® certified</b>            | Yes  |
| <b>Energy efficiency</b>                 | ENERGY STAR® certified   |
| <b>Digital sending standard features</b> | Scan-to email; Fax archive to email  |
| <b>Faxing</b>                            | Yes, colour  |
| <b>Scan speed (normal, A4)</b>           | Up to 8 ipm (200 ppi, monochrome); Up to 8 ipm (200 ppi, colour)   |
| <b>Scan file format</b>                  | Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)  |
| <b>Scan input modes</b>                  | Front-panel scan, copy, fax, or from software  |
| <b>Scan technology</b>                   | Contact Image Sensor (CIS)   |
| <b>Scanner type</b>                      | Flatbed, ADF   |
| <b>Display</b>                           | 6.73 cm (2.65" ) Colour Graphic Display touchscreen  |
| <b>Minimum dimensions (W x D x H)</b>    | 49.95 x 40.48 x 33.91 cm (desktop footprint); 49.95 x 53.01 x 33.91 cm (duplexer built-in, output tray no need to extend)  |
| <b>Weight</b>                            | 11.54 kg <sup>[2]</sup>  |
| <b>Power consumption</b>                 | 35 watts maximum, 0.14 watts (manual-off), 6.10 watts (standby), 1.20 watts (sleep) <sup>[3]</sup><br>(Power measurements are based on ENERGY STAR® OM test procedure with 230 VAC, 50 Hz input.)  |
| <b>Power supply type</b>                 | Built-in power supply  |
| <b>What's in the box</b>                 | HP OfficeJet Pro 8718 All-in-One Printer; HP 953 Setup Black OfficeJet Ink Cartridge (~745 pages); HP 953 Setup Cyan OfficeJet Ink Cartridge, HP 953 Setup Magenta OfficeJet Ink Cartridge, HP 953 Setup Yellow OfficeJet Ink Cartridge: composite yield (~400 pages); Power cord; Phone cord; Setup poster; Ethernet cable  |

**Services (Care Pack)**

UG199E HP 3 year Care Pack with Standard Exchange for Officejet Printers;UG076E HP 3 year Care Pack with Next Day Exchange for Officejet Printers;UG279E HP 3 year Care Pack with Return to Depot Support for Officejet Pro Printers (UG199E: all EMEA countries, except ME, Africa, South Africa, Israel, Turkey, UG076E: Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech, Greece, Hungary, Poland, Slovakia, UG279E: ME, Africa, South Africa, Israel, Turkey)

**Warranty**

One-year limited hardware warranty; 24-hour, 7 days a week Web support; Business hour phone support within warranty period

## Additional specifications

|   |  |
|---|--|
| <b>Acoustic power emissions</b>                         | 6.9 B(A) (printing at 20 ppm)  |
| <b>Acoustic power emissions (active copy)</b>           | 6.5 B(A) (copying at 7 ppm with ADF running)   |
| <b>Acoustic pressure emissions</b>                      | 63 dB(A) (draft printing at 20 ppm)  |
| <b>Additional information about HP</b>                  | <a href="http://www.hp.com">http://www.hp.com</a>  |
| <b>Additional information about HP in the countries</b> | <a href="http://www.hp.com/uk">http://www.hp.com/uk</a>  |
| <b>Auto fax reduction supported</b>                     | Yes  |
| <b>Automatic document feeder capacity</b>               | Standard, 50 sheets  |
| <b>Automatic paper sensor</b>                           | Yes  |
| <b>Bit depth</b>  | 24-bit   |
| <b>Borderless printing</b>                              | Yes, up to 210 x 297 mm (A4)   |
| <b>Bottom margin (A4)</b>                               | 3.3 mm   |
| <b>Cable included</b>                                   | No, please purchase USB cable separately; 1 phone cord; 1 ethernet cable   |
| <b>Color copy capability</b>                            | Yes  |
| <b>Color scanning</b>                                   | Yes  |
| <b>Color(s) of printing supplies</b>                    | Black, cyan, magenta, yellow   |
| <b>Compatible Network Operating Systems</b>             | Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2008 (Standard Edition), Windows Server 2008 (Enterprise Edition), Windows Server 2008 32-bit (SP1), Windows Server 2008 64-bit (SP1), Windows Server 2008 32-bit (SP2), Windows Server 2008 64-bit (SP2), Windows Server 2008 R2 32-bit (Standard Ed, Enterprise Ed), Windows Server 2008 R2 64-bit (Standard Ed, Enterprise Ed), Windows 2008 Server Terminal Services, Windows 2008 Server Terminal Services with Citrix XenApp, Windows Server 2003 (Standard Edition), Windows Server 2003 (Enterprise Edition), Windows Server 2003 32-bit (SP1), Windows Server 2003 32-bit (SP2), Windows Server 2003 R2 32-bit (Standard Ed/Enterprise Ed), Windows 2003 Server Terminal Services, Windows 2003 Server Terminal Services with Citrix Metaframe XP with Feature Release 3, Windows 2003 Server Terminal Services with Citrix Presentation Server 4.0, Citrix (Print): Citrix XenApps 6.0, XenServer 5.6, Xen Desktop 5.5, Cluster Support, Windows 2003 Server Terminal Services with Citrix Presentation Server 4.5; Novell iPrint Client v5.4 for Vista & Win7, (x86 and x64), Novell iPrint Support Only, Novell Open Enterprise Server 2 (Linux), Novell Open Enterprise Server 6.5, NetWare 6, Novell NetWare 6.5 SP8 minimum for full Vista & Win7 |
| <b>Control panel</b>                                    | 3 Buttons (Home, Help, Back); Active control light; Wi-Fi control light  |
| <b>Copier settings</b>                                  | Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements   |
| <b>Copies, maximum</b>                                  | Up to 99 copies  |
| <b>Copy Speed Black (maximum, A4)</b>                   | Up to 30 cpm   |

|  |   |
|--|---|
| <b>Copy Speed Color (maximum, A4)</b>            | Up to 27 cpm  |
| <b>Copy reduce / enlarge settings</b>            | 25 to 400%  |
| <b>Copy resolution (black graphics)</b>          | Up to 600 dpi   |
| <b>Copy resolution (black text)</b>              | Up to 600 dpi   |
| <b>Copy resolution (color text and graphics)</b> | Up to 600 dpi   |
| <b>Copy speed black (ISO)</b>                    | Up to 20 cpm  |
| <b>Copy speed color (ISO)</b>                    | Up to 14 cpm  |
| <b>Country of origin</b>                         | Made in China   |
| <b>Datasheet publication number</b>              | 4AA6-9402   |
| <b>Dimensions with trays up (W x D x H)</b>      | 499.5 x 404.8 x 422.3 mm (desktop footprint); 499.5 x 530.1 x 422.3 mm (with second 250-sheet paper tray installed) |
| <b>Distinctive ring detection supported</b>      | Yes   |
| <b>Duplex ADF scanning</b>                       | Yes   |
| <b>Enhanced scanning resolution</b>              | Up to 1200 dpi  |
| <b>Envelope Feeder</b>                           | No  |
| <b>Exifprint supported</b>                       | Yes   |
| <b>Fax Auto Redial</b>                           | Yes   |
| <b>Fax Broadcast Locations</b>                   | 20  |
| <b>Fax Modem Speed</b>                           | Avago DP5 Fax modem   |
| <b>Fax PC Interface Supported</b>                | Yes, HP Software support provided   |
| <b>Fax Polling</b>                               | No  |
| <b>Fax Remote Retrieval</b>                      | No  |
| <b>Fax Transmission Speed</b>                    | 4 sec per page  |
| <b>Fax delayed sending</b>                       | Yes   |
| <b>Fax forwarding</b>                            | Yes   |
| <b>Fax memory</b>                                | Up to 100 pages   |
| <b>Fax resolution black</b>                      | 203 x 196 dpi, 256 levels of grey   |
| <b>Fax resolution color (fine)</b>               | 200 x 200 dpi   |
| <b>Fax resolution color (standard)</b>           | 200 x 200 dpi   |
| <b>Fax telephone mode supported</b>              | No  |
| <b>Faxing options (ADF)</b>                      | Two-sided   |
| <b>File Format Supported</b>                     | PDF; TIFF; JPEG   |
| <b>First page out black (A4, ready)</b>          | As fast as 9 sec  |
| <b>First page out color (A4, ready)</b>          | As fast as 10 sec   |
| <b>HP Real Life technologies™</b>                | Default: Off  |

|  |   |
|--|---|
| <b>HP auto wireless connect</b>                | Yes   |
| <b>HP ePrint capability</b>                    | Yes   |
| <b>Ink types</b>                               | Pigment-based (black and colour)  |
| <b>Input capacity</b>                          | Up to 250 sheets  |
| <b>Junk fax barrier</b>                        | Yes, requires Caller ID   |
| <b>Left margin (A4)</b>                        | 3.3 mm  |
| <b>Levels of grayscale</b>                     | 256   |
| <b>Mac compatible</b>                          | Yes   |
| <b>Maximum Input Capacity (envelopes)</b>      | Up to 30  |
| <b>Maximum Memory</b>                          | 128 MB  |
| <b>Maximum dimensions (W x D x H)</b>          | 499 x 404.8 x 315.5 mm (desktop footprint); 499 x 639.8 x 315.5 mm (with built-in duplexer, output tray extended)   |
| <b>Maximum input capacity (10x15cm photos)</b> | Up to 50 sheets   |
| <b>Maximum input capacity (4x6 photo)</b>      | Up to 50 sheets   |
| <b>Maximum input capacity (cards)</b>          | Up to 50 sheets   |
| <b>Maximum input capacity (labels)</b>         | Up to 50 sheets   |
| <b>Maximum input capacity (photo paper)</b>    | Up to 50 sheets   |
| <b>Maximum input capacity (sheets)</b>         | Up to 250 sheets  |
| <b>Maximum output capacity (cards)</b>         | Up to 65 cards  |
| <b>Maximum output capacity (envelopes)</b>     | Up to 25 envelopes  |
| <b>Maximum output capacity (photo paper)</b>   | Up to 50 sheets   |
| <b>Maximum output capacity (sheets)</b>        | Up to 150 sheets  |
| <b>Maximum print area</b>                      | 209 x 349 mm  |
| <b>Media sizes supported</b>                   | A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6)   |
| <b>Media sizes supported, key</b>              | 10 x 15 cm; A4; Envelopes   |
| <b>Media sizes, custom</b>                     | Tray 1: 76.2 x 127 to 215.9 x 355.6 mm  |
| <b>Media types</b>                             | Plain paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, other photo inkjet papers, other matte inkjet papers, other glossy inkjet papers, thick, light/recycled |
| <b>Media weight, recommended</b>               | 60 to 105 g/m <sup>2</sup> (plain); 220 to 280 g/m <sup>2</sup> (photo); 75 to 90 g/m <sup>2</sup> (envelope); 163 to 200 g/m <sup>2</sup> (card)   |
| <b>Memory</b>                                  | 128 MB  |



|  |   |
|--|---|
| <b>Minimum System Requirements</b>               | Windows 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB Linux (for more information, see <a href="http://hplipopensource.com/hplip-web/index.html">http://hplipopensource.com/hplip-web/index.html</a> ) |
| <b>Minimum System Requirements for Macintosh</b> | Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB   |
| <b>Mobile printing capability footnote</b>       | Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <a href="http://www.hp.com/go/mobileprinting">http://www.hp.com/go/mobileprinting</a> . <sup>[4]</sup>   |
| <b>Multitasking supported</b>                    | Yes   |
| <b>Non-Operating Humidity Range</b>              | Up to 90% RH (non-condensing) at a temperature of 60°C  |
| <b>Number of print cartridges</b>                | 4 (1 each black, cyan, magenta, yellow)   |
| <b>Number of users</b>                           | 1-5 Users   |
| <b>Operating humidity range</b>                  | 20 to 80% RH  |
| <b>Operating temperature range</b>               | 5 to 40°C   |
| <b>Output capacity</b>                           | Up to 150 sheets  |
| <b>Output file format</b>                        | PDF; TIFF; JPEG   |
| <b>Package dimensions (W x D x H)</b>            | 569 x 377 x 492 mm  |
| <b>Package weight</b>                            | 14.5 kg   |
| <b>Paper handling input, standard</b>            | 250-sheet input tray  |
| <b>Paper handling output, standard</b>           | 150-sheet output tray   |
| <b>Paper trays, maximum</b>                      | 1   |
| <b>Paper trays, standard</b>                     | 1   |
| <b>PictBridge description</b>                    | No  |
| <b>PictBridge supported</b>                      | No  |
| <b>Plug and play</b>                             | Auto Wireless Connect   |
| <b>Ports</b>                                     | 1 Host USB; 1 USB 2.0; 1 Ethernet; 1 WiFi 802.11b/g/n; 2 RJ-11 modem ports  |
| <b>Power</b>                                     | Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz   |
| <b>Print Technology</b>                          | Ink   |
| <b>Print colors</b>                              | Yes   |
| <b>Print colors maximum</b>                      | 4   |
| <b>Print languages</b>                           | HP PCL 3 GUI, HP PCL 3 Enhanced   |
| <b>Print speed black (ISO)</b>                   | Up to 22 ppm  |
| <b>Print speed black (draft, A4)</b>             | Up to 35 ppm  |
| <b>Print speed color (ISO)</b>                   | Up to 18 ppm  |

|  |   |
|--|---|
| <b>Print speed color (draft, A4)</b>               | Up to 35 ppm  |
| <b>Print speed duplex (A4)</b>                     | Up to 12 ipm  |
| <b>Print speed duplex (A4)</b>                     | Up to 10 ipm  |
| <b>Print technology</b>                            | HP Thermal Inkjet   |
| <b>Printer Management</b>                          | HP Web Jetadmin; Embedded Web Server; HP Utility (Mac), HP JetAdvantage Security Manager optional   |
| <b>Printer drivers included</b>                    | HP PCL 3 GUI; HP PCL 3 Enhanced   |
| <b>Processor speed</b>                             | 600 Mhz   |
| <b>Recommended Macintosh system requirements</b>   | Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB   |
| <b>Recommended monthly page volume</b>             | 250 to 1,500  |
| <b>Recommended operating humidity range</b>        | 25 to 75% RH  |
| <b>Recommended operating temperature range</b>     | 15 to 32°C  |
| <b>Resolution (black and white, standard mode)</b> | 203 x 98 dpi  |
| <b>Resolution (black photo grayscale)</b>          | 300 x 300 dpi   |
| <b>Right margin (A4)</b>                           | 3.3 mm  |
| <b>Safety</b>                                      | EN 60950/IEC 60950 Compliance (International)   |
| <b>Scan resolution, hardware</b>                   | Up to 1200 x 1200 dpi   |
| <b>Scan resolution, optical</b>                    | Up to 1200 dpi  |
| <b>Scan size (ADF), maximum</b>                    | 215 x 355 mm  |
| <b>Scan size (ADF), minimum</b>                    | 127 X 127 mm  |
| <b>Scan size, maximum</b>                          | 210 x 297 mm  |
| <b>Scan speed duplex (normal, A4)</b>              | Up to 4 ipm (200 ppi, black and white); Up to 4 ipm (200 ppi, colour)   |
| <b>Security management</b>                         | SSL/TLS (HTTPS), IPP over TLS; WPA2-Enterprise wired; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Firewall, certificates configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; Optional HP JetAdvantage Security Manager |
| <b>Send to email capability</b>                    | Yes   |
| <b>Standard input capacity (cards)</b>             | Up to 50 sheets   |
| <b>Standard input capacity (envelopes)</b>         | Up to 30  |
| <b>Standard media sizes (duplex)</b>               | A4, B5  |
| <b>Standard output capacity (cards)</b>            | Up to 65 cards  |

|   |   |
|---|---|
| <b>Standard output capacity (envelopes)</b>                     | Up to 25 envelopes  |
| <b>Standard output capacity (labels)</b>                        | Up to 60 sheets   |
| <b>Storage device and direct print support</b>                  | Front-facing USB/Flash drive  |
| <b>Storage temperature range</b>                                | -40 to 60°C   |
| <b>Sub-brand name</b>   | Officejet Pro   |
| <b>System requirements, recommended</b>                         | Windows 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB Linux (for more information, see <a href="http://hplipopensource.com/hplip-web/index.html">http://hplipopensource.com/hplip-web/index.html</a> ) |
| <b>Target user and print volume</b>                             | For teams up to 5 users; Prints up to 1,500 pages/month   |
| <b>Telecom compliance (fax capability)</b>                      | ETSI ES 203 021-2 (V2.1.2 2006-01), ETSI ES 203 021-3 (V2.1.2 2006-01)  |
| <b>Telephone handset supported</b>                              | No  |
| <b>Top key features</b>   | 50-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing  |
| <b>Top margin (A4)</b>  | 3.3 mm  |
| <b>Twain version</b>  | Version 1.9   |
| <b>Typical electricity consumption (TEC) number</b>             | 0.30 kWh/Week   |
| <b>USB input for firmware update and play multimedia files.</b> | 8443310000  |
| <b>Video action printing note</b>                               | No  |
| <b>Video action printing supported</b>                          | No  |
| <b>Web solutions</b>  | HP JetAdvange On Demand; Variety of Apps including Scan to email  |
| <b>Wireless</b>   | 802.11b/g/n   |

[2] Weight varies as per configuration

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[4] Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only, excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see <http://www.hpconnected.com>. HP ePrint requires: account registration, HP ePrint-enabled printer, Internet connection, and a wireless-enabled mobile device or Internet-connected computer with email capability. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. AirPrint supports OS X® Lion, OS X® Mountain Lion and the following devices running iOS 4.2 or later: iPad®, iPhone® (3GS or later), iPod touch® (3rd generation or later) and requires the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc. Windows is a trademark of the Microsoft group of companies. BlackBerry® names and logos are the property of Research In Motion Limited. Android is a trademark of Google Inc.



### Ink Supplies

#### HP Inkjet Printer Cartridges and Ink Supplies

|  |         |
|--|---------|
| HP 953XL 4-pack High Yield Black/Cyan/Magenta/Yellow Original Ink Cartridges | 3HZ52AE |
| HP 953 Yellow Original Ink Cartridge   | F6U14AE |
| HP 953 Magenta Original Ink Cartridge  | F6U13AE |
| HP 953XL High Yield Yellow Original Ink Cartridge                            | F6U18AE |
| HP 953XL High Yield Magenta Original Ink Cartridge                           | F6U17AE |
| HP 953 Black Original Ink Cartridge  | LOS58AE |
| HP 953 Cyan Original Ink Cartridge   | F6U12AE |
| HP 953XL High Yield Black Original Ink Cartridge                             | LOS70AE |
| HP 953XL High Yield Cyan Original Ink Cartridge                              | F6U16AE |

#### HP Inkjet Business Value Packs

|   |         |
|---|---------|
| HP 953XL Office Value Pack-75 sht/A4/210 x 297 mm | 1CC21AE |
|---|---------|

### HP Paper Designed for Inkjet Printers

#### HP Professional Inkjet Paper

|  |        |
|--|--------|
| HP Professional Matt Inkjet Paper-200 sht/A4/210 x 297 mm  | Q6593A |
| HP Professional Glossy Inkjet Paper-50 sht/A4/210 x 297 mm | C6818A |
| HP Professional Matt Inkjet Paper-100 sht/A4/210 x 297 mm  | Q6592A |
| HP Professional Glossy Inkjet Paper-50 sht/A4/210 x 297 mm | C6818A |

#### HP Inkjet Photo Paper

|   |        |
|---|--------|
| HP Premium Plus Glossy Photo Paper-50 sht/10 x 15 cm          | CR695A |
| HP Premium Plus Glossy Photo Paper-20 sht/13 x 18 cm          | CR676A |
| HP Premium Plus Glossy Photo Paper-25 sht/10 x 15 cm          | CR677A |
| HP Premium Plus Glossy Photo Paper-50 sht/A4/210 x 297 mm     | CR674A |
| HP Premium Plus Semi-gloss Photo Paper-20 sht/A4/210 x 297 mm | CR673A |
| HP Advanced Glossy Photo Paper-25 sht/A4/210 x 297 mm         | Q5456A |
| HP Advanced Glossy Photo Paper-50 sht/A4/210 x 297 mm         | Q8698A |
| HP Advanced Glossy Photo Paper-100 sht/10 x 15 cm borderless  | Q8692A |
| HP Advanced Glossy Photo Paper-25 sht/13 x 18 cm borderless   | Q8696A |

|   |        |
|---|--------|
| HP Advanced Glossy Photo Paper-25 sht/10 x 15 cm borderless | Q8691A |
| HP Advanced Glossy Photo Paper-60 sht/10 x 15 cm borderless | Q8008A |
| HP Premium Plus Glossy Photo Paper-20 sht/A4/210 x 297 mm   | CR672A |
| HP Everyday Glossy Photo Paper-100 sht/A4/210 x 297 mm      | Q2510A |
| HP Everyday Glossy Photo Paper-100 sht/10 x 15 cm           | CR757A |
| HP Everyday Glossy Photo Paper-25 sht/A4/210 x 297 mm       | Q5451A |
| HP Advanced Glossy Photo Paper-25 sht/A4/210 x 297 mm       | Q5456A |

## HP Inkjet Everyday Paper

|  |        |
|--|--------|
| HP Bright White Inkjet Paper-250 sht/A4/210 x 297 mm | C5977B |
| HP Bright White Inkjet Paper-500 sht/A4/210 x 297 mm | C1825A |

## HP Inkjet Special Occasion Paper

|   |        |
|---|--------|
| HP Iron-on Transfers-12 sht/A4/210 x 297 mm | C6050A |
|---|--------|

## HP Paper for Multiple Uses

### HP Multi-use Everyday Paper

|  |        |
|--|--------|
| HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm | CHP712 |
| HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm         | CHP910 |
| HP Printing Paper-2500 sht/A4/210 x 297 mm           | CHP215 |
| HP Premium Choice Paper-500 sht/A4/210 X 297 mm      | CHP812 |
| HP Office Paper-500 sht/A4/210 x 297 mm              | CHP110 |
| HP Office Paper-2500 sht/A4/210 x 297 mm             | CHP113 |
| HP Home and Office Paper-500 sht/A4/210 x 297 mm     | CHP150 |
| HP Printing Paper-500 sht/A4/210 x 297 mm            | CHP210 |
| HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm | CHP710 |
| HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm     | CHP235 |

### HP Recycled Paper

|  |        |
|--|--------|
| HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm | CHP830 |
|--|--------|

### HP Multipurpose Paper

|   |        |
|---|--------|
| HP Multipurpose Paper-500 sht/A4/210 x 297 mm | CHP225 |
|---|--------|

Services

**HP Care Pack Services**

**Imaging and Printing Consumer Care Pack Services**

|  |        |
|--|--------|
| HP 3 year Care Pack w/Standard Exchange for Officejet Pro Printers | UG199E |
| HP 3 year Care Pack w/Next Day Exchange for Officejet Pro Printers | UG076E |
| HP 3 year Care Pack w/Next Day Exchange for Officejet Pro Printers | UG076E |
| HP 2 year Care Pack w/Standard Exchange for Officejet Pro Printers | UG223E |
| HP 1 year Care Pack w/Next Day Exchange for Officejet Pro Printers | UG136E |
| HP 3 year Care Pack w/Standard Exchange for Officejet Pro Printers | UG199E |

## Solutions

### Printing Solutions

#### Print Management

|                           |                 |
|---------------------------|-----------------|
| HP JetAdvantage Insights  | HPJETADINSIGHTS |
| HP Universal Print Driver | HPUNIVPRNTDRV   |
| HP Web Jetadmin           | HPWEBJETADMIN   |

#### Printing Security

|                               |              |
|-------------------------------|--------------|
| HP JetAdvantage Private Print | HPCMPPONDMND |
|-------------------------------|--------------|

---

### Disclaimer — Copyright

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (gb-en) – Aug 01, 2018 10:26 AM UTC+0000