HP OfficeJet Pro 7720 Wide Format All-in-One Printer (Y0S18A)



Overview

Business-ready, professional-quality colour up to 29.7 x 42 cm (A3).

Easily print on a variety of paper sizes up to 29.7 x 42 cm (A3). Produce professional-quality colour for up to 50% less cost perpage than lasers on a printer that's ready for business.[1]

Print big. Play big.

Print up to 29.7 x 42 cm (A3). Scan and copy up to legal size.

Easy mobile printing with HP Smart app

Easily print from a variety of smartphones and tablets.

Present professionally. And affordably.

Print up to 3x as many black-text and 2x as many colour pages, with optional HP highyield ink cartridges.[3]





| Print up to 29.7 x 42 cm (A3) | HP Smart App |
|-------------------------------------|-----------------------------|
| Ē | |
| Easy mobile printing ^[8] | Wi-Fi Direct ^[9] |
| | |
| High-yield ink cartridges | 35-page ADF |

[1] Compared with the majority of colour laser AiOs <€400 excluding VAT, Q3 2016; market share as reported by IDC as of Q3 2016. Cost-per-page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges and long-life consumables. CPP comparisons for high-capacity HP ink supplies are based on published specifications of the manufacturers' highest-capacity cartridges. CPP based on high-capacity ink cartridges' Manufacturer Recommended Street Price (MRSP) and page yield. ISO yield based on continuous printing in default mode. For more information, see http://www.hp.com/go/learnaboutsupplies.

[3] Based on cartridge yields for HP 957XL ink cartridges compared with HP 953 standard ink cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies.

[8] Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to the printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at http://www.hp.com/go/mobileprinting.

[9] Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

Specifications

| Print Resolution Technologies | HP Thermal Inkjet |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Print quality black (best) | Up to 1200 x 1200 rendered dpi |
| Print quality color (best) | Up to 4800 by 1200 optimized dpi on HP Advance Photo Paper 1200 by 1200 dpi input |
| Print speed black (ISO, A4) | Up to 22 ppm |
| Print Speed Color (ISO) | Up to 18 ppm |
| Print speed | Print speed up to 22 ppm (black) and 18 ppm (colour) |
| Functions | Print, copy, scan, fax |
| Duplex printing | Automatic (A4/Letter) |
| Duty cycle (monthly, A4) | Up to 30,000 pages |
| Replacement cartridges | HP 953 Black Ink Cartridge (~1,000 pages); HP 953 CMY Ink Cartridge (~700 pages); HP 953XL Black Ink Cartridge (~2,000 pages); HP 953XL CMY Ink Cartridge (~1,600 pages); HP 957XL Black Ink Cartridge (~3,000 pages) |
| Connectivity, standard | 1 USB 2.0 with compatibility with USB 3.0 devices; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports |
| Connectivity, optional | No |
| Network capabilities | Yes, via built-in Ethernet, wireless 802.11b/g/n |
| Wireless capability | Yes, built-in Wi-Fi 802.11 b/g/n |
| Mobile printing capability | Apple AirPrint™, HP ePrint, Wireless direct printing, Mopria-certified and Google Cloud Print™ |
| Network protocols, supported | IPv4, IPv6, Bonjour, Custom Raw Port/Port9100, mDNS, Embedded Web Server, Wireless Network Supported, SLP, WS-Print, Wireless b/g/n, WEP/WPA (AES), SNMP, Internet Printing Protocol |
| Software included | HP Printer Software, Google Toolbar, HP Update, Shop for Supplies Online, HP Photo Creations |
| Compatible Operating Systems | Windows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html). ^[4] |
| ENERGY STAR [®] certified | Yes |
| Energy efficiency | CECP |
| Blue Angel compliant | No; Please refer to the ECI document |
| Copy speed black (best, A4) | Up to 4 cpm |
| Copy speed black (best, letter) | Up to 4 cpm |
| Digital sending standard features | Scan to PC |
| Fax Resolution Black (best) | Up to 300 x 300 dpi |

| Faxing | Yes, colour |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Scan speed (normal, A4) | Simplex: Up to 8/8 ipm (Black and White/Colour 200 ppi) |
| Scan file format | JPEG, TIFF, PDF, BMP, PNG |
| Scan input modes | Front-panel scan, copy, fax, HP Software, EWS |
| Scan technology | CIS |
| Scanner type | Flatbed, ADF |
| Display | 6.75 cm (2.65 in) LCD (colour) with IR touchscreen function |
| Minimum dimensions (W x D x H) | 584.9 x 444.8 x 306.4 mm (Cleanout + OP tray not extended) |
| Weight | 15.50 kg |
| Power supply type | Internal (Built-in) Universal Power Supply |
| What's in the box | HP OfficeJet 7720 Wide Format All-in-One Printer; HP 953 Setup Black OfficeJet Ink Cartridge (~1,000 pages); HP 953 Setup CMY OfficeJet Ink Cartridge (~625 pages); Power cord; Setup poster |
| Services (Care Pack) | UG199E HP 3 year Care Pack with Standard Exchange for OfficeJet Pro Printers;UG076E HP 3 year Care Pack with Next Business Day Exchange for OfficeJet Pro Printers; (UG076E: only Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia, UG199E: all EMEA countries) |
| Warranty | Standard one-year HP commercial hardware warranty. Three-year HP commercial hardware warranty after registration within 60 days of purchase (see www.hp.com/eu/3yearwarranty). Warranty and support options vary by product, country and local legal requirements |

Additional specifications

| Acoustic power emissions | 6.6 B(A) (normal mono); 6.6 B(A) (normal color) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acoustic power emissions (active copy) | 6.6 B(A) (normal mono), 6.6 B(A) (normal color) |
| Acoustic pressure emissions | 60 dB(A) (normal mono), 58 dB(A) (normal color) |
| Additional information about HP | http://www.hp.com |
| Additional information about HP in the countries | http://www.hp.com/uk |
| Auto fax reduction supported | Yes |
| Automatic document feeder capacity | Standard, 35 sheets |
| Automatic paper sensor | Νο |
| Bit depth | 24-bit |
| Borderless printing | Yes (up to A3/11 x 17-in) |
| Bottom margin (A4) | 3.3 mm |
| Cable included | Please purchase USB cable separately |
| Camera phone description | Airprint from iPhone® or iPad®, or wireless direct print from Android® phone with HP home and biz app |
| Camera phone supported | Yes |
| Color copy capability | Yes |
| | |
| Color scanning | Yes |
| Color scanning Color(s) of printing supplies | Yes Black, cyan, magenta, yellow |
| - | |
| Color(s) of printing supplies Compatible Network Operating | Black, cyan, magenta, yellow Windows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see |
| Color(s) of printing supplies Compatible Network Operating Systems | Black, cyan, magenta, yellow Windows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html). Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two- |
| Color(s) of printing supplies Compatible Network Operating Systems Copier settings | Black, cyan, magenta, yellowWindows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html).Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two- sided; ID Copy, Collate; Binding Margin; Enhancement; Crop; Copy preview |
| Color(s) of printing supplies Compatible Network Operating Systems Copier settings Copies, maximum | Black, cyan, magenta, yellowWindows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html).Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two- sided; ID Copy, Collate; Binding Margin; Enhancement; Crop; Copy previewUp to 99 copies |
| Color(s) of printing supplies Compatible Network Operating Systems Copier settings Copies, maximum Copy Speed Black (maximum, A4) Copy Speed Black (maximum, A4) | Black, cyan, magenta, yellow Windows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html). Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; Binding Margin; Enhancement; Crop; Copy preview Up to 99 copies Up to 34 cpm |
| Color(s) of printing supplies Compatible Network Operating Systems Copier settings Copies, maximum Copy Speed Black (maximum, A4) Copy Speed Color (maximum, A4) | Black, cyan, magenta, yellow Windows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html). Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; Binding Margin; Enhancement; Crop; Copy preview Up to 99 copies Up to 34 cpm Up to 34 cpm |
| Color(s) of printing supplies Compatible Network Operating Systems Copier settings Copier, maximum Copy Speed Black (maximum, A4) Copy Speed Color (maximum, A4) Copy reduce / enlarge settings | Black, cyan, magenta, yellow Windows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html). Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; Binding Margin; Enhancement; Crop; Copy preview Up to 99 copies Up to 34 cpm 25 to 400% |
| Color(s) of printing supplies Compatible Network Operating Systems Copier settings Copier, maximum Copy Speed Black (maximum, A4) Copy Speed Color (maximum, A4) Copy reduce / enlarge settings Copy resolution (black graphics) | Black, cyan, magenta, yellow Windows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit)) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html). Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; Binding Margin; Enhancement; Crop; Copy preview Up to 99 copies Up to 34 cpm 25 to 400% Up to 600 dpi |
| Color(s) of printing supplies Compatible Network Operating Systems Copier settings Copier settings Copies, maximum Copy Speed Black (maximum, A4) Copy Speed Color (maximum, A4) Copy reduce / enlarge settings Copy resolution (black graphics) Copy resolution (black text) Copy resolution (color text and | Black, cyan, magenta, yellowWindows 10 (32/64-bit), Windows 8.1 (32/64-bit), Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.12, v 10.11, v 10.10, v 10.9 or v 10.8; Linux (For more information, see http://www.hplipopensource.com/hplip-web/index.html).Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two- sided; ID Copy, Collate; Binding Margin; Enhancement; Crop; Copy previewUp to 99 copiesUp to 34 cpm25 to 400%Up to 600 dpiUp to 600 dpi |

| Copy speed black (draft, letter) | Up to 34 cpm |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Copy speed color (ISO) | Up to 13 cpm |
| Copy speed color (draft, letter) | Up to 34 cpm |
| Country of origin | Made in China |
| Datasheet publication number | 4AA7-0364 |
| Dimensions with trays up (W x D x H) | 584.9 x 444.8 x 306.4 mm (Cleanout + OP tray not extended); 584.9 x 690.6 x 306.4 mm (Cleanout + OP tray fully extended) |
| Distinctive ring detection supported | Yes |
| Envelope Feeder | No |
| Fax Auto Redial | Yes |
| Fax Broadcast Locations | Yes (black only) |
| Fax Modem Speed | Up to 33.6 kbps |
| Fax Polling | Yes |
| Fax Remote Retrieval | Νο |
| Fax Speed Dials, Maximum Number | Up to 99 numbers |
| Fax Transmission Speed | 5 sec per page |
| Fax delayed sending | Yes |
| Fax forwarding | Yes |
| | |
| Fax memory | Up to 100 pages |
| Fax memory Fax phone TAM interface supported | Up to 100 pages No |
| Fax phone TAM interface | |
| Fax phone TAM interface supported | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black |
| Fax phone TAM interface supported Fax phone features | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive |
| Fax phone TAM interface supported Fax phone features Fax resolution black | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray |
| Fax phone TAM interface supported Fax phone features Fax phone features Fax resolution black Fax resolution color (fine) Fax resolution color (fine) | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray 200 x 200 dpi |
| Fax phone TAM interface supported Fax phone features Fax resolution black Fax resolution color (fine) Fax resolution color (standard) | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray 200 x 200 dpi 200 x 200 dpi |
| Fax phone TAM interface supported Fax phone features Fax resolution black Fax resolution color (fine) Fax resolution color (standard) Fax telephone mode supported | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray 200 x 200 dpi 200 x 200 dpi |
| Fax phone TAM interface supported Fax phone features Fax resolution black Fax resolution color (fine) Fax resolution color (standard) Fax telephone mode supported Faxing options (ADF) | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray 200 x 200 dpi 200 x 200 dpi Single-sided |
| Fax phone TAM interface supported Fax phone features Fax resolution black Fax resolution color (fine) Fax resolution color (standard) Fax telephone mode supported Faxing options (ADF) File Format Supported | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray 200 x 200 dpi 200 x 200 dpi Single-sided JPEG; PDF; TIFF |
| Fax phone TAM interface supported Fax phone features Fax resolution black Fax resolution color (fine) Fax resolution color (standard) Fax telephone mode supported Faxing options (ADF) File Format Supported Finished output handling | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray 200 x 200 dpi 200 x 200 dpi Single-sided JPEG; PDF; TIFF |
| Fax phone TAM interface supported Fax phone features Fax resolution black Fax resolution color (fine) Fax resolution color (standard) Fax telephone mode supported Faxing options (ADF) File Format Supported Finished output handling First page out black (A4, ready) | No Colour fax; Auto reduction; Auto redial; Speed dial; Group speed dial; Junk barrier; Forwarding (black only); Distinctive ring; Delayed send (black only); Scan and fax; PC fax send and receive 203 x 196 dpi, 256 levels of gray 200 x 200 dpi 200 x 200 dpi Yes Single-sided JPEG; PDF; TIFF Sheetfed As fast as 9 sec |

| Input capacity | Up to 250 sheets |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Junk fax barrier | Yes, requires Caller ID |
| Left margin (A4) | 3.3 mm |
| Levels of grayscale | 256 |
| Mac compatible | Yes |
| Maximum Input Capacity (envelopes) | Up to 30 envelopes |
| Maximum Memory | 512MB |
| Maximum dimensions (W x D x H) | 584.9 x 690.6 x 306.4 mm (Cleanout + OP tray fully extended) |
| Maximum input capacity (10x15cm photos) | Up to 50 sheets |
| Maximum input capacity (4x6 photo) | Up to 50 sheets |
| Maximum input capacity (cards) | Up to 50 sheets |
| Maximum input capacity (labels) | Up to 50 sheets |
| Maximum input capacity (photo paper) | Up to 50 sheets |
| Maximum input capacity (sheets) | Up to 250 sheets |
| Maximum output capacity (cards) | Up to 35 cards |
| Maximum output capacity (envelopes) | Up to 25 envelopes |
| Maximum output capacity (photo paper) | Up to 25 A size sheets; Up to 20 B size sheets |
| Maximum output capacity (sheets) | Up to 75 A size sheets; Up to 50 B size sheets |
| Maximum print area | 297 x 431.8 mm |
| Media sizes supported | A3; A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6) |
| Media sizes supported, key | 10 x 15 cm; A4; A3; Envelopes |
| Media sizes, custom | 76 x 127 to 297 x 420 mm |
| Media types | Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, other Matte Inkjet Papers, other Glossy Inkjet Papers, Inkjet Hagaki, Plain Paper Thick, Plain Paper Light/Recycled |
| Media weight, recommended | 60 to 105 g/m² |
| Media weight, supported | 34 to 250 g/m² |
| Memory | 512MB |
| Memory Slots | None |
| | |

| Minimum System Requirements | Windows [®] 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft [®] Internet Explorer. Windows Vista (32-bit only): 800 MHz (x86) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft [®] Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel [®] Pentium [®] II, Celeron [®] or 233 MHz compatible processor, 850 MB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Minimum System Requirements for Macintosh | OS X v10.12 Sierra, OS X v10.11 El Capitan, OS X v10.10 Yosemite, 1 GB available hard disk space, Internet |
| Multitasking supported | Yes |
| Non-Operating Humidity Range | Max 90% RH Non-Operating |
| Number of print cartridges | 4 (1 each black, cyan, magenta, yellow) |
| Number of users | 1-3 Users |
| Operating humidity range | 10 to 80% RH |
| Operating temperature range | 41 to 104ºF |
| Operating temperature range | 5 to 40ºC |
| Output capacity | Up to 75 sheets |
| Package dimensions (W x D x H) | 677 x 495 x 408 mm |
| Package weight | 19.50 kg |
| Paper handling input, optional | Νο |
| Paper handling input, standard | 250-sheet input tray |
| Paper handling output, standard | 75-sheet output tray |
| Paper trays, maximum | 1 |
| Paper trays, standard | 1 |
| PictBridge description | No |
| PictBridge supported | Νο |
| Power | Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz |
| Print Technology | Ink |
| Print colors | Yes |
| Print colors maximum | 4 |
| Print head nozzles | Total nozzles= 1568/color * 4 = 6272 |
| Print heads | 4 (1 each black, cyan, magenta, yellow) |
| Print languages | HP PCL3 GUI |
| Print speed black (ISO) | Up to 22 ppm |
| Print speed black (draft, A4) | Up to 34 ppm |
| Print speed color (ISO) | Up to 18 ppm |
| Print speed color (draft, A4) | Up to 34 ppm |
| Print technology | HP Thermal Inkjet |

| Printer drivers included | HP PCL3 GUI |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recommended Macintosh system requirements | OS X v10.12 Sierra, OS X v10.11 El Capitan, OS X v10.10 Yosemite, 1 GB available hard disk space, Internet |
| Recommended monthly page volume | 250 to 1,500 pages ^[5] |
| Recommended operating humidity range | 20% to 80% RH |
| Recommended operating temperature range | 59 to 90ºF |
| Recommended operating temperature range | 15 to 32°C |
| Resolution (black and white, standard mode) | 203 x 98 dpi |
| Resolution (black photo grayscale) | 300 x 300 dpi (halftone) |
| Right margin (A4) | 3.3 mm |
| Scan resolution, hardware | Up to 1200 x 1200 dpi |
| Scan resolution, optical | Up to 1200 dpi |
| Scan size (ADF), maximum | 216 x 356 mm |
| Scan size, maximum | 216 x 356 mm |
| Send to email capability | No |
| Service & support features | HP Support Center; HP Pavilion Recovery Kit; HP Pavilion Library; VirusScan by McAfee; Hardware Diagnostics by AMI; System Wizard by SystemSoft |
| Service & support options | Free telephone support for basic setup, installation, and troubleshooting in Europe during warranty; Optional HP Support Pack for 4-hour response during standard business hours; Optional HP Support Pack for 24 hours a day, 7 days a week; Optional HP Support Pack for Comprehensive Technical Support |
| Standard input capacity (cards) | Up to 50 sheets |
| Standard input capacity (envelopes) | Up to 30 envelopes |
| Standard input capacity (legal) | Up to 250 sheets |
| Standard media sizes (duplex) | A4 |
| Standard output capacity (cards) | Up to 35 cards |
| Standard output capacity (envelopes) | Up to 25 envelopes |
| Standard output capacity (labels) | Up to 35 sheets |
| Standard output capacity (legal) | Up to 75 sheets |
| Storage device and direct print support | Storage devices not supported |
| Storage temperature range | -40 to 140ºF |

| Storage temperature range | -5 to 60º C |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sub-brand name | Officejet Pro |
| SureSupply supported | Yes |
| System requirements, recommended | Windows [®] 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft [®] Internet Explorer. Windows Vista (32-bit only): 800 MHz (x86) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft [®] Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel [®] Pentium [®] II, Celeron [®] or 233 MHz compatible processor, 850 MB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. |
| Target user and print volume | For teams up to 3 users; Prints up to 1,500 pages/month |
| Telephone handset supported | No |
| Top key features | 35-sheet ADF; Front-facing USB printing; Two-sided printing |
| Top margin (A4) | 3.3 mm |
| Twain version | Version 1.9 |
| Typical electricity consumption (TEC) number | 0.398 kWh/Week |
| UPC number | (AB0) 190780981955; (AB1) 190780981962; (AB2) 190780981979; (ABJ) 190780981986; (ABT) 190780982051; (AC4) 190780981931; (AC8) 190780981948; (ACJ) 190780982006; (ACQ) 190780982068; (AK3) 190780981993; (AKH) 190780981924; (AKY) 190780981917; (B1H) 190780981900; (BEG) 190780982013; (BGM) 190780982020; (BH0) 190780982037; (BHG) 190780982075; |
| USB input for firmware update and play multimedia files. | 8443310000 |
| Video action printing supported | No |
| | |

[4] Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit)

[5] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Ink/Toner/Paper/Printer Supplies

Ink Supplies

HP Inkjet Printer Cartridges and Ink Supplies

| HP 953XL 4-pack High Yield Black/Cyan/Magenta/Yellow Original Ink Cartridges | 3HZ52AE |
|---------------------------------------------------------------------------------|---------|
| HP 953 Black Original Ink Cartridge | LOS58AE |
| HP 953XL High Yield Magenta Original Ink Cartridge | F6U17AE |
| HP 953 Yellow Original Ink Cartridge | F6U14AE |
| HP 953XL High Yield Black Original Ink Cartridge | LOS70AE |
| HP 953XL High Yield Yellow Original Ink Cartridge | F6U18AE |
| HP 953 Magenta Original Ink Cartridge | F6U13AE |
| HP 953XL High Yield Cyan Original Ink Cartridge | F6U16AE |
| HP 953 Cyan Original Ink Cartridge | F6U12AE |
| HP 957XL High Yield Black Original Ink Cartridge | LOR40AE |

HP Inkjet Business Value Packs

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

| HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm | CHP910 |
|------------------------------------------------------|--------|
| HP Office Paper-2500 sht/A4/210 x 297 mm | CHP113 |
| HP Home and Office Paper-500 sht/A4/210 x 297 mm | CHP150 |
| HP Premium Choice Paper-500 sht/A4/210 X 297 mm | CHP812 |
| HP Premium Choice Paper-250 sht/A4/210 X 297 mm | CHP810 |
| HP Office Paper-500 sht/A4/210 x 297 mm | CHP110 |
| HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm | СНР920 |
| HP Office Paper-500 sht/A3/297 x 420 mm | CHP120 |
| HP Printing Paper-500 sht/A3/297 x 420 mm | CHP220 |
| HP Printing Paper-2500 sht/A4/210 x 297 mm | CHP215 |
| HP Printing Paper-500 sht/A4/210 x 297 mm | CHP210 |
| HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm | CHP235 |
| HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm | CHP710 |
| HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm | CHP712 |

HP Multipurpose Paper

| HP Multipurpose Paper-500 sht/A4/210 x 297 mm | CHP225 |
|-----------------------------------------------------------|--------|
| HP Recycled Paper | |
| HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm | CHP830 |
| HP Paper Designed for Inkjet Printers | |
| HP Inkjet Everyday Paper | |
| HP Bright White Inkjet Paper-500 sht/A4/210 x 297 mm | C1825A |
| HP Bright White Inkjet Paper-250 sht/A3/297 x 420 mm | C1858A |
| HP Bright White Inkjet Paper-250 sht/A4/210 x 297 mm | C5977B |
| HP Professional Inkjet Paper | |
| HP Professional Matt Inkjet Paper-100 sht/A4/210 x 297 mm | Q6592A |
| HP Professional Matt Inkjet Paper-100 sht/A3/297 x 420 mm | Q6594A |

| HP Professional Glossy Inkjet Paper-50 sht/A4/210 x 297 mm | C6818A |
|------------------------------------------------------------|--------|
| HP Professional Glossy Inkjet Paper-50 sht/A3/297 x 420 mm | C6821A |
| HP Professional Glossy Inkjet Paper-50 sht/A3/297 x 420 mm | C6821A |
| HP Professional Glossy Inkjet Paper-50 sht/A4/210 x 297 mm | C6818A |
| | |

Q6593A

HP Inkjet Photo Paper

HP Professional Matt Inkjet Paper-200 sht/A4/210 x 297 mm

| HP Advanced Glossy Photo Paper-100 sht/10 x 15 cm borderless | Q8692A |
|--------------------------------------------------------------------------|--------|
| HP Premium Plus Semi-gloss Photo Paper-20 sht/A4/210 x 297 mm | CR673A |
| HP Social Media Snapshots Removable Sticky Photo Paper-25 sht/10 x 13 cm | W2G60A |
| HP Premium Plus Glossy Photo Paper-25 sht/10 x 15 cm | CR677A |
| HP Everyday Glossy Photo Paper-100 sht/10 x 15 cm | CR757A |
| HP Advanced Glossy Photo Paper-50 sht/A4/210 x 297 mm | Q8698A |
| HP Premium Plus Glossy Photo Paper-20 sht/A3/297 x 420 mm | CR675A |
| HP Advanced Glossy Photo Paper-25 sht/13 x 18 cm borderless | Q8696A |
| HP Everyday Glossy Photo Paper-100 sht/A4/210 x 297 mm | Q2510A |
| HP Advanced Glossy Photo Paper-25 sht/A4/210 x 297 mm | Q5456A |
| HP Premium Plus Glossy Photo Paper-20 sht/A4/210 x 297 mm | CR672A |
| HP Premium Plus Glossy Photo Paper-20 sht/13 x 18 cm | CR676A |
| HP Advanced Glossy Photo Paper-60 sht/10 x 15 cm borderless | Q8008A |
| HP Everyday Glossy Photo Paper-25 sht/A4/210 x 297 mm | Q5451A |

| HP Premium Plus Glossy Photo Paper-50 sht/A4/210 x 297 mm | CR674A |
|-------------------------------------------------------------|--------|
| HP Premium Plus Glossy Photo Paper-50 sht/10 x 15 cm | CR695A |
| HP Advanced Glossy Photo Paper-25 sht/10 x 15 cm borderless | Q8691A |
| HP Advanced Glossy Photo Paper-20 sht/A3/297 x 420 mm | Q8697A |
| HP Advanced Glossy Photo Paper-20 sht/A3/297 x 420 mm | Q8697A |

Services

HP Care Pack Services

Imaging and Printing Consumer Care Pack Services

| HP 3 year Care Pack w/Next Day Exchange for Officejet Pro Printers | UG076E | |
|--------------------------------------------------------------------|--------|--|
| HP 3 year Care Pack w/Standard Exchange for Officejet Pro Printers | UG199E | |
| HP 2 year Care Pack w/Standard Exchange for Officejet Pro Printers | UG223E | |
| HP 1 year Care Pack w/Next Day Exchange for Officejet Pro Printers | UG136E | |
| HP 3 year Care Pack w/Standard Exchange for Officejet Pro Printers | UG199E | |
| HP 3 year Care Pack w/Next Day Exchange for Officejet Pro Printers | UG076E | |

Solutions

Printing Solutions

Print Management

| HP JetAdvantage Insights | HPJETADINSIGHTS |
|----------------------------------------------------|-----------------|
| HP Universal Print Driver | HPUNIVPRNTDRV |
| HP Web Jetadmin | HPWEBJETADMIN |
| | |
| | |
| Printing Security | |
| Printing Security HP JetAdvantage Private Print | HPCMPPONDMND |

Disclaimer — Copyright

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (gb-en) – Aug 01, 2018 12:49 PM UTC+0000