Victoriana - 4 Drawer Chest

Assembly Instructions - Please keep for future reference

248/2406

228/8545



Dimensions

Width - 72cm

Depth - 39cm

Height - 87.5cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



!\ Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Warning: This unit weighs approximately 27kgs. Please lift with care.
- Check you have all the components and tools listed on pages 1, 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.
- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

- Safety note: It is recommended that this unit is secured to a wall using the bracket supplied.
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Tools required



Rule



Cross-head screwdriver



Scissors



Hammer



Eye protection (when using a hammer or drill)




Electric drill (only use when drilling into walls)

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the Customer Helpline: 08456 400800 quoting the reference numbers below

Please check you have all the panels listed below



1 Left Side (D2997A) (732 x 352mm)



5 | Back Rail (D3002A)



(659 x 96mm)


8 Large Left Drawer Side (W350-195LH) (350 x 195mm)



11 Small Left Drawer Side (W350-124LH) (350 x 124mm) x 3




14 Drawer Base (*T*637-347) (637 x 347mm) x 4



2 | Right Side (D2998A) (732 x 352mm)




Large Drawer Front (D3000A) (685 x 245mm)



9 Large Right Drawer Side (W350-195RH) (350 x 195mm)



12 Small Right Drawer Side (W350-124RH) (350 x 124mm) x 3



15 Back (X758-685) (758 x 685mm)



3 Top (D2996A) (718 x 390mm)



4 Base (D2999A) (718 x 390mm)



7 Small Drawer Front (D3001A) (685 x 156mm) x 3



10 Large Drawer Back (W626-195) (626 x 195mm)



13 Small Drawer Back (W626-124) (626 x 124mm) x 3





Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.






If you have damaged or missing components, call the **Customer Helpline:** 08456 400800 quoting the reference numbers below

Step 1

Prepare the large drawer front

Screw 2 metal dowels **A** into the large drawer front **6**.

Note: Tighten the metal dowels up fully against the panels.




Step 2

Prepare the pair of large drawer sides

Insert a small locking nut (a) into the hole shown on the large left drawer side (a) and the large right drawer side (b).

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.




Step 3

Attach the large drawer sides to the large drawer front

Push the large left drawer side 8 and large right drawer side 9 onto the back of the large drawer front 6.

Turn the small locking nuts **©** on the large left drawer side **8** and large right drawer side **9**.


Note: Turn the locking nuts **©** clockwise to secure panels - more than 1/2 a turn.



Step 4

Fit the drawer base

Slide the drawer base 14 down the grooves in the large drawer sides 8 and 9 and down into the groove in the large drawer front 6.




Step 5

Fit the large drawer back

Fit the large drawer back 10 between the large drawer sides 8 and 9. Make sure that the drawer base 14 fits into the groove in the large drawer back 10.


Hold the large drawer back 10 in position and tap the knock-in pegs through the holes in the large drawer sides 8 and 9.



Step 6

Attach the handles


Attach 2 handles **1** to the large drawer front **6** using screw **H**.



Step 7

Fit the wedgefixes

Turn the large drawer assembly over and slide 4 wedgefixes • into the front and back grooves, as shown, and tighten up the screws.






Step 8

Prepare the 3 small drawer fronts

Screw 2 metal dowels **A** into each small drawer front **7**.

Note: Tighten the metal dowels up fully against the panels.




Step 9

Prepare the 3 pairs of small drawer sides

Insert a small locking nut **©** into the hole shown on the small left drawer side **11** and the small right drawer side **12**.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.




Step 10

Attach the small drawer sides to the small drawer fronts

Push the small left drawer side 11 and small right drawer side 12 onto the back of the small drawer front 7.


Turn the small locking nuts **©** on the small left drawer side **11** and small right drawer side **12**.



Step 11

Fit the drawer bases

Slide the drawer base 14 down the grooves in the small drawer sides 11 and 12 and down into the groove in the small drawer front 7.




Step 12

Fit the small drawer backs

Fit the small drawer back 13 between the small drawer sides 11 and 12. Make sure that the small drawer base 14 fits into the groove in the small drawer back 13.


Hold the small drawer back 13 in position and tap the knock-in pegs through the holes in the small drawer sides 11 and 12.



Step 13

Attach the handles


Attach 2 handles **t** to each of the small drawer fronts **1** using screws **1**.



Step 14

Fit the wedgefixes

Turn the small drawer assembles over and slide 4 wedgefixes • into the front and back grooves, as shown, and tighten up the screws.




Step 15

Prepare the top

Screw 4 metal dowels (A) into the top [3].

Fix the bracket **P** in the middle of the top **3**, flush to the rebated back edge using screw **K**.



Step 16

Prepare the left side

a: Place 4 runners **M** on the left side **1**. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw **1**.

b: Slide the runner M back the other way and fit the 2nd screw into the corresponding hole in the left side 1.


C: Screw a metal dowel **A** into the left side **1**.


Insert 2 large locking nuts **B** into the left side **1**.


Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Tap 2 wooden dowels **D** into the left side **1**.

Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.







Step 17

Prepare the right side


a: Place 4 runners M on the right side 2. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw 1.


b: Slide the runner **M** back the other way and fit the 2nd screw **1** into the corresponding hole in the right side **2**.


C: Screw a metal dowel
A into the right side 2.

Insert 2 large locking nuts **3** into the right side **2**.

Tap 2 wooden dowels **D** into the right side **2**.








Step 18

Join the top and right side

Push the right side 2 onto the top 3.

Use a screwdriver to tighten the 2 large locking nuts **B** fitted to the right side **2**.

Note: Turn the large locking nuts **3** as far as they will go - more than 1/2 a turn.




Note: To make it easier to fit the top and base panels, place polystyrene blocks from the packaging underneath the side panels to raise the assembly.

Step 19

Prepare the back rail

Insert 2 large locking nuts **B** into the back rail **5**.

Tap 2 wooden dowels **D** into the back rail **5**.




Step 20

Fit the back rail

Push the back rail 5 onto the right side 2.

Use a screwdriver to tighten the large locking nut **B** fitted to the back rail 5.




rail until the left side has been fitted in the next step.

Step 21

Fit the left side

Push the left side 1 onto the top 3 and back rail 5.


Use a screwdriver to tighten the 3 large locking nuts **B** fitted to the left side **1** and back rail 5.



Step 22

Fit the base

Attach the base 4 to the left side 1 and right side 2 using 4 screws G.




Step 23

Fit the feet

Fit the 4 feet **N** to the base **4** using screws **Q** and tighten them using the allen key **R**.

Note: You may find it easier to turn the foot as the screw is held with the allen key.



Step 24

Fit the back

a: Square up the unit by making sure that measurement **x** to **x** equals **y** to **y**.

b: Place the back 15 onto the unit.

Nail **E** around the outside edges of the back **15**.


Note: Nails should be spaced out evenly.

Stand the unit up for the next step.



Warning: The unit is heavy. Lift with care.

The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 25

Secure unit to a wall

To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by use of the metal bracket **P** fitted to the top **3**.

Fixings are not supplied as they will need to suit the wall type, and the length of screw will depend on the distance of the back of the unit to the wall.

Warning: Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.



Step 26


Fit the drawers

Starting with the large bottom drawer, slide both the runners **M** forward and locate the drawer sides between them, lining up the holes in the drawer wrap with the 2nd 'threaded' holes in the runners **M**.

Working from the inside of the drawer, insert 2 screws • through the drawer sides and out into the 2nd threaded hole in the runner.

Note: Do not overtighten the screws **①**. If they catch on the runner you may need to loosen them slightly.

Assembly is complete



If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800** and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

15 ALR3062