
Malibu - 3 Drawer Bedside Chest

Assembly Instructions - Please keep for future reference

267/7905
268/4943
262/9049
257/8633
262/1449
266/8275
274/8762
249/7264
278/4056
267/8076
275/5549



Dimensions
Width - 38cm
Depth - 40cm
Height - 61cm

MADE IN BRITAIN

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 7 - 24/06/14

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• ***Warning:*** This unit weighs approximately 14kgs. Please lift with care.

• Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• Do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers ***for inserting screws***, as this could damage the unit. Only use hand screwdrivers.

• **Safety note:** If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).

• Dispose of all packaging carefully and responsibly.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.


• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*


Please check you have all the panels listed below




1 Left Side *(D2821A)*
(591 x 394mm)




2 Right Side *(D2822A)*
(591 x 394mm)




3 Top *(D2823A)*
(388 x 396mm)




4 Plinth *(D2825A)*
(349 x 92mm)



5 Rail *(D2826A)*
(349 x 72mm)



6 Back Rail *(D2836A)*
(349 x 60mm)



7 Drawer Front *(D2824A)*
(345 x 156mm) x 3




8 Left Drawer Side *(W370-124LH)*
(370 x 124mm) x 3




9 Right Drawer Side *(W370-124RH)*
(370 x 124mm) x 3



10 Drawer Back *(W317-124)*
(317 x 124mm) x 3



11 Drawer Base *(T328-367)*
(328 x 367mm) x 3




12 Back *(X511-373)*
(511 x 373mm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A 

Wooden dowel *(F22)* x 10

B 

Metal dowel *(F901)* x 8

C 

Nail holder *(F149)* x 1

D

Nail *(F51)* x 12

E 

Large locking nut *(F900)* x 2

F 

Small locking nut *(F3)* x 6

G 

40mm Screw *(F910)* x 4

H 

25mm Screw (*F50)* x 3

I 

Handle *(F631)* x 3

J 

Drawer runner *(F1004)* x 6

K 

9mm Screw (*F73)* x 12

L 


Knock-in Peg *(F171GY)* x 12

M 

9mm Screw *(F74)* x 6


N 

Wedgefix *(F639)* x 6

O 

Plastic Nail *(F91)* x 4

Tools required




Rule



Cross-head screwdriver



Scissors



Hammer



Eye protection (when using a hammer or drill)

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*

Step 1

Prepare the 3 drawer fronts

Screw 2 metal dowels B into each of the drawer fronts 7.

Note: Tighten the metal dowels up fully against the panels.




Step 2

Prepare the drawer sides

Insert a small locking nut F into the hole shown on the left drawer side 8 and the right drawer side 9.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Note: Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.



Step 3


Attach the drawer sides to the drawer fronts

Push the left drawer sides 8 and right drawer sides 9 onto the back of the drawer fronts 7.

Turn the small locking nuts F on the left drawer side 8 and right drawer side 9.

Note: Turn the locking nuts F clockwise to secure panels - more than 1/2 a turn.

Note: The locking nuts can be on either surface of the drawer sides. Make sure that the small groove is on the inside, as shown.




Assembly Instructions

Step 4

Fit the drawer base

Slide the drawer base 11 down the grooves in the drawer sides 8 and 9 and down into the groove in the drawer front 7.




x 3

Step 5

Fit the drawer back

Fit the drawer back 10 between the drawer sides 8 and 9. Make sure that the drawer base 11 fits into the groove in the drawer back 10.

Hold the drawer back 10 in position and tap the knock-in pegs L through the holes in the drawer sides 8 and 9.




x 3

Step 6

Attach the handles

Attach a handle I to each of the drawer fronts 7 using screw H.

Note: Do not overtighten the screw.





x 3

Step 7

Fit the wedgefixes

Turn the drawer assemblies over and slide 2 wedgefixes N into the front and back grooves, as shown, and tighten up the screws.





x 3

Step 8

Prepare the left side

a: Place 3 runners J on the left side 1 as shown. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw K.


b: Slide the runner J back the other way and fit the 2nd screw K into the corresponding hole in the left side 1.


Insert a large locking nut E into the left side 1.


Note: The arrow on the locking nuts **must** point towards the hole in the edge of the panel.

Tap a wooden dowel A into the left side 1.

Note: Wooden dowels **must not** stick out from the edge by more than 10mm or they may damage other panels.







Step 9

Prepare the right side

a: Place 3 runners J on the right side 2 as shown. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw K.


b: Slide the runner J back the other way and fit the 2nd screw K into the corresponding hole in the right side 2.

Insert a large locking nut E into the right side 2.

Note: The arrow on the locking nuts **must** point towards the hole in the edge of the panel.

Tap a wooden dowel A into the right side 2.

Note: Wooden dowels **must not** stick out from the edge by more than 10mm or they may damage other panels.




Step 10

Prepare the plinth, rail and back rail

a: Tap 2 wooden dowels A into the plinth 4.

b: Tap 4 wooden dowels A into the rail 5.


a: Tap 2 wooden dowels A into the back rail 6.



Step 11

Fit the rail to the right side

Push the rail 5 onto the right side 2.




Step 12

Fit the plinth and back rail to the right side

Push the plinth 4 onto the right side 2 and secure it with screw G.

Push the back rail 6 onto the right side 2 and secure it with screw G.




Note: Support the back rail until the left side has been fitted in the next step.

Step 13

Fit the left side


Push the left side 1 onto the unit and secure it with 2 screws G.



Step 14

Prepare the top

Screw 2 metal dowels B into holes shown on the underside of the top 3.




Step 15

Fit the top

Push the top 3 onto the side panels.

Use a screwdriver to tighten the large locking nut E fitted to each side.

Note: Turn the large locking nut as far as it will go - more than 1/2 a turn.



Step 16

Fit the back


a: Square up the unit by making sure that measurement **x to x equals y to y.**

b: Place the back 12 down onto the unit, as shown.

Use the nail guide C to hold the nails D vertical and at the correct distance whilst you nail around the outside edges of the back 12.

Note: Nails should be spaced about 150mm apart.

a: The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y




Step 17

Fit the 4 plastic nails

Tap 2 plastic nails O into the bottom edge of each side 1 and 2 as shown.

Stand the unit up for the next step.



Step 18


Fit the drawers

Starting with the bottom drawer, slide both the runners J forward and locate the drawer sides 8 and 9 between them, lining up the holes in the drawer wrap with the 2nd 'threaded' holes in the runners J.

Working from the inside of the drawer, insert 2 screws M through the drawer sides and out into the 2nd threaded hole in the runner.

Note: Do not overtighten the screws.
If they catch on the runner you may need to loosen them slightly.

Assembly is complete




If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**
and quote the reference numbers on the component pages.
Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

Malibu - 3 Drawer Bedside Chest

Assembly Instructions - Please keep for future reference

267/7905
268/4943
262/9049
257/8633
262/1449
266/8275
274/8762
249/7264
278/4056
267/8076
275/5449



Dimensions
Width - 38cm
Depth - 40cm
Height - 61cm

MADE IN BRITAIN

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**

Issue 9 - 28/07/14

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• ***Warning:*** This unit weighs approximately 14kgs. Please lift with care.

• Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• Do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers ***for inserting screws***, as this could damage the unit. Only use hand screwdrivers.

• **Safety note:** If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).

• Dispose of all packaging carefully and responsibly.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.


• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*


Please check you have all the panels listed below




1 Left Side *(D2821A)*
(591 x 394mm)




2 Right Side *(D2822A)*
(591 x 394mm)




3 Top *(D2823A)*
(388 x 396mm)




4 Plinth *(D2825A)*
(349 x 92mm)



5 Rail *(D2826A)*
(349 x 72mm)



6 Back Rail *(D2836A)*
(349 x 60mm)



7 Drawer Front *(D2824A)*
(345 x 156mm) x 3




8 Left Drawer Side *(W370-124LH)*
(370 x 124mm) x 3




9 Right Drawer Side *(W370-124RH)*
(370 x 124mm) x 3



10 Drawer Back *(W317-124)*
(317 x 124mm) x 3



11 Drawer Base *(T328-367)*
(328 x 367mm) x 3






12 Back *(X511-373)*
(511 x 373mm)

Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.


A  Wooden dowel *(F22)* x 10	**B**  Metal dowel *(F901)* x 8	**C**  Plastic Nail *(F91)* x 4
D Nail *(F51)* x 12	**E**  Large locking nut *(F900)* x 2	**F**  Small locking nut *(F3)* x 6
G  40mm Screw *(F910)* x 4	**H**  25mm Screw (*F50)* x 3	**I**  Handle *(F631)* x 3
J  Drawer runner *(F1004)* x 6		**K**  9mm Screw (*F73)* x 12
L  Knock-in Peg *(F171GY)* x 12	**M**  9mm Screw *(F74)* x 6	**N**  Wedgefix *(F639)* x 6

Tools required


Rule


Cross-head screwdriver


Scissors


Hammer


Eye protection (when using a hammer or drill)

Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** *quoting the reference numbers below*

Step 1

Prepare the 3 drawer fronts

Screw 2 metal dowels B into each of the drawer fronts 7.

Note: Tighten the metal dowels up fully against the panels.




Step 2

Prepare the drawer sides

Insert a small locking nut F into the hole shown on the left drawer side 8 and the right drawer side 9.

Note: The arrow on the locking nut **must** point towards the hole in the edge of the panel.

Note: Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.



Step 3


Attach the drawer sides to the drawer fronts

Push the left drawer sides 8 and right drawer sides 9 onto the back of the drawer fronts 7.

Turn the small locking nuts F on the left drawer side 8 and right drawer side 9.

Note: Turn the locking nuts F clockwise to secure panels - more than 1/2 a turn.

Note: The locking nuts can be on either surface of the drawer sides. Make sure that the small groove is on the inside, as shown.




Assembly Instructions

Step 4

Fit the drawer base

Slide the drawer base 11 down the grooves in the drawer sides 8 and 9 and down into the groove in the drawer front 7.




x 3

Step 5

Fit the drawer back

Fit the drawer back 10 between the drawer sides 8 and 9. Make sure that the drawer base 11 fits into the groove in the drawer back 10.

Hold the drawer back 10 in position and tap the knock-in pegs L through the holes in the drawer sides 8 and 9.




x 3

Step 6

Attach the handles

Attach a handle I to each of the drawer fronts 7 using screw H.

Note: Do not overtighten the screw.





x 3

Step 7

Fit the wedgefixes

Turn the drawer assemblies over and slide 2 wedgefixes N into the front and back grooves, as shown, and tighten up the screws.





x 3

Step 8

Prepare the left side

a: Place 3 runners J on the left side 1 as shown. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw K.


b: Slide the runner J back the other way and fit the 2nd screw K into the corresponding hole in the left side 1.


Insert a large locking nut E into the left side 1.


Note: The arrow on the locking nuts **must** point towards the hole in the edge of the panel.

Tap a wooden dowel A into the left side 1.

Note: Wooden dowels **must not** stick out from the edge by more than 10mm or they may damage other panels.







Step 9

Prepare the right side

a: Place 3 runners J on the right side 2 as shown. Slide back the top of runner and use the 2nd hole from the front to fit the 1st screw K.


b: Slide the runner J back the other way and fit the 2nd screw K into the corresponding hole in the right side 2.

Insert a large locking nut E into the right side 2.

Note: The arrow on the locking nuts **must** point towards the hole in the edge of the panel.

Tap a wooden dowel A into the right side 2.

Note: Wooden dowels **must not** stick out from the edge by more than 10mm or they may damage other panels.




Step 10

Prepare the plinth, rail and back rail

a: Tap 2 wooden dowels A into the plinth 4.

b: Tap 4 wooden dowels A into the rail 5.


a: Tap 2 wooden dowels A into the back rail 6.



Step 11

Fit the rail to the right side

Push the rail 5 onto the right side 2.




Step 12

Fit the plinth and back rail to the right side

Push the plinth 4 onto the right side 2 and secure it with screw G.

Push the back rail 6 onto the right side 2 and secure it with screw G.




Note: Support the back rail until the left side has been fitted in the next step.

Step 13

Fit the left side


Push the left side 1 onto the unit and secure it with 2 screws G.



Step 14

Prepare the top

Screw 2 metal dowels B into holes shown on the underside of the top 3.




Step 15

Fit the top

Push the top 3 onto the side panels.

Use a screwdriver to tighten the large locking nut E fitted to each side.

Note: Turn the large locking nut as far as it will go - more than 1/2 a turn.



Step 16

Fit the back

a: Square up the unit by making sure that measurement **x to x equals y to y.**


b: Place the back 12 down onto the unit, as shown.

Nail D around the outside edges of the back 12.

Note: Nails should be spaced about 150mm apart.

a: The measurement from top corner X to bottom corner X must be equal to the measurement from top corner Y to bottom corner Y

b:




Step 17

Fit the 4 plastic nails

Tap 2 plastic nails C into the bottom edge of each side 1 and 2 as shown.

Stand the unit up for the next step.



Step 18


Fit the drawers

Starting with the bottom drawer, slide both the runners J forward and locate the drawer sides 8 and 9 between them, lining up the holes in the drawer wrap with the 2nd 'threaded' holes in the runners J.

Working from the inside of the drawer, insert 2 screws M through the drawer sides and out into the 2nd threaded hole in the runner.

Note: Do not overtighten the screws.
If they catch on the runner you may need to loosen them slightly.

Assembly is complete



If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**
and quote the reference numbers on the component pages.
Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW